# Presentation title

## Some longer presentation subtitle

John Doe
Johnny Moe
Janice Foe

Brno, August 27 2026

BRNO UNIVERSITY OF TECHNOLOGY
FACULTY OF INFORMATION TECHNOLOGY

Algorithms and implementation to solve this and that.

**Dataset:** PQR-100, BAC-23
**Required reliability:** 99 %

$$\boldsymbol{a}_t = \sum_{i=1}^{L^*} \alpha_{t,i} \boldsymbol{f}_{t,i}$$

where $\alpha_{t,i}$ computes the softmax:

$$\alpha_{t,i} = \frac{\exp\left(r_{t,i}\right)}{\sum_{k=1}^{L} \exp\left(r_{t,k}\right)}$$

$$r_{t,i} = W_a \tanh\left(W_h \boldsymbol{h}_{t-1} + W_f \boldsymbol{f}_{t,i} + b\right)$$

- Created dataset: 105k records
- Success rate: 103 %
  - 120 % when it goes well

### Left column

- Point one
- Point two

### Right column

- Point A
- Point B

Thank you for your attention!

# References


[1] "Google." [Online]. Available: https://www.google.com/

[2] "Typst." [Online]. Available: https://typst.app/

[3] "The Hayagriva YAML File Format." [Online]. Available: https://github.com/typst/hayagriva