IDPro Body of Knowledge - Demo

Principal Editor: TBD

December 16, 2018

Contents

1	Intr	oduction	1
	1.1	Information security	1
		1.1.1 Trust (say more - what is this?)	1
	1.2	Privacy	1
	1.3	Identification and authentication	1
		1.3.1 Context and Identity	1
		1.3.2 Levels of Assurance	1
	1.4	The Business Case for IAM	1
		1.4.1 Workforce IAM	1
		1.4.2 Consumer/Citizen IAM	1
2	Digi	tal Identity	2
	2.1	Definition	2
		2.1.1 Reputation	2
		2.1.2 Laws of Identity - this sounds like jurisdictions and real laws - is that	
		the intent?	2
	2.2	Identifiers	2
	2.3	Digital Identity Lifecycle?	2
	2.4	Mapping to human or device	2
	2.5	Proofing, Binding or Registration?	2
		2.5.1 verification/validation	2
	2.6	Credentials	2
3	Acce	ess Control	3
	3.1	Authentication	3
		3.1.1 Dynamic Authentication (risk-based)	3
		3.1.2 Multi-Factor Authentication	3
		3.1.3 Single Sign-on within a domain	3
		3.1.4 Centralised authentication service	3
		3.1.5 Federated Authentication (between domains)	3

CONTENTS ii

		3.1.6 Device identity for corroboration
	0.0	3.1.8 Session Management
	3.2	Authorization
		3.2.1 Resources to protect
		3.2.2 Authorisation
		3.2.2.1 ACL's
		3.2.2.2 RBAC
		3.2.2.3 ABAC / dynamic access management
		Policy Management solutions
		3.2.3 Privileged Access Management
		3.2.3.1 Alignment to Risk Management 4
4	Reg	ulations And Laws 5
	_	Privacy (generic)
	4.2	Survey of Jurisdictions
		4.2.1 SOX, HiPPA, GDPR, CBPR etc
	4.3	Consent management
_	TA7	16 TARE /T . ITARE
5		kforce IAM / Internal IAM 6
	5.1	IAM processes
		5.1.1 Joiner-Mover-Leaver
		5.1.2 HR ownership
		5.1.3 Provisioning (On-boarding and Off-boarding)
		5.1.4 Handling Business partners' people
		5.1.5 Re-certification
	5.2	Analytics and Intelligence
6	Con	sumer/Citizen IAM 7
	6.1	Public sector vs. private sector
	6.2	Social media
	6.3	Consumer journey (identification to loyal customer)
		6.3.1 Registration of consumers
		6.3.2 Authentication assurance (meeting LoA requiremetns)
		6.3.3 Digital legacy - handling deceased persons' digital ID
	6.4	
		6.4.1 Blockchain ID
7	Non	-Human Entity 8
′	7.1	Operational Technology (OT)
		IoT devices

CONTENTS

		7.2.1	IoT Sectors	8
			7.2.1.1 Home Automation	8
			7.2.1.2 Personal (wearables)	8
			7.2.1.3 Implants	8
			7.2.1.4 Plant automation	8
			7.2.1.5 Vehicle	8
			7.2.1.6 Smart cities	8
			7.2.1.7 Agricuture	8
			7.2.1.8 Buildiing/Industrial	8
			7.2.1.9 Utilities	8
	7.3	RPA/	robotics	8
	7.4	Securi	ty requirements	8
8	TAM	Archit	ecture And Solutions	9
Ü				10
	0.1		•	10
		31111		10
			6	10
			č	10
				10
		8.1.2		10
				10
			8.1.2.2 High Performance Requirement	10
			8.1.2.3 Auditability	10
			8.1.2.4 Recoverability	10
			1	10
	8.2	Inform		10
		8.2.1		10
		8.2.2		10
			8	10
			e e e e e e e e e e e e e e e e e e e	10
			V 1	10
			• • • • • • • • • • • • • • • • • • • •	10
		8.2.3		10
				10
			71	10
		8.2.4	· ·	10
		0.6.	C	10
	0.0	8.2.5	•	10
	8.3			10
		8.3.1	Consoles	10

CONTENTS iv

	8.3.2	Command Line	10
	8.3.3	Approval workflow	10
	8.3.4	Integration Styles	10
		8.3.4.1 Direct "Bind"	10
		8.3.4.2 Import users	10
		Local access control	10
		8.3.4.3 Role based	11
		8.3.4.4 Provisioning	11
		Connectors	11
		JIT Federation	11
	8.3.5	DevOps Considerations	11
	8.3.6	Session Management	11
		8.3.6.1 Centralized	11
		Memory or DB backed SSO Cookies/Tokens)	11
		8.3.6.2 Externalized	11
		JWT Tokens	11
		8.3.6.3 None	11
		Anonymous only	11
8.4	Techni	ical	11
	8.4.1	Repositories	11
		8.4.1.1 Relational Database	11
		Query optimization	11
		Replication limitations	11
		8.4.1.2 Directories	11
		Historical note - X.500	11
		SLAPD and its descendents	11
		Partitioning	11
		Replication Techniques	12
		Recovery	12
		Audit and Forensics	12
		Inheritance and structure	12
		LDAPv3	12
		Active Directory	12
		8.4.1.3 NOSQL Databases	12
		8.4.1.4 Distributed Ledger (Blockchain)	12
	8.4.2	Identity Provider Services	12
	8.4.3	Protocols	12
		8.4.3.1 Kerberos	12
		8.4.3.2 Lightweight Directory Access Protocol (LDAP)	12
		8.4.3.3 SCIM	12
		8.4.3.4 SAML	12

CONTENTS v

		SP Initiated vs IDP Initiated	12
		Bindings	12
		8.4.3.5 OIDC	12
		Authentications Flows	12
		8.4.3.6 OAuth	13
		8.4.3.7 WS-Fed	13
		8.4.3.8 FIDO U2F and UAF	13
		8.4.4 Enterpise control of "Cloud"	13
		8.4.4.1 Public Cloud vs Private Cloud	13
		8.4.4.2 Local Connectors and Gateways	13
			13
	8.5	Recommended Practices	13
		8.5.1 Design for security	13
	8.6	Governance and Administration	13
		8.6.1 Audit	13
		8.6.2 Monitoring	13
9	Ope	rational Considerations 1	۱4
	9.1		[4
	9.2	•	۱4
	9.3		۱4
	9.4		L4
10	Proi	ect Management 1	۱5
		· · · · · · · · · · · · · · · · · · ·	15
			15
11	IAM	Knowledge Sharing	۱6
			١6
		•	16
			16
	11.3	KuppingerCole	ιO
		11 0	16 16

List of Figures

List of Tables

Introduction

- 1.1 Information security
- 1.1.1 Trust (say more what is this?)
- 1.2 Privacy
- 1.3 Identification and authentication
- 1.3.1 Context and Identity
- 1.3.2 Levels of Assurance
- 1.4 The Business Case for IAM
- 1.4.1 Workforce IAM
- 1.4.2 Consumer/Citizen IAM

Digital Identity

- 2.1 Definition
- 2.1.1 Reputation
- 2.1.2 Laws of Identity this sounds like jurisdictions and real laws is that the intent?
- 2.2 Identifiers
- 2.3 Digital Identity Lifecycle?
- 2.4 Mapping to human or device
- 2.5 Proofing, Binding or Registration?
- 2.5.1 verification/validation
- 2.6 Credentials

Access Control

3.1 Authentication

- 3.1.1 Dynamic Authentication (risk-based)
- 3.1.2 Multi-Factor Authentication
- 3.1.3 Single Sign-on within a domain
- 3.1.4 Centralised authentication service
- 3.1.5 Federated Authentication (between domains)
- 3.1.6 Device identity for corroboration
- 3.1.7 Fast Identity Online (FIDO) and its cousins
- 3.1.8 Session Management

3.2 Authorization

- 3.2.1 Resources to protect
- 3.2.2 Authorisation
- 3.2.2.1 ACL's
- 3.2.2.2 RBAC
- 3.2.2.3 ABAC / dynamic access management

Policy Management solutions

- 3.2.3 Privileged Access Management
- 3.2.3.1 Alignment to Risk Management

Regulations And Laws

- 4.1 Privacy (generic)
- 4.2 Survey of Jurisdictions
- 4.2.1 SOX, HiPPA, GDPR, CBPR etc.
- 4.3 Consent management

Workforce IAM / Internal IAM

- 5.1 IAM processes
- 5.1.1 Joiner-Mover-Leaver
- 5.1.2 HR ownership
- 5.1.3 Provisioning (On-boarding and Off-boarding)
- 5.1.4 Handling Business partners' people
- 5.1.5 Re-certification
- 5.2 Analytics and Intelligence

Consumer/Citizen IAM

- 6.1 Public sector vs. private sector
- 6.2 Social media
- 6.3 Consumer journey (identification to loyal customer)
- 6.3.1 Registration of consumers
- 6.3.2 Authentication assurance (meeting LoA requiremetns)
- 6.3.3 Digital legacy handling deceased persons' digital ID
- 6.4 Self-Sovereign Identity
- 6.4.1 Blockchain ID

Non-Human Entity

- 7.1 Operational Technology (OT)
- 7.2 IoT devices
- 7.2.1 IoT Sectors
- 7.2.1.1 Home Automation
- 7.2.1.2 Personal (wearables)
- **7.2.1.3** Implants
- 7.2.1.4 Plant automation
- 7.2.1.5 Vehicle
- 7.2.1.6 Smart cities
- 7.2.1.7 Agricuture
- 7.2.1.8 Buildiing/Industrial
- **7.2.1.9** Utilities
- 7.3 RPA / robotics
- 7.4 Security requirements

IAM Architecture And Solutions

O. I Dubilicob Dybecli	8.1	Business	System
------------------------	-----	-----------------	--------

- 8.1.1 Business Processes
- 8.1.1.1 Provisioning accounts
- 8.1.1.2 Changes to accounts
- 8.1.1.3 Termination of accounts
- 8.1.1.4 Recertification of accounts
- 8.1.2 Requirements
- 8.1.2.1 High Availability Requirement
- 8.1.2.2 High Performance Requirement
- 8.1.2.3 Auditability
- 8.1.2.4 Recoverability
- 8.1.2.5 Access Control Requirement

8.2 Information

- 8.2.1 Identifiers and Credentials
- 8.2.2 Protection of secrets
- 8.2.2.1 Data Encoding
- 8.2.2.2 Hashing
- 8.2.2.3 Symetric Encryption
- 8.2.2.4 Asymetric Encryption
- 8.2.3 Schemas
- 8.2.3.1 Attributes
- **8.2.3.2** Data types
- 8.2.4 Segmentation
- 0044 0 1 1 177 1

8.3.4.3 Role based

8.3.4.4 Provisioning

Connectors

JIT Federation

8.3.5 DevOps Considerations

8.3.6 Session Management

8.3.6.1 Centralized

Memory or DB backed SSO Cookies/Tokens)

8.3.6.2 Externalized

JWT Tokens

8.3.6.3 None

Anonymous only

8.4 Technical

8.4.1 Repositories

8.4.1.1 Relational Database

Query optimization

Replication limitations

8.4.1.2 Directories

Historical note - X.500

SLAPD and its descendents

Partitioning

Replication Techniques

Recovery Local failures Disaster Recovery Failover

Audit and Forensics

Inheritance and structure

LDAPv3 Access Control Configuration for performance

Active Directory Multi-Trust Relationships Domain Controllers Change tracking (Timestamp)

- 8.4.1.3 NOSQL Databases
- 8.4.1.4 Distributed Ledger (Blockchain)
- 8.4.2 Identity Provider Services
- 8.4.3 Protocols
- **8.4.3.1** Kerberos
- 8.4.3.2 Lightweight Directory Access Protocol (LDAP)
- 8.4.3.3 SCIM
- 8.4.3.4 SAML

SP Initiated vs IDP Initiated

Bindings

8.4.3.5 OIDC

Authentications Flows

- 8.4.3.6 OAuth
- 8.4.3.7 WS-Fed
- 8.4.3.8 FIDO U2F and UAF
- 8.4.4 Enterpise control of "Cloud"
- 8.4.4.1 Public Cloud vs Private Cloud
- 8.4.4.2 Local Connectors and Gateways
- 8.4.4.3 IPSec VPN
- 8.5 Recommended Practices
- 8.5.1 Design for security
- 8.6 Governance and Administration
- 8.6.1 Audit
- 8.6.2 Monitoring

Operational Considerations

- 9.1 Account recovery
- 9.2 Call centers
- 9.3 Engagement of user for their own security
- 9.4 Security events and operations

Project Management

- 10.1 New implementations
- 10.2 Migration scenario's

IAM Knowledge Sharing

- 11.1 IDpro
- 11.2 Gartner
- 11.3 KuppingerCole
- 11.4 IIW
- 11.5 Bibliography