

Error

Module build failed (from ./node_modules/babel-loader/lib/index.js): Error: ENOENT: no such file or directory, open '/home/bob/Projects/PPIAS/plugin/mathjax.js'

| | |
|--------------------|----------------------------|
| server.js:70307:7 | Object../plugin/mathjax.js |
| server.js:27:30 | __webpack_require__ |
| server.js:1059:87 | Module../.nuxt/index.js |
| server.js:27:30 | __webpack_require__ |
| server.js:1721:67 | Module../.nuxt/server.js |
| server.js:27:30 | __webpack_require__ |
| server.js:70479:18 | Object.0 |
| server.js:27:30 | __webpack_require__ |
| server.js:118:18 | |

server.js

1 Missing stack frames

Object../plugin/mathjax.js@70307:7

REQUEST DETAILS

| | |
|----------------|----------------------------|
| URI | /print/RES_2020_01_program |
| REQUEST METHOD | GET |
| HTTP VERSION | 1.1 |
| CONNECTION | keep-alive |

HEADERS

| | |
|---------------------------|---|
| HOST | 127.0.0.1:3000 |
| UPGRADE-INSECURE-REQUESTS | 1 |
| USER-AGENT | Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/108.0.5351.0 Safari/537.36 |
| ACCEPT | text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9 |
| SEC-FETCH-SITE | none |
| SEC-FETCH-MODE | navigate |
| SEC-FETCH-USER | ?1 |
| SEC-FETCH-DEST | document |
| ACCEPT-ENCODING | gzip, deflate, br |
| ACCEPT-LANGUAGE | en-US |

COOKIES

