### **TypeError**

# Cannot read properties of undefined (reading '\$route')

server.js:16990:51 Module../node\_modules/ba loader/lib/index.js?!./node\_ loader/lib/index.js?!./comp vue&type=script&lang=js& server.js:27:30 \_\_webpack\_require\_\_ server.js:8102:253 Module../components/misc vue&type=script&lang=js& server.js:27:30 \_\_webpack\_require\_\_ server.js:8063:98 Module../components/misc/ server.js:27:30 \_\_webpack\_require\_\_ server.is:446:100 Module../.nuxt/components/ server.js

1 Missing stack frames

Module../node\_modules/babelloader/lib/index.js?!./node\_modules/@nuxt/comport
loader/lib/index.js?!./components/misc/molecules/
vue&type=script&lang=js&@16990:51

# **REQUEST DETAILS**

URI	/print/5.%20Crise%20des%20identites%20de%20genre%2 0-%20Controverses%20sur%20le%20genre
REQUEST METHOD	GET
HTTP VERSION	1.1

# **HEADERS**

HOST	127.0.0.1:3000
UPGRADE-INSECURE-REQUESTS	1
USER-AGENT	Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/108.0.5351.0 Safari/537.36
ACCEPT	<pre>text/html,application/xhtml+xml,application/xml;q=0.9,imag e/avif,image/webp,image/apng,*/*;q=0.8,application/signe d-exchange;v=b3;q=0.9</pre>
SEC-FET CH-SITE	none
SEC-FET CH-MODE	navigate
SEC-FET CH-USER	?1
SEC-FET CH-DEST	document
ACCEPT-ENCODING	gzip, deflate, br
ACCEPT-LANGUAGE	e n-US

# **COOKIES**