## Error

Module build failed (from ./node\_modules/babel-loader/lib/index.js): Error: ENOENT: no such file or directory, open '/home/bob/Projects/PPIAS/plugin/mathjax.js'

server.js:70307:7 Object../plugin/mathjax.js server.js:27:30 \_\_webpack\_require\_\_ server.js:1059:87 Module../.nuxt/index.js server.js:27:30 webpack require Module../.nuxt/server.js server.js:1721:67 server.js:27:30 \_\_webpack\_require\_\_ server.js:70479:18 Object.0 server.js:27:30 \_\_webpack\_require\_\_ server.js:118:18



REQUEST DETAILS

URI	/print/8.0_WPRN21_Keynote%208
REQUEST METHOD	GET
HTTP VERSION	1.1
CONNECTION	keep-alive

## **HEADERS**

127.0.0.1:3000
1
Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/108.0.5351.0 Safari/537.36
text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9
none
navigate
?1
document
gzip, deflate, br
e n-US

## **COOKIES**