

Cicada 2067 - Database Schema (PostgreSQL)

1. users

Single unified table serving as the pre-authorized whitelist and user profile. Supabase Auth will use a PostgreSQL Trigger to verify the email against this table before allowing login.

id (UUID)	email (VARCHAR)	display_name (VARCHAR)	role (ENUM)	team_id (UUID)	joined_team_at (TIMESTAMPTZ)	created_at (TIMESTAMPTZ)
(empty)	(empty)	(empty)	participant / admin	(empty)	(empty)	(empty)

2. teams

Created by a Team Leader. Generates a unique invite code for members (Max 5 per team).

id (UUID)	name (VARCHAR)	leader_id (UUID)	invite_code (VARCHAR)	current_round (INT)	current_challenge_id (UUID)	challenges_completed (INT)	total_time_taken (INT)	is_disqualified (BOOL)
(empty)	(empty)	(empty)	(empty)	(empty)	(empty)	(empty)	(empty)	(empty)

3. challenges

Unified challenges table holding the actual puzzles, storylines, and assets across all rounds.

id (UUID)	round_number (INT)	sequence_number (INT)	title (VARCHAR)	story_context (TEXT)	embedded_assets (JSONB)	answer (VARCHAR)	unlocks_story_fragment (TEXT)
(empty)	(empty)	(empty)	(empty)	(empty)	(empty)	(empty)	(empty)

4. submission_logs

Critical for admin tracking, analytics, and resolving disputes.

id (UUID)	team_id (UUID)	user_id (UUID)	challenge_id (UUID)	submitted_answer (VARCHAR)	is_correct (BOOL)	submitted_at (TIMESTAMPTZ)
(empty)	(empty)	(empty)	(empty)	(empty)	(empty)	(empty)

5. system_config

Global State for Admin God-Mode (e.g. pause rounds, lock system).

key (VARCHAR)	value (JSONB)	updated_at (TIMESTAMPTZ)
(empty)	(empty)	(empty)

Core Security & Role Segregation (Supabase RLS)

Supabase utilizes Row Level Security (RLS) directly on the PostgreSQL database to ensure absolute security. Roles are defined by the role ENUM of the users table.

- Participant Privileges (role = 'participant')
 - users: Can SELECT their own row and rows of users with the same team_id.

- **teams:** Can SELECT their own team. Can UPDATE only if they are the leader_id.
 - **challenges:** Can SELECT only the challenge where id = team.current_challenge_id. Cannot see future challenges.
 - **submission_logs:** Can INSERT a submission. Cannot SELECT logs to prevent reverse engineering.
 - **Answers:** The answer column is NEVER sent to the frontend. Validation occurs entirely via backend secure functions.
- **Administrator Privileges (role = 'admin')**
 - **Full Access:** Admins completely bypass RLS policies. They have unrestricted SELECT, INSERT, UPDATE, and DELETE access to all tables.
 - **God-Mode:** Can manually modify teams.current_challenge_id to skip puzzles.
 - **Global Configuration:** Can modify system_config to pause the timer globally or lock out submissions.
 - **Analytics:** Can query the entire submission_logs table for real-time leaderboards.