



ZAP Scanning Report

Sites: <https://clinica-veterinaria-rxnp.onrender.com> <http://play.googleapis.com>
<http://connectivitycheck.gstatic.com> <http://www.google.com>

Generated on Fri, 1 May 2026 15:33:11

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	4
Low	1
Informational	1
False Positives:	0

Insights

Level	Reason	Site	Description	Statistic
Low	Warning		ZAP warnings logged - see the zap.log file for details	10
Info	Informational	http://connectivitycheck.gstatic.com	Percentage of responses with status code 2xx	100 %
Info	Informational	http://connectivitycheck.gstatic.com	Percentage of endpoints with method GET	100 %
Info	Informational	http://connectivitycheck.gstatic.com	Count of total endpoints	1
Info	Informational	http://connectivitycheck.gstatic.com	Percentage of slow responses	5 %
Info	Informational	http://play.googleapis.com	Percentage of responses with status code 2xx	100 %
Info	Informational	http://play.googleapis.com	Percentage of endpoints with method GET	100 %
Info	Informational	http://play.googleapis.com	Count of total endpoints	1
Info	Informational	http://play.googleapis.com	Percentage of slow responses	5 %
Info	Informational	http://www.google.com	Percentage of responses with status code 2xx	100 %
Info	Informational	http://www.google.com	Percentage of endpoints with content type text/html	100 %
Info	Informational	http://www.google.com	Percentage of endpoints with method GET	100 %

Info	Informational	http://www.google.com	Count of total endpoints	1
Info	Informational	http://www.google.com	Percentage of slow responses	11 %
Info	Informational	https://clinica-veterinaria-rxnp.onrender.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://clinica-veterinaria-rxnp.onrender.com	Percentage of endpoints with content type application/json	100 %
Info	Informational	https://clinica-veterinaria-rxnp.onrender.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://clinica-veterinaria-rxnp.onrender.com	Count of total endpoints	2
Info	Informational	https://clinica-veterinaria-rxnp.onrender.com	Percentage of slow responses	100 %

Summary of Sequences

For each step: result (Pass/Fail) - risk (of highest alert(s) for the step, if any).

Alerts

Name	Risk Level	Number of Instances
CSP: Failure to Define Directive with No Fallback	Medium	Systemic
CSP: Wildcard Directive	Medium	Systemic
CSP: script-src unsafe-eval	Medium	Systemic
CSP: style-src unsafe-inline	Medium	Systemic
CSP: Notices	Low	Systemic
Re-examine Cache-control Directives	Informational	2

Alert Detail

Medium	CSP: Failure to Define Directive with No Fallback
Description	The Content Security Policy fails to define one of the directives that has no fallback. Missing/excluding them is the same as allowing anything.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-3EqzU0TjHiNdFpLTIpTuSA' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	

Evidence	object-src 'none';base-uri 'self';script-src 'nonce-Gyb5t0BhvffYkpE9uTBTuQ' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-hUrnw2qGxBWR4ycMPVzq9g' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-nBW2vNZSxcR_rSQKIEBPNg' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-qMPprnLBHaft2qkiM9HbzA' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	https://www.w3.org/TR/CSP/ https://caniuse.com/#search=content+security+policy https://content-security-policy.com/ https://github.com/HtmlUnit/htmlunit-csp https://web.dev/articles/csp#resource-options
CWE Id	693
WASC Id	15
Plugin Id	10055

Medium	CSP: Wildcard Directive
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://www.google.com/gen_204

Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-3EqzU0TjHiNdFpLTIpTuSA' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: style-src, img-src, connect-src, frame-src, font-src, media-src, manifest-src, worker-src
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-Gyb5t0BhvffYkpE9uTBTuQ' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: style-src, img-src, connect-src, frame-src, font-src, media-src, manifest-src, worker-src
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-hUrnw2qGxBWR4ycMPVzq9g' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: style-src, img-src, connect-src, frame-src, font-src, media-src, manifest-src, worker-src
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-nBW2vNZSxcR_rSQKIEBPNg' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: style-src, img-src, connect-src, frame-src, font-src, media-src, manifest-src, worker-src
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-qMPprnLBHaft2qkiM9HbzA' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other

Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: style-src, img-src, connect-src, frame-src, font-src, media-src, manifest-src, worker-src
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	https://www.w3.org/TR/CSP/ https://caniuse.com/#search=content+security+policy https://content-security-policy.com/ https://github.com/HtmlUnit/htmlunit-csp https://web.dev/articles/csp#resource-options
CWE Id	693
WASC Id	15
Plugin Id	10055

Medium	CSP: script-src unsafe-eval
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-3EqzU0TjHiNdFpLTlpTuSA' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	script-src includes unsafe-eval.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-Gyb5t0BhvffYkpE9uTBTuQ' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	script-src includes unsafe-eval.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-hUrnw2qGxBWR4ycMPVzq9g' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	script-src includes unsafe-eval.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET

Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-nBW2vNZSXcR_rSQKIEBPNg' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	script-src includes unsafe-eval.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-qMPprnLBHaft2qkiM9HbzA' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	script-src includes unsafe-eval.
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	https://www.w3.org/TR/CSP/ https://caniuse.com/#search=content+security+policy https://content-security-policy.com/ https://github.com/HtmlUnit/htmlunit-csp https://web.dev/articles/csp#resource-options
CWE Id	693
WASC Id	15
Plugin Id	10055

Medium	CSP: style-src unsafe-inline
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-3EqzU0TjHiNdFpLTlpTuSA' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	style-src includes unsafe-inline.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-Gyb5t0BhvffYkpE9uTBTuQ' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	style-src includes unsafe-inline.
URL	http://www.google.com/gen_204

Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-hUrnw2qGxBWR4ycMPVzq9g' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	style-src includes unsafe-inline.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-nBW2vNZSxcR_rSQKIEBPNg' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	style-src includes unsafe-inline.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-qMPprnLBHaft2qkiM9HbzA' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	style-src includes unsafe-inline.
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	https://www.w3.org/TR/CSP/ https://caniuse.com/#search=content+security+policy https://content-security-policy.com/ https://github.com/HtmlUnit/htmlunit-csp https://web.dev/articles/csp#resource-options
CWE Id	693
WASC Id	15
Plugin Id	10055

Low	CSP: Notices
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-3EqzU0TjHiNdFpLTlpTuSA' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other

Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-Gyb5t0BhvffYkpE9uTBTuQ' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-hUrnw2qGxBWR4ycMPVzq9g' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-nBW2vNZSxcR_rSQKIEBPNg' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
URL	http://www.google.com/gen_204
Node Name	http://www.google.com/gen_204
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	object-src 'none';base-uri 'self';script-src 'nonce-qMPpmLBHaft2qkiM9HbzA' 'strict-dynamic' 'report-sample' 'unsafe-eval' 'unsafe-inline' https: http:;report-uri https://csp.withgoogle.com/csp/gws/other
Other Info	Warnings: The report-uri directive has been deprecated in favor of the new report-to directive
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	https://www.w3.org/TR/CSP/ https://caniuse.com/#search=content+security+policy https://content-security-policy.com/ https://github.com/HtmlUnit/htmlunit-csp https://web.dev/articles/csp#resource-options
CWE Id	693

WASC Id	15
Plugin Id	10055
Informational	Re-examine Cache-control Directives
Description	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
URL	https://clinica-veterinaria-rxnp.onrender.com/mascotas
Node Name	https://clinica-veterinaria-rxnp.onrender.com/mascotas
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://clinica-veterinaria-rxnp.onrender.com/tienda/productos
Node Name	https://clinica-veterinaria-rxnp.onrender.com/tienda/productos
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
Instances	2
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cache-Control https://grayduck.mn/2021/09/13/cache-control-recommendations/
CWE Id	525
WASC Id	13
Plugin Id	10015

Sequence Details

With the associated active scan results.