


⚠ Some Agents are still running. To get the best report, wait for all of them to finish running.

Security Report

Infection Monkey



Overview

⚠ Critical security issues were detected!

The first Infection Monkey Agent ran on

5/19/2026, 2:09:46 PM .

Infection Monkey started propagating from the following machines where it was manually installed:

- 0b89b1d14779

Username available for brute-forcing:

- ansible

Credentials available for brute-forcing:

- Clear Password: ans*****

Configured exploitation methods:

- SSH Exploiter

Configured IPs to scan:

- 172.20.0.3

Machine-related Recommendations

- **target-server (172.20.0.3)**
 1. Change user passwords to complex one-use passwords that are not shared with other computers on the network. Protect private keys with a pass phrase. The machine is vulnerable to an SSH attack. An Infection Monkey Agent authenticated over the SSH protocol using stolen/configured credentials.

Attempts a brute-force attack against SSH using known credentials, including SSH keys.

The Network from Infection Monkey's Eyes

Infection Monkey discovered **4** machines and successfully breached **1** of them.



Infection Monkey discovered **5** open services on **4** machines:

<u>Scanned Servers</u>	
Machine	Services found
(172.20.0.1/32)	172.20.0.1:2222 - ssh 172.20.0.1:8080 - http
target-server(172.20.0.3/24)	172.20.0.3:22 - ssh 172.20.0.3:80 - http
(172.20.0.4/32)	
0b89b1d14779(172.20.0.5/24)	172.20.0.5:8080 - https

Infection Monkey successfully breached machine: 1

<u>Breached Servers</u>		
Machine	IP Addresses	Exploits
172.20.0.3	172.20.0.3	SSH Exploiter

Infection Monkey stole the following credentials:

<u>Stolen Credentials</u>

For questions, suggestions, or any other feedback, contact support@infectionmonkey.com

