

PHP CRUD Car Dealership. Update.

José Manuel Sánchez Álvarez

Contents

1 Step 1: HTML Interface for Car Deletion	1
2 Step 2: PHP Script for Deleting a Car	2
3 Explanation:	2
4 Security and Error Handling:	3
5 Integration:	3

To add the functionality of deleting a car from your CRUD application, you'll need both a PHP script to handle the deletion process and an HTML interface for users to trigger this action. Below is a basic example of how you can implement this.

1 Step 1: HTML Interface for Car Deletion

You can provide a simple form for users to input the ID of the car they wish to delete. This form will send the data to a PHP script (`delete_car.php`) for processing.

HTML (part of your existing interface, e.g., `delete_car.html`):

```
<!DOCTYPE html>
<html>
<head>
  <title>Delete Car</title>
</head>
<body>
  <h1>Delete Car</h1>
  <form action="delete_car.php" method="post">
    Car ID to Delete: <input type="text" name="car_id" required>
    <input type="submit" value="Delete Car">
  </form>
</body>
</html>
```

2 Step 2: PHP Script for Deleting a Car

This script (`delete_car.php`) will receive the car ID from the form and use it to delete the corresponding record from the database.

PHP (`delete_car.php`):

```
<?php
require_once 'db_connect.php'; // Database connection file

if ($_SERVER["REQUEST_METHOD"] == "POST" && !empty($_POST['car_id'])) {
    $carId = $_POST['car_id'];

    // Prepare a delete statement
    $stmt = $pdo->prepare("DELETE FROM Car WHERE id = :carId");
    $stmt->bindParam(':carId', $carId, PDO::PARAM_INT);

    try {
        $stmt->execute();
        if ($stmt->rowCount() > 0) {
            echo "Car with ID $carId has been deleted.";
        } else {
            echo "No car found with ID $carId.";
        }
    } catch (PDOException $e) {
        echo "Error deleting car: " . $e->getMessage();
    }
} else {
    echo "Car ID is required.";
}
?>
```

3 Explanation:

1. **Form Submission:** The HTML form provides a field for the user to enter the ID of the car to be deleted.
2. **PHP Processing:**
 - The PHP script checks if the form has been submitted and if the `car_id` field is not empty.
 - It then prepares a SQL DELETE statement to remove the car from the database.
 - The car ID from the form is bound to the prepared statement and executed.
 - The script checks if a row was affected (i.e., a car was deleted) and provides appropriate feedback.

4 Security and Error Handling:

- **Prepared Statements:** This method prevents SQL injection attacks.
- **Error Handling:** Try-catch blocks are used to handle any exceptions that may occur during the database operation.
- **Validation:** The script checks if the `car_id` field is filled before attempting a delete operation.

5 Integration:

- Integrate this functionality into your existing CRUD application, ensuring that the database connection file (`db_connect.php`) and any other required files are correctly included.
- Enhance user experience by adding confirmation prompts or messages, and redirecting or refreshing the page as needed after deletion.

This setup provides basic functionality for deleting a car from the database. For a production-level application, you might want to implement more robust validation, error handling, and user feedback mechanisms.