Measuring Transparent Forwarders of the Open DNS Infrastructure

Florian Dolzmann, Maximilian Stäps, Carl-Bennet Kuhlmann
{florian.dolzmann, maximilian.staeps, carl_bennet.kuhlmann}@mailbox.tu-dresden.de

What is Open DNS?



What are transparent forwarders?



What are transparent forwarders?

Misused for DDoS amplification attacks.

Device

Forwarder

Sends spoofed DNS requests

Resolver

Name Server

Measurements help to identify transparent forwarders to disable them. `https://odns.secnow.net/data`



Number of DNS Resolvers / Forwarders over time

Our Goals @ IETF 118 Hackathon



Extend `odns.secnow.net` to support:

- DNS over TCP
- DNS over QUIC

Our Goals @ IETF 118 Hackathon **and what we got done**



Extend `odns.secnow.net` to support:

✓ **DNS over TCP**

- DNS over QUIC

Team members and first timers

- Florian Dolzmann*
- Maynard Koch*
- Carl-Bennet Kuhlmann*
- Maximilian Stäps*
- Johannes Zirngibl

*Participation has been supported by the German Federal Ministry of Education and Research (BMBF) and the Free State of Saxony as part of Germany's Excellence Strategy.

Results

- https://odns.secnow.net/data
- https://github.com/f10d0/odns-fwd-toolkit