

THIS IS THE TITLE OF MY THESIS

A Thesis

Presented to

the Faculty of California Polytechnic State University

San Luis Obispo

In Partial Fulfillment

of the Requirements for the Degree

Master of Science in Computer Science

by

John Smith

February 2007

AUTHORIZATION FOR REPRODUCTION OF MASTER'S THESIS

I reserve the reproduction rights of this thesis for a period of seven years from the date of submission. I waive reproduction rights after the time span has expired.

Signature

Date

APPROVAL PAGE

TITLE: This is the Title of My Thesis

AUTHOR: John Smith

DATE SUBMITTED: February 2007

Dr. Zoë Wood
Advisor or Committee Chair

Signature

Dr. Gene Fisher
Committee Member

Signature

Dr. Chris Buckalew
Committee Member

Signature

Abstract

This is the Title of My Thesis

by

John Smith

This is where the abstract goes. Hopefully this document will serve as an example for preparing a Cal Poly Master's thesis. It was thrown together pretty quickly. A lot more neat LaTeX features, help, and examples can be found on the web. Here is one: <http://en.wikibooks.org/wiki/LaTeX>

For developing LaTeX documents in the Windows environment, I use TeXnic-Center (<http://www.toolscenter.org/>). A simple WYSIWYG LaTeX editor (though I had problems getting it to work with this thesis format) is **LyX** (<http://www.lyx.org/>).

I use **InkScape** (<http://www.inkscape.org/>) to create any drawings/figures needed. It is a free vector graphics editor that is very powerful and popular. There is an example figure produced with InkScape in Figure 1.1. InkScape can export images in many different formats. Export your images as PDF or EPS and put into your LaTeX document. If you're creating a PDF document with **pdflatex**, then export as a PDF image. If you're creating PostScript then export as EPS. Rasterized images such as JPEG can also be easily included in LaTeX.

LaTeX can also produce nice equations. Did you know that $\sum_{n=0}^{\infty} \frac{(-1)^n}{2n+1} = \frac{1}{1} - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \frac{1}{9} - \dots = \frac{\pi}{4}$? A non-inline equation can be found in Figure 2.1. I treated my equations as figures but they can be treated specially as Equations.

An example of a table can be found in Table 3.1.

The bibliography section is very easy to create. When gathering references, I used the ACM digital library (<http://portal.acm.org/portal.cfm>) to grab the Bibtex entries. Papers in the digital library have Bibtex entries ready to be copied and pasted into your bibliography. Create a separate file called something like “bibliography.bib” and paste in your Bibtex entries. LaTeX (and Bibtex) generate your bibliography section for you – very easy! I can cite references very easily. Here is a paper called *Dual contouring of hermite data* [3]. Here is a paper called *Surface simplification using quadric error metrics* [2]. I’ve also cited software located at some websites [1] [4].

Contents

Contents	vi
List of Tables	vii
List of Figures	viii
1 Introduction	1
2 Previous Work	3
2.1 This is a new section	4
3 Results	6
Bibliography	10

List of Tables

3.1 Performance data 8

List of Figures

1.1	This is a figure	2
2.1	A matrix equation	5

Chapter 1

Introduction

This is the introduction.

LaTeX is a document markup language and document preparation system for the TeX typesetting program.

It is widely used by mathematicians, scientists, philosophers, engineers, and scholars in academia and the commercial world, and by others as a primary or intermediate format (e.g. translating DocBook and other XML-based formats to PDF) because of the quality of typesetting achievable by TeX. It offers programmable desktop publishing features and extensive facilities for automating most aspects of typesetting and desktop publishing, including numbering and cross-referencing, tables and figures, page layout and bibliographies.

LaTeX is intended to provide a high-level language to access the power of TeX. LaTeX essentially comprises a collection of TeX macros, and a program to process LaTeX documents. Since TeX's formatting commands are very low-level, it is usually much simpler for end-users to use LaTeX.

LaTeX was originally written in 1984 by Leslie Lamport at SRI International




Figure 1.1: This is an example figure. This graphic was drawn in Inkscape (<http://www.inkscape.org/>), a free vector drawing application. Figures can be exported from Inkscape as PDF images or as EPS (depending upon if you want LaTeX to generate a PDF or a PostScript document.)

and has become the dominant method for using TeXfew people write in plain TeX anymore.

LaTeX is based on the idea that authors should be able to focus on the meaning of what they are writing, without being distracted by the visual presentation of the information. In preparing a LaTeX document, the author specifies the logical structure using familiar concepts such as chapter, section, table, figure, etc., and lets the LaTeX system worry about the presentation of these structures. It therefore encourages the separation of layout from content, while still allowing manual typesetting adjustments where needed. This is similar to the mechanism by which many word processors allow styles to be defined globally for an entire document, or the CSS mechanism used by HTML.

Chapter 2

Previous Work

LaTeX is a document markup language and document preparation system for the TeX typesetting program.

It is widely used by mathematicians, scientists, philosophers, engineers, and scholars in academia and the commercial world, and by others as a primary or intermediate format (e.g. translating DocBook and other XML-based formats to PDF) because of the quality of typesetting achievable by TeX. It offers programmable desktop publishing features and extensive facilities for automating most aspects of typesetting and desktop publishing, including numbering and cross-referencing, tables and figures, page layout and bibliographies.

LaTeX is intended to provide a high-level language to access the power of TeX. LaTeX essentially comprises a collection of TeX macros, and a program to process LaTeX documents. Since TeX's formatting commands are very low-level, it is usually much simpler for end-users to use LaTeX.

LaTeX was originally written in 1984 by Leslie Lamport at SRI International and has become the dominant method for using TeX; few people write in plain

TeX anymore.

LaTeX is based on the idea that authors should be able to focus on the meaning of what they are writing, without being distracted by the visual presentation of the information. In preparing a LaTeX document, the author specifies the logical structure using familiar concepts such as chapter, section, table, figure, etc., and lets the LaTeX system worry about the presentation of these structures. It therefore encourages the separation of layout from content, while still allowing manual typesetting adjustments where needed. This is similar to the mechanism by which many word processors allow styles to be defined globally for an entire document, or the CSS mechanism used by HTML.

2.1 This is a new section

LaTeX is a document markup language and document preparation system for the TeX typesetting program.

It is widely used by mathematicians, scientists, philosophers, engineers, and scholars in academia and the commercial world, and by others as a primary or intermediate format (e.g. translating DocBook and other XML-based formats to PDF) because of the quality of typesetting achievable by TeX. It offers programmable desktop publishing features and extensive facilities for automating most aspects of typesetting and desktop publishing, including numbering and cross-referencing, tables and figures, page layout and bibliographies.

LaTeX is intended to provide a high-level language to access the power of TeX. LaTeX essentially comprises a collection of TeX macros, and a program to process LaTeX documents. Since TeX's formatting commands are very low-level,

$$\begin{bmatrix} u_x & u_y & u_z \\ v_x & v_y & v_z \\ w_x & w_y & w_z \end{bmatrix} \begin{bmatrix} p_x \\ p_y \\ p_z \end{bmatrix} = \begin{bmatrix} p'_x \\ p'_y \\ p'_z \end{bmatrix}$$

Figure 2.1: This is a sample matrix equation.

it is usually much simpler for end-users to use LaTeX.

LaTeX was originally written in 1984 by Leslie Lamport at SRI International and has become the dominant method for using TeX; few people write in plain TeX anymore.

LaTeX is based on the idea that authors should be able to focus on the meaning of what they are writing, without being distracted by the visual presentation of the information. In preparing a LaTeX document, the author specifies the logical structure using familiar concepts such as chapter, section, table, figure, etc., and lets the LaTeX system worry about the presentation of these structures. It therefore encourages the separation of layout from content, while still allowing manual typesetting adjustments where needed. This is similar to the mechanism by which many word processors allow styles to be defined globally for an entire document, or the CSS mechanism used by HTML.

1. Here is a list item.
 - (a) Here is a sub list item.
 - i. Here is a sub sub list item.

Chapter 3

Results

Here is the results section.

LaTeX is a document markup language and document preparation system for the TeX typesetting program.

It is widely used by mathematicians, scientists, philosophers, engineers, and scholars in academia and the commercial world, and by others as a primary or intermediate format (e.g. translating DocBook and other XML-based formats to PDF) because of the quality of typesetting achievable by TeX. It offers programmable desktop publishing features and extensive facilities for automating most aspects of typesetting and desktop publishing, including numbering and cross-referencing, tables and figures, page layout and bibliographies.

LaTeX is intended to provide a high-level language to access the power of TeX. LaTeX essentially comprises a collection of TeX macros, and a program to process LaTeX documents. Since TeX's formatting commands are very low-level, it is usually much simpler for end-users to use LaTeX.

LaTeX was originally written in 1984 by Leslie Lamport at SRI International

and has become the dominant method for using TeXfew people write in plain TeX anymore.

LaTeX is based on the idea that authors should be able to focus on the meaning of what they are writing, without being distracted by the visual presentation of the information. In preparing a LaTeX document, the author specifies the logical structure using familiar concepts such as chapter, section, table, figure, etc., and lets the LaTeX system worry about the presentation of these structures. It therefore encourages the separation of layout from content, while still allowing manual typesetting adjustments where needed. This is similar to the mechanism by which many word processors allow styles to be defined globally for an entire document, or the CSS mechanism used by HTML.

LaTeX can be arbitrarily extended by using the underlying macro language to develop custom formats. Such macros are often collected into packages which are available to address special formatting issues such as complicated mathematical content or graphics. In addition, there are numerous commercial implementations of the entire TeX system, including LaTeX, to which vendors may add extra features like additional typefaces and telephone support. LyX is a free visual document processor that uses LaTeX for a back-end. TeXmacs is a free, WYSIWYG editor with similar functionalities as LaTeX, but a different typesetting engine.

A number of popular commercial desktop publishing systems use modified versions of the original TeX typesetting engine. The recent rise in popularity of XML systems and the demand for large-scale batch production of publication-quality typesetting from such sources has seen a steady increase in the use of LaTeX.

LaTeX is a document markup language and document preparation system for

	Some Data			Some More Data		
	Hi-Res	Lo-Res	Reduction	Hi-Res	Lo-Res	Speedup
Row Data A	225,467	43,850	80.6%	360	90	4.0
Row Data B	225,467	16,388	92.7%	360	26	13.8

Table 3.1: Here is some performance data for the system.

the TeX typesetting program.

It is widely used by mathematicians, scientists, philosophers, engineers, and scholars in academia and the commercial world, and by others as a primary or intermediate format (e.g. translating DocBook and other XML-based formats to PDF) because of the quality of typesetting achievable by TeX. It offers programmable desktop publishing features and extensive facilities for automating most aspects of typesetting and desktop publishing, including numbering and cross-referencing, tables and figures, page layout and bibliographies.

LaTeX is intended to provide a high-level language to access the power of TeX. LaTeX essentially comprises a collection of TeX macros, and a program to process LaTeX documents. Since TeX's formatting commands are very low-level, it is usually much simpler for end-users to use LaTeX.

LaTeX was originally written in 1984 by Leslie Lamport at SRI International and has become the dominant method for using TeX; few people write in plain TeX anymore.

LaTeX is based on the idea that authors should be able to focus on the meaning of what they are writing, without being distracted by the visual presentation of the information. In preparing a LaTeX document, the author specifies the logical structure using familiar concepts such as chapter, section, table, figure, etc., and lets the LaTeX system worry about the presentation of these structures.

It therefore encourages the separation of layout from content, while still allowing manual typesetting adjustments where needed. This is similar to the mechanism by which many word processors allow styles to be defined globally for an entire document, or the CSS mechanism used by HTML.

LaTeX can be arbitrarily extended by using the underlying macro language to develop custom formats. Such macros are often collected into packages which are available to address special formatting issues such as complicated mathematical content or graphics. In addition, there are numerous commercial implementations of the entire TeX system, including LaTeX, to which vendors may add extra features like additional typefaces and telephone support. LyX is a free visual document processor that uses LaTeX for a back-end. TeXmacs is a free, WYSIWYG editor with similar functionalities as LaTeX, but a different typesetting engine.

A number of popular commercial desktop publishing systems use modified versions of the original TeX typesetting engine. The recent rise in popularity of XML systems and the demand for large-scale batch production of publication-quality typesetting from such sources has seen a steady increase in the use of LaTeX.

Bibliography

- [1] ATI NormalMapper. <http://ati.amd.com/developer/tools.html>.
- [2] M. Garland and P. S. Heckbert. Surface simplification using quadric error metrics. In *SIGGRAPH '97: Proceedings of the 24th annual conference on Computer graphics and interactive techniques*, pages 209–216, New York, NY, USA, 1997. ACM Press/Addison-Wesley Publishing Co.
- [3] T. Ju, F. Losasso, S. Schaefer, and J. Warren. Dual contouring of hermite data. In *SIGGRAPH '02: Proceedings of the 29th annual conference on Computer graphics and interactive techniques*, pages 339–346, New York, NY, USA, 2002. ACM Press.
- [4] nVidia Melody. http://developer.nvidia.com/object/melody_home.html.