Contents

Open the bookmarks panel to see the outline. Each entry below is a GoTo link to a named destination; the printed page numbers are page labels (roman, decimal, then an A- prefixed appendix).

Foreword ii

Why navigation matters in long documents.

Introduction 1

Bookmarks, destinations and labels: three views of one idea.

Objects and syntax 2

Eight object types, indirect references and the xref table.

Page content 3

Content streams hold operators; resources are looked up by name.

Fonts and text 4

Simple and composite fonts, encodings, CMaps and the text-state parameters.

Appendix: Glossary A-1

Short definitions of the terms used in this sample.

Foreword

Why navigation matters in long documents.

Navigation targets are resolved lazily: a viewer reads the name tree, finds the destination array, then scrolls to the page, honouring the fit mode in the array. Because destinations are named, pages can be reordered without breaking links elsewhere.

← Contents

Introduction

Bookmarks, destinations and labels: three views of one idea.

Navigation targets are resolved lazily: a viewer reads the name tree, finds the destination array, then scrolls to the page, honouring the fit mode in the array. Because destinations are named, pages can be reordered without breaking links elsewhere.

← Contents

Objects and syntax

Eight object types, indirect references and the xref table.

Navigation targets are resolved lazily: a viewer reads the name tree, finds the destination array, then scrolls to the page, honouring the fit mode in the array. Because destinations are named, pages can be reordered without breaking links elsewhere.

← Contents

Page content

Content streams hold operators; resources are looked up by name.

Navigation targets are resolved lazily: a viewer reads the name tree, finds the destination array, then scrolls to the page, honouring the fit mode in the array. Because destinations are named, pages can be reordered without breaking links elsewhere.

← Contents

Fonts and text

Simple and composite fonts, encodings, CMaps and the text-state parameters.

Navigation targets are resolved lazily: a viewer reads the name tree, finds the destination array, then scrolls to the page, honouring the fit mode in the array. Because destinations are named, pages can be reordered without breaking links elsewhere.

← Contents

Appendix: Glossary

Short definitions of the terms used in this sample.

Navigation targets are resolved lazily: a viewer reads the name tree, finds the destination array, then scrolls to the page, honouring the fit mode in the array. Because destinations are named, pages can be reordered without breaking links elsewhere.

← Contents