Surname	Centre Number	Candidate Number
First name(s)		2



# **GCE A LEVEL**





A400U10-1

# THURSDAY, 9 JUNE 2022 - AFTERNOON

# BIOLOGY – A level component 1 Energy for Life

2 hours

For Examiner's use only				
Question	Maximum Mark	Mark Awarded		
1.	13			
2.	12			
3.	18			
4.	11			
5.	17			
6.	20			
7.	9			
Total	100			

#### **ADDITIONAL MATERIALS**

In addition to this examination paper, you will need a calculator and a ruler.

#### **INSTRUCTIONS TO CANDIDATES**

Use black ink or black ball-point pen. Do not use gel pen or correction fluid.

Write your name, centre number and candidate number in the spaces at the top of this page. Answer **all** questions.

Write your answers in the spaces provided in this booklet. If you run out of space, use the additional page(s) at the back of the booklet, taking care to number the question(s) correctly.

#### INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question.

The assessment of the quality of extended response (QER) will take place in question 7.


The quality of written communication will affect the awarding of marks.



# Answer all questions.

1. A flask of sterile culture medium was inoculated with a small number of bacterial cells. The number of bacteria per cm<sup>3</sup> of culture medium was monitored at regular intervals using a total count and a viable count. The results were plotted as shown in **Image 1.1**.

Image 1.1



(a) (i) **Complete the table below** to name stages **A**, **B** and **C** of the population growth curve shown in **Image 1.1** and explain the shape of the growth curve in each stage. [3]

Stage	Name of Stage	Explanation of the shape of the population growth curve
Α		
В		
С		



© WJEC CBAC Ltd.


01	
001	
A40	00

	(ii)	Explain the difference between the shape of the decline phase obtained using a total count and a viable count. [1]
	(iii)	One method of estimating the number of bacteria is to dilute a sample of the bacterial culture, plate out known volumes onto agar plates and count the number of colonies following incubation. Explain why you could not use this method to collect all the data shown in Image 1.1.
(b)	The to do	terial cells divide at a constant rate when conditions are optimum.  generation time for bacteria is defined as the time for a bacterial population ouble in number. Generation times of different species of bacteria vary from roximately 12 minutes to 30 hours.
	(i)	State <b>two</b> environmental conditions that could affect the rate of bacterial cell division. [1]
	(ii)	For a culture in which cells divide every 20 minutes, calculate how many cells will be produced after eight hours from a single bacterium. <b>Express your answer in the form 2<sup>n</sup> where n = the number of generations.</b> [2]
		Number of bacteria after eight hours =



(c) A different method of assessing the growth of bacterial populations is to determine the number of generations of bacteria produced in a given time period. **Image 1.2** shows the number of bacteria per cm³ present in a culture over a seven hour period.

Image 1.2





(A400U10-1)

(i) Use the graph in **Image 1.2** and the formula given below to calculate the number of generations produced per hour between **2.5** hours and **6** hours. **Express your answer to one decimal place.** [3]

Number of generations per hour = 
$$\frac{\log_{10}[X_t] - \log_{10}[X_0]}{0.301 \times t}$$

Where:

 $X_t$  = number of bacteria per cm<sup>3</sup> at the end of the growth period  $X_0$  = number of bacteria per cm<sup>3</sup> at the start of the growth period t = length of growth period in hours

Number of generations per hour = .....

(ii) Under optimum conditions this species of bacteria should have a generation time of 30 minutes. Using your calculated figure for the number of generations per hour, conclude whether the bacteria in this culture were grown under optimum conditions during this time period. Explain your answer. [2]

13

05

 $NH_2$ 

Both ATP and NAD (nicotinamide adenine dinucleotide) have roles in respiration. The biochemical structures of ATP and NAD are shown in **Image 2.1**. 2.

Image 2.1

ÓН

ÓН

**ATP** 

ÓН

OH

**NAD** 

(a)	(i)	Name the <b>three</b> biochemical components found in <b>both</b> ATP and NAD.	[2]

(ii) State how one biochemical component of a nucleotide found in DNA would differ from both of the molecules shown in Image 2.1.

A400U101 07

(iii)	ATP acts as a common energy source for reactions in the cells of all living organisms. Most ATP in eukaryotic cells is synthesised in the mitochondria Describe the role of NAD in the synthesis of ATP.
•••••	
<u></u>	
•····	



© WJEC CBAC Ltd. (A400U10-1)

(b) Some flowers are able to generate heat. The heat is used to evaporate chemicals. In flowers such as the titan arum, *Amorphophallus titanum*, shown in **Image 2.2**, the evaporated chemicals smell like rotting meat. These chemicals attract flies and other insects.

# Image 2.2



to protons. Usi	nbranes of mitochondria ng your knowledge of re wer to generate heat.	



© WJEC CBAC Ltd.


(ii)	Explain why the generation of heat helps to increase genetic diversity in this		Exa
(11)	Explain why the generation of heat helps to increase genetic diversity in this species.	[2]	
••••••			
		•••••••••••••••••••••••••••••••••••••••	



A400U101 09

3. In terrestrial ecosystems the Sun is the ultimate source of energy. The flow of energy through one ecosystem is shown in **Image 3.1** where  $\mathbf{R}$  = respiration. The figures are given in  $kJ \, m^{-2} \, year^{-1}$ .

Image 3.1



(a) The productivity of the producers can be represented as:

$$GPP = NPP + R$$

(i) State what is represented by the following abbreviations: [1]

GPP .....

NPP

(ii) Using figures from **Image 3.1**, calculate the following:

I. The **GPP** of the producers.

[1]

**GPP** = 
$$\text{kJm}^{-2} \text{ year}^{-1}$$

II. The **NPP** of the producers.

[1]

**NPP** = ..... 
$$kJ m^{-2} year^{-1}$$



A400U101

(i)	Apart from dead tissue, name <b>two</b> other processes carried out by herbivores carnivores that would also transfer energy to decomposers at <b>Y</b> .	and [2]
	II.	
(ii)	Using figures from <b>Image 3.1</b> , calculate the secondary productivity of the herbivores and use this to calculate <b>R</b> for this trophic level.	[2]
	Secondary productivity =kJ m <sup>-2</sup> ye	ear <sup>–1</sup>
	<b>R</b> = kJ m <sup>-2</sup> ye	ear <sup>–1</sup>
(iii)	State <b>two</b> types of organisms which act as decomposers.	[1]
(iv)	In the UK, most plants die or shed their leaves in the Autumn. Using your	
,	knowledge of the nitrogen cycle, explain why you would expect the nitrogen content of soil to increase during the winter but then decrease during the spring and summer months.	[4]
	knowledge of the nitrogen cycle, explain why you would expect the nitrogen content of soil to increase during the winter but then decrease during the	[4]
	knowledge of the nitrogen cycle, explain why you would expect the nitrogen content of soil to increase during the winter but then decrease during the spring and summer months.	
	knowledge of the nitrogen cycle, explain why you would expect the nitrogen content of soil to increase during the winter but then decrease during the spring and summer months.	
	knowledge of the nitrogen cycle, explain why you would expect the nitrogen content of soil to increase during the winter but then decrease during the spring and summer months.	
	knowledge of the nitrogen cycle, explain why you would expect the nitrogen content of soil to increase during the winter but then decrease during the spring and summer months.	
	knowledge of the nitrogen cycle, explain why you would expect the nitrogen content of soil to increase during the winter but then decrease during the spring and summer months.	




Turn over.

(c) Net Ecosystem Productivity (NEP) is defined as the rate of accumulation of organic matter in an ecosystem. It can be calculated as:

**Image 3.2** summarises the relationship between **NPP** and the rate of respiration by heterotrophs during the development of a forest ecosystem.

Image 3.2



A forest is often the final stage in the development of an ecosystem which ca	n
then exist for hundreds of years. State the term used to describe the last stag	je in
the development of an ecosystem.	[1]
	then exist for hundreds of years. State the term used to describe the last stag

(ii) With reference to the terms **GPP** and **R**, explain why the productivity of an ecosystem can be expressed in terms of absorption of carbon dioxide or by the release of carbon dioxide. [2]

(iii)	With reference to the information provided and your knowledge of succession, conclude why Net Ecosystem Productivity eventually approaches zero. [3]	Examiner only
•••••		
•••••		
• • • • • • • • • • • • • • • • • • • •		
		18

A400U101 13







4.			n is a catabolic process during which glucose, lipids and proteins can be broken lease energy. Some of the energy is transferred to chemical energy in the form of
	(a)	is su grou	pretically, the energy released from one molecule of glucose by aerobic respiration fficient to produce 38 molecules of ATP. The removal of the terminal phosphate p from one ATP molecule by hydrolysis releases 30.6 kJ mol <sup>-1</sup> . When glucose ts directly with oxygen 2870.0 kJ mol <sup>-1</sup> are released.
		(i)	Calculate the efficiency of aerobic respiration of glucose. <b>Give your answer to a suitable number of decimal places.</b> [2]

Efficiency of aerobic respira	tion = %	ı
-------------------------------	----------	---

- (ii) State what happens to the energy which is not used to generate ATP. [1]
- (iii) **Table 4.1** compares figures from the respiration of carbohydrate and lipid.

Table 4.1

Energy source	Energy released /kJg <sup>-1</sup> food	Metabolic water produced/gg <sup>-1</sup> food	Oxygen consumed /dm³ g <sup>-1</sup> food		
Carbohydrate	17.2	0.56	0.83		
Lipid	38.9	1.07	2.02		

With reference to the figures in **Table 4.1**:

l.	Explain why the food store in many plant seeds is in the form of a lipid rather than carbohydrate.	[2]
II.	Suggest why animals living in very dry habitats use lipids to supply their energy rather than carbohydrates.	[1]
•••••		




© WJEC CBAC Ltd. (A400U10-1)

Turn over.

(b) **Image 4.2** shows a summary of the stages involved in the aerobic respiration of glucose.

Image 4.2



(i) Lipids are digested into glycerol, a three carbon compound, and fatty acids. The fatty acids are then broken down further in the liver into two carbon fragments.

Using numbers from **Image 4.2** indicate where the products of fat digestion could enter the respiratory pathway. [2]

Glycerol	
Fatty acids	



(ii)	Before proteins can enter the respiratory pathway they must be hydrolysed.  Describe how proteins are hydrolysed and suggest which stage of respiration the products of protein hydrolysis are <b>most likely</b> to enter.  [3]
•····	
•••••	




Turn over.

Yellow rattle, Rhinanthus minor, is a plant which is a parasite of grass. It absorbs its nutrients from grass roots. Image 5.1 shows the flowers of yellow rattle growing in grassland and **Image 5.2** shows a transverse section through a grass root parasitized by yellow rattle.

Image 5.1



Image 5.2



Using the scale bar, calculate the magnification of Image 5.2. [2] (a)

Magnification = × .....



II. Water and minerals move from the host tissues to the parasite vessels through the apoplast and symplast pathways. Explain what is meant by these terms.  [2]  Apoplast pathway  Symplast pathway  (b) Grasslands contain a wide variety of flowering plants which produce flowers at different times of the year. The biodiversity of these grasslands decreases when they are invade by species of fast-growing grass. Using the information provided, suggest why the	II. Water and minerals move from the host tissues to the parasite vessels through the apoplast and symplast pathways. Explain what is meant by these terms.  Apoplast pathway  Symplast pathway  (b) Grasslands contain a wide variety of flowering plants which produce flowers at different times of the year. The biodiversity of these grasslands decreases when they are invade by species of fast-growing grass. Using the information provided, suggest why the introduction of yellow rattle to these grasslands might restore biodiversity.	(ii)		es have shown that the parasite sucker penetrates the host phloem sieves and host xylem vessels.	
through the apoplast and symplast pathways. Explain what is meant by these terms.  [2]  Apoplast pathway  Symplast pathway  (b) Grasslands contain a wide variety of flowering plants which produce flowers at different times of the year. The biodiversity of these grasslands decreases when they are invade by species of fast-growing grass. Using the information provided, suggest why the introduction of yellow rattle to these grasslands might restore biodiversity.  [3]	through the apoplast and symplast pathways. Explain what is meant by these terms.  [Second Process of Symplast pathway]  Symplast pathway  (b) Grasslands contain a wide variety of flowering plants which produce flowers at differentimes of the year. The biodiversity of these grasslands decreases when they are invade by species of fast-growing grass. Using the information provided, suggest why the introduction of yellow rattle to these grasslands might restore biodiversity.  [Second Process of Symplast		I.		[1]
Symplast pathway  (b) Grasslands contain a wide variety of flowering plants which produce flowers at differentimes of the year. The biodiversity of these grasslands decreases when they are invade by species of fast-growing grass. Using the information provided, suggest why the introduction of yellow rattle to these grasslands might restore biodiversity.  [3]	Symplast pathway  (b) Grasslands contain a wide variety of flowering plants which produce flowers at differentimes of the year. The biodiversity of these grasslands decreases when they are invade by species of fast-growing grass. Using the information provided, suggest why the introduction of yellow rattle to these grasslands might restore biodiversity.		II.	through the apoplast and symplast pathways. Explain what is meant by	[2
(b) Grasslands contain a wide variety of flowering plants which produce flowers at different times of the year. The biodiversity of these grasslands decreases when they are invade by species of fast-growing grass. Using the information provided, suggest why the introduction of yellow rattle to these grasslands might restore biodiversity.	(b) Grasslands contain a wide variety of flowering plants which produce flowers at different times of the year. The biodiversity of these grasslands decreases when they are invade by species of fast-growing grass. Using the information provided, suggest why the introduction of yellow rattle to these grasslands might restore biodiversity.			Apoplast pathway	
times of the year. The biodiversity of these grasslands decreases when they are invade by species of fast-growing grass. Using the information provided, suggest why the introduction of yellow rattle to these grasslands might restore biodiversity.  [3]	times of the year. The biodiversity of these grasslands decreases when they are invade by species of fast-growing grass. Using the information provided, suggest why the introduction of yellow rattle to these grasslands might restore biodiversity.			Symplast pathway	
introduction of yellow rattle to these grasslands might restore biodiversity. [3	introduction of yellow rattle to these grasslands might restore biodiversity. [				
		time	s of the	e year. The biodiversity of these grasslands decreases when they are inva	
		time by s	s of the pecies	e year. The biodiversity of these grasslands decreases when they are inva- of fast-growing grass. Using the information provided, suggest why the	
		time by s	s of the pecies	e year. The biodiversity of these grasslands decreases when they are inva- of fast-growing grass. Using the information provided, suggest why the	de
		time by s	s of the pecies	e year. The biodiversity of these grasslands decreases when they are inva- of fast-growing grass. Using the information provided, suggest why the	de
		time by s intro	es of the pecies oduction	e year. The biodiversity of these grasslands decreases when they are invalor of fast-growing grass. Using the information provided, suggest why the n of yellow rattle to these grasslands might restore biodiversity.	de [3



To investigate whether the introduction of yellow rattle into grassland might restore biodiversi grassland containing a single species of fast-growing grass was divided into two equal areas area <b>A</b> and area <b>B</b>	
Area <b>A</b> was seeded using a mixture of flowering plants and yellow rattle seeds	
Area <b>B</b> was seeded using the same mixture of flowering plants but with no yellow rattle seed	s.
The abundance and distribution of plant species in areas <b>A</b> and <b>B</b> were determined before seeding and one year after seeding.	
(c) Explain why the following steps were taken when collecting data on the abundance and distribution of plant species in both areas:	ıd
(i) Each area was divided into a grid <b>and</b> a random number generator used.	[2]
(ii) Area <b>B</b> was not seeded with yellow-rattle seeds.	[2]
(iii) The experiment was conducted <b>several times</b> on grassland with the same species of fast-growing grass.	[2]



(d) The data collected from areas **A** and **B** were used to calculate a Simpson's biodiversity index. **Table 5.3** shows the mean values of the Simpson's Diversity Index of areas **A** and **B** before and one year after seeding.

Table 5.3

	Value of Simpsor	's Diversity Index
	Area <b>A</b>	Area <b>B</b>
Before seeding	0.45	0.46
One year after seeding	0.51	0.47

Based on these data only, it was concluded that seeding grassland with yellow rattle did result in an increase in biodiversity. However, it was decided that more data would be needed to improve confidence in this conclusion.

The following modifications to the method were suggested. Explain how each change to the method can be justified. [3]

Change	Justification
Calculate the biodiversity index again five years after seeding	
Calculate the biodiversity index a number of different times in the same year	
Carry out the investigation in different areas with different fast-growing grass species	

17



6	The traditional	halanced	equation :	for	nhotoes	Inthocic	ic	aivon	20
0.	The traditional	Dalanceu	equation	101	priotos	y1111111E515	15	giveii	as.

$$6CO_2 + 6H_2O \longrightarrow C_6H_{12}O_6 + 6O_2$$

It was once believed that all the oxygen released by photosynthesis came from the carbon dioxide molecules.

(a)	(i)	With reference to the equation explain why this statement could be correct.	[2]
	• • • • • • • • • • • • • • • • • • • •		




An experiment, shown in Image 6.1, was carried out to confirm the origin of the oxygen molecules released in photosynthesis. In this experiment two suspensions of a photosynthetic unicellular alga, Chlorella, were treated as follows:

### Suspension A

- provided with water containing a non-radioactive isotope of oxygen  $(H_2O)$  and carbon dioxide containing a radioactive isotope of oxygen  $(C^{18}O_2)$

- provided with water containing a radioactive isotope of oxygen (H<sub>2</sub><sup>18</sup>O) and carbon dioxide containing a non-radioactive isotope of oxygen (CO<sub>2</sub>)

## Image 6.1




(ii)	Using evidence from this experiment and your knowledge of photosynthesis, deduce the actual origin of the atoms in the oxygen molecules. Explain your answer.	[2]
•••••		•••••



Turn over. © WJEC CBAC Ltd. (A400U10-1)

(b) The light dependent stage of photosynthesis relies on the flow of electrons between different molecules as shown in **Image 6.2**.

Image 6.2



(i)	State what is represented by the following letters in <b>Image 6.2</b> .	[3]
	A	
	В	
	C	
	D	
	E and F	
(ii)	State the type of reaction occurring at <b>G</b> . Explain your answer.	[2]
		••••••••••



© WJEC CBAC Ltd.

(iv) Weeds are commonly controlled by using herbicides. Diuron is a herbicide who binds to a molecule preventing the flow of electrons, as shown by X in Image Image 6.3  Diuron blocks flow of electrons.  ADP + Pi  ATP  ANDP + 2NADPH		transducers. With reference to <b>Image 6.2</b> , explain how chloroplasts act as transducers in photosynthesis.
Diuron blocks flow of electrons.  ADP + Pi ATP	(iv)	
	mag	Diuron blocks flow of electrons.  4e  ADP + Pi  ATP
		Using information from <b>Image 6.3</b> , and your knowledge of photosynthesis, suggest how the action of Diuron results in the death of weeds.



(c) DCPIP (2,6-dichlorophenol-indophenol) is a blue dye which acts as an electron acceptor and becomes colourless when it accepts electrons.

The flow diagram describes the method used by a student to isolate chloroplasts. **Image 6.4** shows a centrifuge tube containing the isolated chloroplasts.

#### Method

Grind spinach leaves in an ice-cold solution of sucrose and buffer.

**\** 

Filter extract.



Centrifuge to obtain a small pellet of chloroplasts.




Separate pellet from supernatant.



Re-suspend the chloroplasts and keep cool.





[1]	State the role of the buffer in this experiment.	(i)
stroma in the chloroplasts. [1]	The solution used in the experiment was isotonic to the s State the meaning of the term isotonic.	(ii)



© WJEC CBAC Ltd.

(A400U10-1)

The student used the isolated chloroplasts to prove that electrons are released by chlorophyll during photosynthesis. **Table 6.5** shows how four different experimental tubes were set up, whether they were exposed to light or not and the colour change observed.

Table 6.5

		Volume/	cm <sup>3</sup>		Light or no	DCPIP
Tube	suspended chloroplasts	supernatant	sucrose and buffer solution	DCPIP solution	Light or no light	colour change
1	0.5			5	light	blue to colourless
2			0.5	5	light	no colour change
3	0.5			5	no light	no colour change
4		0.5		5	light	no colour change

(iii)	Explain why each of the <b>experimental tubes 1–4</b> were included in this investigation and conclude whether the results prove that electrons are released by chlorophyll during photosynthesis or not. Explain your answer. [4]
•••••	
•••••	
•••••	
***********	
***********	
•••••	

Turn over.

20

modern agricu Describe the h	ne conversion outlined in the conversion of the contract of th	often leads to of deforestat	o the death o tion on the er	f fish and aqua vironment and	tic invertebrates suggest how	tes. the
connicts of inte	erest between i	ood production	on and conse	rvation can be	resolved.	[9 Q
		•••••				• • • • • • • • • • • • • • • • • • • •
						• • • • • • • • • • • • • • • • • • • •
		•••••				
•••••						
						• • • • • • • • • • • • • • • • • • • •



	Examiner only
	Offity



Ex



			Exa
	•••••		
END OF PAPER			
		END OF PAPER	



© WJEC CBAC Ltd. (A400U10-1) Turn over.

Question number Write the question number(s) in the left-hand margin.

