

# M5M — Dev Specification

## Part 1 — Player Selection Row Redesign

Screen: **Select Player** (lineup composition flow)

Platform: Flutter (iOS / Android) — Backend: Django / PostgreSQL — Data: Goalserve

Version 1.1 · July 2026 · Accompanies the Figma file

### How to read this document

This part covers **one screen only**: the player selection list used during lineup composition. It is written as a progressive build — the current row, then four layers added on top of it. Each step states the display rule, the data source, the edge cases, and what must **not** be done.

**Visual design is defined by the Figma file, not by this document.** Sizes, colours, spacing, typography and exact placement come from the mockups. This document defines logic, data and behaviour only. Where the two disagree, ask before building.

Screenshots below are included to show the progression, not as pixel references.

### Scope summary

**NEW** Team trigram under jersey · Home/Away + opponent · Form indicator (🔥/📦) · Last 2 scores

**UNCHANGED** Header bar · Search field · Bank display · Row height · Tap behaviour · Sorting · Navigation

**OUT OF SCOPE** Filters, sort controls, player detail sheet, season stats, points-per-million ratio. Do not build these. If you believe one is required, ask first.

## 1.0 — Current row (baseline)

| Player                                                                                                      |      | \$ Price |
|-------------------------------------------------------------------------------------------------------------|------|----------|
|  Lebron James<br>SF Lakers | 10 M |          |
|  Lebron James<br>SF Lakers | 10 M |          |
|  Lebron James<br>SF Lakers | 10 M |          |
|  Lebron James<br>SF Lakers | 10 M |          |
|  Lebron James<br>SF Lakers | 10 M |          |
|  Lebron James<br>SF Lakers | 10 M |          |

*Current state — team full name on line 2, no context data*

Each row currently displays:

- **Line 1:** jersey thumbnail · player name · price
- **Line 2:** position pill · team full name

### Problem being solved

The row answers a single question ("how much does he cost?"). A player must leave the app to check form, schedule and recent results before composing a lineup. The redesign brings the full decision into the row so a lineup can be built in under a minute. This is a retention requirement, not a cosmetic one.

## 2.0 — 1 Team trigram moves under the jersey

| Player                                                                                                      | \$ Price |
|-------------------------------------------------------------------------------------------------------------|----------|
|  Lebron James<br>SF Lakers | 10 M     |
|  Lebron James<br>SF Lakers | 10 M     |
|  Lebron James<br>SF Lakers | 10 M     |
|  Lebron James<br>SF Lakers | 10 M     |
|  Lebron James<br>SF Lakers | 10 M     |
|  Lebron James<br>SF Lakers | 10 M     |

Before

| Player                                                                                                        | \$ Price |
|---------------------------------------------------------------------------------------------------------------|----------|
|  Victor Wembanyama<br>SAS SF | 25 M     |
|  Lebron James<br>LAL SF      | 24 M     |
|  Lebron James<br>LAL SF      | 21 M     |
|  Kawhi Leonard<br>LAC SF     | 21 M     |
|  Julius Randle<br>BKN SF     | 20 M     |
|  Tyrese Haliburton<br>IND SF | 18 M     |

After — trigram under jersey

### Rule

- Remove the team full name from line 2.
- Display the player's own team as a **3-letter uppercase trigram** under the jersey thumbnail.
- Line 2 now begins with the position pill.

### Why the move matters

It separates player identity (jersey + team) from decision data, frees horizontal space on line 2 for the opponent block added in step 2, and absorbs long player names (e.g. Giannis Antetokounmpo) without breaking the layout.

### Do not display raw API team codes

Goalserve team identifiers do not always match NBA display trigrams. Maintain a **server-side mapping table** `goalserve_team_id → display_trigram` and render only the mapped value. If Goalserve returns `PHO`, the app must still display `PHX`.

Trigrams are always uppercase: `LAL`, never `Lal`.

### Trigram mapping table (30 teams)

| Team                  | Code | Team                   | Code | Team                   | Code |
|-----------------------|------|------------------------|------|------------------------|------|
| Atlanta Hawks         | ATL  | Indiana Pacers         | IND  | Oklahoma City Thunder  | OKC  |
| Boston Celtics        | BOS  | LA Clippers            | LAC  | Orlando Magic          | ORL  |
| Brooklyn Nets         | BKN  | Los Angeles Lakers     | LAL  | Philadelphia 76ers     | PHI  |
| Charlotte Hornets     | CHA  | Memphis Grizzlies      | MEM  | Phoenix Suns           | PHX  |
| Chicago Bulls         | CHI  | Miami Heat             | MIA  | Portland Trail Blazers | POR  |
| Cleveland Cavaliers   | CLE  | Milwaukee Bucks        | MIL  | Sacramento Kings       | SAC  |
| Dallas Mavericks      | DAL  | Minnesota Timberwolves | MIN  | San Antonio Spurs      | SAS  |
| Denver Nuggets        | DEN  | New Orleans Pelicans   | NOP  | Toronto Raptors        | TOR  |
| Detroit Pistons       | DET  | New York Knicks        | NYK  | Utah Jazz              | UTA  |
| Golden State Warriors | GSW  | Houston Rockets        | HOU  | Washington Wizards     | WAS  |

Frequent mistakes: BKN (not BRK) · PHX (not PHO) · NOP (not NO / NOLA) · SAS (not SA) · GSW (not GS) · UTA (not UTH) · WAS (not WSH).

3.0 — 2 Home / Away + opponent

| Player                                                                                                                             | \$ Price |
|------------------------------------------------------------------------------------------------------------------------------------|----------|
| <div><div><div>SAS</div></div><div>SF</div></div> | 25 M     |
| <div><div><div>LAL</div></div><div>SF</div></div> | 24 M     |
| <div><div><div>LAL</div></div><div>SF</div></div> | 21 M     |
| <div><div><div>LAC</div></div><div>SF</div></div> | 21 M     |
| <div><div><div>BKN</div></div><div>SF</div></div> | 20 M     |
| <div><div><div>IND</div></div><div>SF</div></div> | 18 M     |

Before

| Player                                                                                                                                   | \$ Price |
|------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <div><div><div>SAS</div></div><div>SF → OKC</div></div> | 25 M     |
| <div><div><div>LAL</div></div><div>SF → DEN</div></div> | 24 M     |
| <div><div><div>LAL</div></div><div>SF → LAC</div></div> | 21 M     |
| <div><div><div>LAC</div></div><div>SF → IND</div></div> | 21 M     |
| <div><div><div>BKN</div></div><div>SF → LAL</div></div> | 20 M     |
| <div><div><div>IND</div></div><div>SF → LAC</div></div> | 18 M     |

After — venue icon + opponent on line 2

Rule

Line 2 becomes: [position pill] [venue icon] [OPPONENT TRIGRAM]

| Case      | Icon          | Meaning               |
|-----------|---------------|-----------------------|
| Home game | House (green) | Player's team hosts   |
| Away game | Plane (red)   | Player's team travels |

Opponent definition — critical

The opponent is **the other team in the player's game for the current match\_day**. It is never the player's own team. A row reading `LAL ... → LAL` is invalid and indicates the field is wired to the wrong source. Sample data in the Figma file may contain placeholder values. Trust this rule, not the mockup values.

Data source

- Derived from the Goalserve schedule already used to build `match_day`. No new ingestion required.
- Opponent trigram uses the same mapping table as step 1.
- Both icon and opponent are recomputed per `match_day`.

Edge cases

- Player has no game tonight:** he is not selectable and must not appear in the list for that `match_day`. The list contains only players whose team plays in the current `match_day`.

## 4.0 — 3 Form indicator

| Player                                                                                              |                                                                                      | \$ Price |
|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------|
|  Victor Wembanyama | SF  | 25 M     |
|  LeBron James      | SF  | 24 M     |
|  LeBron James      | SF  | 21 M     |
|  Kawhi Leonard     | SF  | 21 M     |
|  Julius Randle     | SF  | 20 M     |
|  Tyrese Haliburton | SF  | 18 M     |

Before

| Player                                                                                                                                                                                  |                                                                                      | \$ Price |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------|
|  Victor Wembanyama  | SF  | 25 M     |
|  LeBron James                                                                                          | SF  | 24 M     |
|  LeBron James        | SF  | 21 M     |
|  Kawhi Leonard                                                                                         | SF  | 21 M     |
|  Julius Randle       | SF  | 20 M     |
|  Tyrese Haliburton                                                                                     | SF  | 18 M     |

After — form badge after player name

### The two assets



HOT



COLD

These two images are the badge assets. They are provided as files — **do not substitute system emoji**.

### Purpose

Display-only badge showing recent form **trajectory**. Price already reflects a player's *level*; this badge reflects his *direction*. It has **no impact on scoring or pricing**, and is free — never gated behind tokens or premium.

Non-interactive: no tap, no tooltip.

### Calculation — relative ranking

**Step 1 — per player, compute the trend:**

`recent_avg` = average Fantasy Points over the **last 2 played games**

`base_avg` = average Fantasy Points over the **last 5 played games**

`delta_pct` =  $(\text{recent\_avg} - \text{base\_avg}) / \text{base\_avg}$

**Step 2 — rank the eligible pool for tonight:**

Sort all eligible players by `delta_pct`, descending.

**Step 3 — assign badges:**

Top **10%** → **HOT** · Bottom **10%** → **COLD** · All others → **NEUTRAL**

### Why relative rather than a fixed threshold

A fixed percentage threshold would produce badge floods on volatile nights and no badges at all on stable ones. Ranking is **self-calibrating**: roughly the same proportion of the list carries a badge every night, whatever the league-wide variance. No threshold value ever needs tuning.

### Eligible pool

A player enters the ranking only if **all** of the following are true:

- He appears in tonight's selectable list (his team plays in the current `match_day`).
- He has at least **5 played games** on record.
- `base_avg > 0`.

Players outside the pool receive no badge. The 10% is computed on the **eligible pool only**, not on the full player database.

### Direction guard — mandatory

A player in the top 10% whose `delta_pct` is **negative** must be rendered **NEUTRAL**, not **HOT**. Same in reverse: a player in the bottom 10% with a **positive** `delta_pct` must be **NEUTRAL**, not **COLD**.

Without this guard, a night where every player is declining would still award flame badges to the least-declining players. The badge must never contradict the direction it claims to show.

### Rules and edge cases

- **Played games only.** DNP, forfeits and 0-score non-appearances are excluded — the same rule already applied in the pricing algorithm. Use the last *played* games, not the last calendar games.
- **NEUTRAL renders nothing.** There is no neutral badge asset. Do not invent one.
- **Independent from OUT status.** OUT keeps its existing separate treatment. Do not merge the two indicators.
- **Recomputed once per match\_day** in the existing daily pricing CRON (9h Paris cycle). No separate job. The ranking is not recomputed on the fly per request.
- **Ties:** when two players share the same `delta_pct` at the 10% boundary, rank the one with the higher `base_avg` first. The sort must be **deterministic** — an unstable order would make badges flicker between recomputations.
- **Rounding:** with 10% of a pool of N players, round to the nearest whole player. A pool too small to yield at least one player per side produces no badges at all.

### API

Add a `form` field to the player object: **HOT** | **NEUTRAL** | **COLD**. Front renders nothing on **NEUTRAL** or `null`.

### Reuses existing data — do not rebuild

Fantasy Point history per player is already computed and stored for the dynamic pricing algorithm. This feature reads that existing data. It requires **no new data ingestion, no new Goalserve endpoint, no new**

table.



5.0 — 4 Last 2 scores

| Player                                                                                                                 | \$ Price |
|------------------------------------------------------------------------------------------------------------------------|----------|
| <div><div><div>SAS</div><div>SF</div><div>OKC</div></div><div>Victor Wembanyama</div><div></div></div> <div>25 M</div> |          |
| <div><div><div>LAL</div><div>SF</div><div>DEN</div></div><div>Lebron James</div><div></div></div> <div>24 M</div>      |          |
| <div><div><div>LAL</div><div>SF</div><div>LAC</div></div><div>Lebron James</div><div></div></div> <div>21 M</div>      |          |
| <div><div><div>LAC</div><div>SF</div><div>IND</div></div><div>Kawhi Leonard</div><div></div></div> <div>21 M</div>     |          |
| <div><div><div>BKN</div><div>SF</div><div>PHI</div></div><div>Julius Randle</div><div></div></div> <div>20 M</div>     |          |
| <div><div><div>IND</div><div>SF</div><div>LAL</div></div><div>Tyrese Haliburton</div><div></div></div> <div>18 M</div> |          |

Before

| Player                                                                                                                                  | Last scores | \$ Price |
|-----------------------------------------------------------------------------------------------------------------------------------------|-------------|----------|
| <div><div><div>SAS</div><div>SF</div><div>OKC</div></div><div>Victor Wembanyama</div><div></div></div> <div>28 29</div> <div>25 M</div> |             |          |
| <div><div><div>LAL</div><div>SF</div><div>DEN</div></div><div>Lebron James</div><div></div></div> <div>14 34</div> <div>24 M</div>      |             |          |
| <div><div><div>LAL</div><div>SF</div><div>LAC</div></div><div>Lebron James</div><div></div></div> <div>25 17</div> <div>21 M</div>      |             |          |
| <div><div><div>LAC</div><div>SF</div><div>IND</div></div><div>Kawhi Leonard</div><div></div></div> <div>26 18</div> <div>21 M</div>     |             |          |
| <div><div><div>BKN</div><div>SF</div><div>ORL</div></div><div>Julius Randle</div><div></div></div> <div>16 15</div> <div>20 M</div>     |             |          |
| <div><div><div>IND</div><div>SF</div><div>PHI</div></div><div>Tyrese Haliburton</div><div></div></div> <div>19 16</div> <div>18 M</div> |             |          |

After — last 2 scores + header column

Rule

- New header column label: `Last scores` (FR: `Derniers scores` ).
- Two values on line 1, between the player name block and the price.
- Values are M5M Fantasy Points, the same scale used everywhere in the app.

Order

Chronological, left to right.

Left = second-to-last played game · Right = last played game.

A player who scored 12 then 24 displays `12 24` . The rightmost value is always the most recent.

Consistency with the form badge — mandatory

The two scores displayed must be the **exact same games** that feed `recent_avg` in the form calculation: last 2 *played* games, DNP and 0-score non-appearances skipped.

If the badge and the scores disagree, users will see a 🔥 next to a low score with no explanation and lose trust in the indicator. Both must read from the same source.

Edge cases

| Situation                                               | Display           |
|---------------------------------------------------------|-------------------|
| 2 or more played games                                  | Both values shown |
| Exactly 1 played game                                   | — then the score  |
| No played game (rookie, season start, long-term return) | — —               |

Player did not play the most recent calendar game

Skip it. Show the last 2 games he actually played, even if older.

### **Never display an X or a 0 for an unplayed game**

A 0 reads as a bad performance; not playing is not a performance. Absence has its own channel (OUT state). This column reports only what happened when the player was on the floor.

*Accepted side effect: a player returning from a three-week injury will display scores from three weeks ago. This is correct — they are his last played games. Flagging score freshness is out of scope for this release.*

## 6.0 — Cross-cutting rules

### OUT players

A player declared OUT is rendered with **reduced opacity across the entire row** — jersey, trigram, name, form badge, scores, venue icon, opponent and price included.

**Do not** keep any element at full colour on a dimmed row. A half-dimmed row reads as "partially available" and breaks the signal.

An OUT player still has a game tonight, so his row still displays a venue icon and opponent — dimmed like everything else.

### Performance

- The four added elements must not degrade scroll performance with the full player pool loaded.
- All four read from data already computed server-side. No per-row computation on the client.

## 7.0 — Acceptance criteria

Part 1 is accepted when all of the following are true:

- Every row displays the team trigram under the jersey, uppercase, from the mapping table.
- Every row displays a venue icon and an opponent trigram; no row shows a team playing itself.
- Form badge uses the supplied assets, appears only in HOT and COLD states; NEUTRAL shows no icon.
- Badges are assigned by relative ranking (top/bottom 10% of the eligible pool), with the direction guard applied.
- Scores and form badge are computed from the same set of played games.
- Players with fewer than 2 played games display , never  or .
- OUT rows are uniformly dimmed, all elements included.
- The list scrolls smoothly with the full player pool loaded.
- No filters, sort controls or detail sheets have been added.
- The screen matches the Figma mockups.

# M5M — Dev Specification

## Part 2 — Lineup duplication across leagues

Screen: **Build your team** (lineup composition)

Version 1.1 · July 2026 · Accompanies the Figma file

### Context

M5M stores **one lineup per (league, match\_day)**. A user in the Global League plus two private leagues composes three lineups every night, often with largely the same players. This feature fills a second or third lineup in one tap.

### The whole feature in one sentence


A button that **copies the 5 players** of an already-validated lineup into an empty one. Nothing else. Once the players are placed, **everything that follows is the existing lineup screen**, unchanged.

**NEW** One button (new state of the existing banner) · One endpoint that copies 5 player IDs

**REUSED** Lineup screen · budget validation · over-budget state · confirm flow · validation popup


**OUT OF SCOPE** No new screen. No new validation logic. No source picker. No auto-validation.

8.0 — 1 Current state



Today — an empty lineup shows only the error banner

9.0 — 2 The Reuse action



Before — error only

After — banner becomes an action

The banner is one component with three contents

The banner below the court already exists. This feature adds a second content to it. **Do not create a new UI element.**

| # | Condition                                  | Content                                              |
|---|--------------------------------------------|------------------------------------------------------|
| 1 | Lineup empty · no validated lineup tonight | Error: "You need X more players" ( <i>existing</i> ) |
| 2 | Lineup empty · ≥1 validated lineup tonight | Action: "Reuse tonight's 5 players" ( <i>new</i> )   |
| 3 | Lineup total > league cap                  | Over-budget error ( <i>existing</i> )                |

Source

The **last validated lineup of the current match\_day**, across all leagues. No source picker — the user is never asked to choose.

What is copied


The 5 players only, in their slots.

**Bonuses are NOT copied.** The target lineup starts with no bonus selected, and the bonus area must visibly show that empty state. Bonuses are a per-league tactical decision; copying them would spend a strategic resource without the user deciding to.

### What it must never do

- Never validate the lineup — the user still taps Confirm.
- Never overwrite a non-empty lineup — the button is hidden in that case.
- Never auto-remove, auto-swap or downgrade a player, including when the copy exceeds the target cap. The user decides who to sacrifice.
- Never create a new screen or modal.

## 10.0 — After the tap



Players loaded

Confirmed

**Nothing new here.** The copied players load into the standard lineup screen and every existing state applies unchanged — budget bar, Team Complete, over-budget error, Confirm, validation popup, lock rules. These two screens are shown only so the full flow is visible. They are not part of the work.

### The only case worth stating

Private leagues may have a different budget cap from the Global League.

| Case                           | Behaviour                                                                     |
|--------------------------------|-------------------------------------------------------------------------------|
| Copied total $\leq$ target cap | Loads valid. Confirm enabled.                                                 |
| Copied total $>$ target cap    | Loads in the <b>existing over-budget state</b> . User swaps players manually. |
| A copied player is now OUT     | Existing invalid-slot state. Manual replacement.                              |

## 11.0 — Acceptance criteria

- The action appears only on an empty lineup when at least one validated lineup exists for the same match\_day.
- It occupies the existing banner slot; no new UI element was created.
- Tapping it loads the 5 players of the last validated lineup of the night.

- Bonuses are empty after duplication, and visibly so.
- The lineup is not validated automatically, and no player was removed automatically.
- A copy over the target cap loads in the existing over-budget state with Confirm disabled.
- No new screen was added.
- The screen matches the Figma mockups.



# M5M — Dev Specification

## Part 3 — Onboarding tutorial (coach-marks)

Screens: Home · Build your team · Select Player

Suggested library: `showcaseview` (Flutter)

Version 1.0 · July 2026 · Accompanies the Figma file

### What this tutorial is — and is not

Coach-marks overlaid on the **real screens**, guiding the user through their **real first lineup**. The user is not watching a demo: every tap is a genuine action in the app.

**This is NOT a slideshow** of intro cards, and **NOT a simulated sandbox** with fake data or a fake match. If your estimate assumes either of those, the scope has been misread.

### Scope summary

**NEW** 6 coach-mark steps · overlay + spotlight · step state persistence · skip action

**EXISTING — SEQUENCE ONLY** "Team validated" popup · Notification permission prompt. Both already exist. This part only positions them in the sequence — **do not rebuild them**.

**OUT OF SCOPE** Bonuses explanation, league rules, scoring formula, leaderboard tour, duplication feature. The tutorial teaches one thing: how to validate a first lineup.

### Full sequence

| #                                                               | Screen          | Element                    | Advances on           |
|-----------------------------------------------------------------|-----------------|----------------------------|-----------------------|
| 0                                                               | Home            | "Join now" button          | Tap "Join now"        |
| 1                                                               | Build your team | One empty jersey slot      | Tap the slot          |
| 2                                                               | Select Player   | One player row             | Player actually added |
| <i>Tutorial stays silent while the user adds players 2 to 5</i> |                 |                            |                       |
| 3                                                               | Build your team | Confirm button + countdown | Tap Confirm           |
| <i>→ "Team validated" popup (existing)</i>                      |                 |                            |                       |
| 4                                                               | Full screen     | —                          | Tap Next              |
| <i>→ Notification permission prompt (existing)</i>              |                 |                            |                       |
| 5                                                               | Full screen     | Two buttons                | User choice           |

### Lifecycle

- **Trigger:** first launch after signup.
- **Persistence:** current step is stored. If the user leaves mid-tutorial, it resumes at the step reached.


- **Completion:** marked done on first lineup validation **or** on skip.
- **Never re-triggers** once done. No "show again later".
- **Skip:** available on steps 0 to 4, top right. No confirmation dialog — if the user skips, the tutorial ends immediately.
- **Analytics:** log the skip event **with the step number** ( `tutorial_skipped_at_step` ). This identifies which step loses users.

### Only step 4 has a "Next" button

Steps 0 to 3 advance on the **real action** the bubble describes — never on a Next button. Adding one would let users skip the gesture and defeat the purpose of an interactive tutorial.

During steps 0 to 3, **taps outside the spotlight are blocked**. Only the highlighted element is tappable (plus Skip). This prevents the user from wandering off the guided path, which would leave the tutorial in an unknown state.


## 12.0 — 0 Home — join the Global League



Step 0 — spotlight on "Join now"

- **Element:** the "Join now" button of the NBA Global League card.
- **Advances on:** tap "Join now".
- **Behaviour:** the tap performs the **real join action** and navigates to the lineup screen. Step 1 fires when that screen loads.
- This is the only screen where the Home is used. The tutorial does not tour the Home — it moves the user out of it.

## 13.0 — 1 Lineup — pick your players




Step 1 — spotlight on a single empty jersey slot

- **Element:** one empty jersey slot, not all five. A single highlighted target removes the decision and makes the gesture obvious.

- **Advances on:** tap the slot → opens the player selection screen.
- The bubble states the goal (5 players) and the constraint (budget). It does not say "tap here" — the spotlight already carries that.

## 12.0 — 2 Select Player — read a row




Step 2 — spotlight on one player row

- **Element:** the first player row, showing price, form badge and last scores together.
- **Advances on:** a player being **actually added** to the lineup — not on a Next tap. Then returns to the court.
- This is the only teaching step of the tutorial: it explains how to read the row built in Part 1.

### Silent period

After step 2, the tutorial **stays silent** while the user adds players 2 to 5. No bubbles, no overlay, no blocked taps. Step 3 fires only when the lineup is complete.


## 13.0 — 3 Lineup — validate



Step 3 — spotlight on Confirm button and countdown

- **Element:** the Confirm button **and** the countdown together — the countdown gives the deadline its meaning.
- **Advances on:** tap Confirm.
- Fires only once the lineup is complete and valid.

## 12.0 — Existing popup: team validated




Existing component — unchanged

This popup **already exists** and fires after every successful validation. It is shown here only to document its position in the sequence: it appears between step 3 and step 4.

**Do not rebuild, restyle or re-scope it.**


## 13.0 — 4 What happens tonight



Step 4 — full screen, no spotlight, Next button

- **Element:** none. Full-screen overlay over the confirmed lineup.
- **Advances on:** tap Next. This is the **only step with a Next button**, because there is no action to perform.
- **Purpose:** explain that real NBA stats produce the score, and set the appointment for tomorrow morning.

## 12.0 — Existing popup: notification permission




Existing component — unchanged

This prompt **already exists** and fires after the first validation. It is documented here only to fix its position: **between step 4 and step 5**.

The order matters. Step 4 promises a score tomorrow morning; the prompt then offers the means not to miss it. Showing the prompt before that promise removes its rationale.

Either answer (Not now / Enable) continues to step 5. The tutorial never depends on the response.

## 13.0 — 5 Private league CTA



Step 5 — full screen, two buttons, final step

- **Element:** none. Full-screen overlay with two buttons.



- **"Create my league"** → opens the league creation flow.
- **"Later"** → returns to Home.
- **Either choice marks the tutorial as done.** No Skip on this step — the two buttons already cover both exits.
- Log which button was tapped: this measures how many new users enter a private league on day one.

## 12.0 — Copy strings

The app is bilingual from day one. Both strings must be implemented as i18n keys. Do not hardcode either language.

| # | EN                                                                                         | FR                                                                                   |
|---|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 0 | Welcome! Join the Global League. Everyone plays there.                                     | Bienvenue ! Rejoins la Ligue Globale. Tout le monde y joue.                          |
| 1 | Pick your 5 players within a 100M budget.                                                  | Choisis tes 5 joueurs dans la limite de 100M.                                        |
| 2 | Price reflects recent performance. 🔥 = on fire, 🧊 = ice cold.                              | Son prix reflète ses dernières perfs. 🔥 = en feu, 🧊 = en froid.                      |
| 3 | Validate before first tip-off. Then it's locked.                                           | Valide avant le premier tip-off. Après, c'est verrouillé.                            |
| 4 | Everything counts tonight: points, assists, rebounds... Your score drops tomorrow morning. | Tout compte cette nuit : points, passes, rebonds... Ton score t'attend demain matin. |
| 5 | Now, go challenge your friends in a private league.                                        | Maintenant, va défier tes potes en ligue privée.                                     |
| — | Skip · Next · Create my league · Later                                                     | Passer · Suivant · Créer ma ligue · Plus tard                                        |

## 13.0 — Edge cases

| Situation                                                    | Behaviour                                                                                                                           |
|--------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| User closes the app mid-tutorial                             | Resumes at the step reached on next launch.                                                                                         |
| User skips before validating a lineup                        | Tutorial marked done. The validated popup and notification prompt still fire later on their own normal triggers (first validation). |
| User validates a lineup without the tutorial (skipped early) | Existing popups fire normally. No tutorial step is shown.                                                                           |
| Tutorial already done                                        | Never shown again, on any device or session.                                                                                        |
| No NBA games tonight at first launch                         | Tutorial cannot start at step 1. Hold it until a match_day with at least one game is available.                                     |

## 12.0 — Acceptance criteria

- Coach-marks are overlaid on the real screens; no slideshow, no simulated data.
- The user builds and validates a genuine first lineup during the tutorial.
- Steps 0 to 3 advance only on the real action; taps outside the spotlight are blocked.
- Only step 4 has a Next button.
- The "Team validated" popup fires between steps 3 and 4; the notification prompt fires between steps 4 and 5.
- Neither existing popup was rebuilt or restyled.
- Skip is available on steps 0 to 4 and ends the tutorial immediately, with no confirmation dialog.

- Skip events are logged with the step number.
- Tutorial state resumes correctly after the app is closed mid-flow.
- Tutorial never triggers a second time.
- All strings are i18n keys, available in FR and EN.
- The screens match the Figma mockups.

# Quotation request

## Parts 1 to 3

Please return this section completed, together with any questions on scope.

Quote in fixed price, not hourly.

## 23.0 — What we need from you

Please provide **two things**:

- An estimate for **each part separately** — so each can be commissioned independently if needed.
- An estimate for the **complete package** (all three parts together).

Both are required. Parts may be ordered separately or as a package depending on the figures.

### Per-part estimate

| Part                                                                                       | Backend (days) | Frontend (days) | Price |
|--------------------------------------------------------------------------------------------|----------------|-----------------|-------|
| <b>Part 1</b> — Player selection row<br>Trigram · Home/Away · Form indicator · Last scores |                |                 |       |
| <b>Part 2</b> — Lineup duplication<br>Reuse action · copy endpoint                         |                |                 |       |
| <b>Part 3</b> — Onboarding tutorial<br>6 coach-mark steps · state · analytics              |                |                 |       |

### Package estimate

| Scope           | Total days | Package price | Delivery date |
|-----------------|------------|---------------|---------------|
| Parts 1 + 2 + 3 |            |               |               |

## 24.0 — Before you quote

### These are not new development

The following already exist in the product and must **not** appear as new work in your estimate:

- Fantasy Point history per player (already computed for dynamic pricing) — Part 1
- The Goalserve schedule feeding `match_day` — Part 1
- The lineup screen and all its validation states, including over-budget — Part 2
- The banner below the court — Part 2 adds a state to it, it is not a new element
- The "Team validated" popup — Part 3

- The notification permission prompt — Part 3

## 23.0 — Terms

- **Fixed price** per part and for the package. No hourly billing.
- **Acceptance** is assessed against the acceptance criteria listed at the end of each part, plus conformity with the Figma mockups. Both must be satisfied.
- **Scope changes** must be raised and agreed in writing before implementation. Anything not described in this document or shown in the Figma file is out of scope.
- **Questions** on any ambiguity are welcome and expected before work starts — they cost far less than a wrong build.

### Delivery expectations

Please also indicate, for the package: your proposed **start date**, the **order in which you would build the three parts**, and any dependency you see between them.

If the three parts cannot be delivered together, our priority order is: **Part 3 (tutorial)**, then **Part 2 (duplication)**, then **Part 1 (row)**.