

System Test Description (STD)

Terma case

Document Identification: F-STD-2014-V1

Company F:
IVAN GRUJIC, 10454
LARS NIELSEN, 10765
LARS JUHL LUNDE, 10423
SERGIU-VLAD TALNACI, 201400122
LASSE BRØSTED PEDERSEN, 10769
FATEMEH SADAT KIAEERAD, 201210732

This document is confidential between company F and the parties involved in the SPS project. For other parties, it is prohibited to continue reading beyond this point.

Contents

1	Revision history							
2	Stakeholders	2						
3	Scope							
	3.1 Identification	2						
	3.2 System-overview	2						
	3.3 Document overview	3						
4	Referenced documents	3						
5	Test preparations	3						
6	Test descriptions	3						
7	Requirements traceability	3						
8	Other	3						

1 Revision history

Date	Ver.	Author	Contact	Description
	No			
24-Feb-2014	1.0	-	-	Initial version

2 Stakeholders

Name	Role	Contact
Stefan Hallerstede	Customer	sha@iha.dk
Company G	Subcontractor	201302499@iha.dk
Company F, Training department	Trainers	201210732@post.au.dk

3 Scope

3.1 Identification

3.2 System-overview

The goal of the system is to protect the aircraft from enemy incoming missiles by deploying flares and chaffs. It also provides threat information to the information computer, which interacts with the pilot. It is possible for a technician to load the system with chaffs and flares. During the preparation phase before the missions, the system informs the technicians about the current amount of chaffs and flares present on the aircraft.

Context diagram




Figure 1: Context diagram

- 3.3 Document overview
- 4 Referenced documents
- 5 Test preparations
- 6 Test descriptions
- 7 Requirements traceability




Figure 2: Traceability Matrix

8 Other