



Document Subscription for Mobile (DSUBm), published by IHE IT Infrastructure Technical Committee. This is not an authorized publication; it is the continuous build for version 1.0.0-ballot. This version is based on the current content of <https://github.com/IHE/ITI.DSUBm/> and changes regularly. See the [Directory of published versions](#)!

2:3.113 Resource Subscription Search [ITI-113]

This section corresponds to the Resource Subscription Search [ITI-113] transaction of the IHE Technical Framework. The Resource Subscription Search [ITI-113] transaction is used by the Resource Notification Subscriber and Resource Notification Broker actors. The Resource Subscription Search [ITI-113] transaction is used to query Subscriptions and get back the results.

2:3.113.1 Scope

The Resource Subscription Search [ITI-113] transaction passes a Resource Subscription Search message from a Resource Notification Subscriber to a Resource Notification Broker in order to discover **Subscription**, to be aware of Subscriptions status or to be aware of previous events related to Subscriptions.

2:3.113.2 Actors Roles

Table 2:3.113.2-1: Actor Roles

Actor	Role
Resource Notification Subscriber	Sends the query request to the Resource Notification Broker
Resource Notification Broker	Receives the query and responds

- 2:3.113.1 Scope
- 2:3.113.2 Actors Roles
- 2:3.113.3 Referenced Standards
- 2:3.113.4 Interactions
- 2:3.113.5 Subscription Search Request Message
- 2:3.113.6 Subscription Status Search Request Message
- 2:3.113.7 Subscription Events Search Request Message
- 2:3.113.8 Subscription Search Response Message
- 2:3.113.9 Subscription Status Search Response Message
- 2:3.113.10 Subscription Events Search Response Message
- 2:3.113.10.4 CapabilityStatement Resource
- 2:3.113.10.5 Security Considerations

2:3.113.3 Referenced Standards

FHIR-R4 HL7 FHIR Release 4.0. [↗](#)

2:3.113.4 Interactions




Figure 2:3.113.3-1: Resource Subscription Search [ITI-113] interactions

2:3.113.5 Subscription Search Request Message

The Resource Notification Subscriber Request Message is a parameterized HTTP GET that queries the Resource Notification Broker for information about Subscriptions.

2:3.113.5.1 Trigger Events

A Resource Notification Subscriber sends this message to the Resource Notification Broker when it needs to discover one or more Subscription Resources that are not known.

2:3.113.5.2 Message Semantics

The Resource Notification Subscriber sends an HTTP GET request to the Resource Notification Broker.

This request shall comply with requirements specified in the HL7® FHIR® standard <https://hl7.org/fhir/R4B/http.html#search>.

The search target URL follows the FHIR HTTP specification <https://hl7.org/fhir/R4B/http.html>, addressing the Subscription Resources that the Resource Notification Subscriber is interested to discover.

The Resource Notification Subscriber Request Message can be expressed by addressing the Subscription Resource with different parameters at the URL:

```
GET [base]/Subscription?[Parameters]
```

The query parameters allowed, reported in Table 3.113.5.2-1, are the parameters indicated in the [Search parameters](#) section and also the [search parameter](#) included in the [Subscription R5 Backport Implementation Guide](#).

Table 2:3.113.5.2-1: Subscription Search Request Message Search Parameters

Name	Type	Description
contact	token	Contact details for the subscription
criteria	string	The search rules used to determine when to send a notification
payload	token	The mime-type of the notification payload
status	token	The current state of the subscription
type	token	The type of channel for the sent notifications
url	uri	The URI that will receive the notifications
custom-channel	string	This SearchParameter enables query of subscriptions by additional channel type
filter-criteria	string	This SearchParameter enables query of subscriptions by filter criteria
payload-type	string	This SearchParameter enables query of subscriptions by payload type
topic	uri	This SearchParameter enables query of subscriptions by canonical topic-uri

The Resource Notification Subscriber may provide the optional parameter “_format” to specify the desired MIME-types in the response message. The Resource Notification Broker should accept `application/fhir+xml` and `application/fhir+json` as _format parameters. For example, indicating `application/fhir+json` could result in the response from the Resource Notification Broker being a json FHIR Bundle with all the content encoded as json FHIR resources.

2:3.113.5.2.1 Subscription Search Request Message examples

Search for all active subscriptions with `endpoint=X` without knowing the type of subscription:

```
GET [base]/Subscription?status=active&channel.endpoint=X
```

Search for all the subscriptions made for documents produced for a specific patient with `patientId=Y`:

```
GET [base]/Subscription?filter-criteria=documentReference%3Fsubject=Y
```

Search for all the subscriptions that are referring to a specific SubscriptionTopic resource with `id=1234`:

```
GET [base]/Subscription?criteria=http://hl7.org/SubscriptionTopic/1234
```

2:3.113.5.3 Expected Actions

The Resource Notification Broker who received the message shall process the request and respond with a Resource Subscription Search Response Message.

After receiving a Subscription Search request, the Resource Notification Broker shall return a Bundle with the Subscription Resources that matches the query parameters in the request message.

2:3.113.6 Subscription Status Search Request Message

The Resource Notification Subscriber Request Message is a parameterized HTTP GET that allows to search or retrieve, from the Resource Notification Broker, information about the status of the Subscriptions.

2:3.113.6.1 Trigger Events

This message can be used by the Resource Notification Subscriber to be aware of the status of one or more Subscriptions, using the \$status operation.

2:3.113.6.2 Message Semantics

The Resource Notification Subscriber sends an HTTP GET request to the Resource Notification Broker.

The Resource Notification Subscriber Request Message shall be a FHIR operation request as defined in FHIR (<http://hl7.org/fhir/operations.html>) with the \$status operation definition and the input parameters in Table 3.113.6.2-1, in order to be aware of the Subscriptions status.

The URL for this operation is one of:

```
GET [base]/Subscription/$status
```

```
GET [base]/Subscription/{id}/$status
```

Table 2:3.113.6.2-1: Subscription Status Search Request Message Parameters

Name	Cardinality	Type	Description
id	0..*	id	At the Instance level, this parameter is ignored. At the Resource level, one or more parameters containing a FHIR id for a Subscription to get status information for. In the absence of any specified ids, the server returns the status for all Subscriptions available to the caller. Multiple values are joined via OR (e.g., "id1" OR "id2")
status	0..*	code	At the Instance level, this parameter is ignored. At the Resource level, a Subscription status to filter by (e.g., "active"). In the absence of any specified status values, the server does not filter contents based on the status. Multiple values are joined via OR (e.g., "error" OR "off")

The Resource Notification Subscriber may provide the optional parameter “_format” to specify the desired MIME-types in the response message. The Resource Notification Broker should accept `application/fhir+xml` and `application/fhir+json` as _format parameters. For example, indicating `application/fhir+json` could result in the response from the Resource Notification Broker being a json FHIR Bundle with all the content encoded as json FHIR resources.

2:3.113.6.3 Expected Actions

The Resource Notification Broker who received the message shall process the request and respond with a Resource Subscription Search Response Message.

After receiving a Subscription Status Search Request Message, the Resource Notification Broker shall return a Bundle with the SubscriptionStatus Resources related to the Subscriptions that matched the query parameters in the request message.

2:3.113.7 Subscription Events Search Request Message

The Resource Notification Subscriber Request Message is a parameterized HTTP GET that allows to retrieve, from the Resource Notification Broker, the events about a specific Subscription that have occurred.

2:3.113.7.1 Trigger Events

When the Subscription Resource is known, this message can be used by the Resource Notification Subscriber to be aware of previous events related to that Subscription, using the \$events operation.

2:3.113.7.2 Message Semantics

The Resource Notification Subscriber sends an HTTP GET request to the Resource Notification Broker.

The Resource Notification Subscriber Request Message shall be a FHIR operation request as defined in FHIR (<http://hl7.org/fhir/operations.html>) with the \$events operation definition and the input parameters in Table 3.113.7.2-1, in order to be aware of previous events related to a Subscription.

The URL for this operation is:

```
GET [base]/Subscription/{id}/$events
```

Table 2:3.113.7.2-1: Subscription Events Search Request Message Parameters

Name	Cardinality	Type	Description
eventsSinceNumber	0..1	string	The starting event number, inclusive of this event (lower bound)
eventsUntilNumber	0..1	string	The ending event number, inclusive of this event (upper bound)
content	0..1	code	Requested content style of returned data. Codes from backport-content-value-set (e.g., empty, id-only, full-resource). This is a hint to the server what a client would prefer, and MAY be ignored

The Resource Notification Subscriber may provide the optional parameter “_format” to specify the desired MIME-types in the response message. The Resource Notification Broker should accept `application/fhir+xml` and `application/fhir+json` as _format parameters. For example, indicating `application/fhir+json` could result in the response from the Resource Notification Broker being a json FHIR Bundle with all the content encoded as json FHIR resources.

2:3.113.7.3 Expected Actions

The Resource Notification Broker who received the message shall process the request and respond with a Resource Subscription Events Search Response Message.

After receiving a Subscription Events Search Request Message, the Resource Notification Broker shall return a Bundle with the SubscriptionStatus Resource and the previous events related to the Subscription that match the query parameters in the request message. The Resource Notification Broker may use implementation-specific criteria to restrict availability of events (e.g., most recent 10 events, events within the past 30 days, only the events from the last \$events operation performed by a Resource Notification Subscriber, etc.).

2:3.113.8 Subscription Search Response Message

The Resource Notification Broker returns an HTTP status code appropriate to the processing as well as a Bundle containing a list of the matching Subscription resources.

2:3.113.8.1 Trigger Events

The Resource Notification Broker completed the processing of the Subscription Search Request Message.

2:3.113.8.2 Message Semantics

The response shall adhere to the FHIR Bundle constraints specified in ITI TF-2x: [Appendix Z.7](#)

Based on the query results, the Resource Notification Broker will either return an error or success. Guidance on handling Access Denied related to the use of 200, 403, and 404 can be found in ITI TF-2x: [Appendix Z.7](#). When the Resource Notification Broker needs to report an error, it shall use HTTP error response codes and should include a FHIR OperationOutcome with more details on the failure. See FHIR <https://hl7.org/fhir/R4B/http.html> and <https://hl7.org/fhir/R4B/operationoutcome.html>.

If the Resource Subscription Search message is processed successfully, whether or not any Subscription Resources are found based on the request parameter, the response shall be an HTTP 200 status code. The Resource Subscription Search Response message shall be a Bundle Resource that shall have:

- the Bundle.type element valued `searchset`
- zero or more entries containing the Subscription Resources;
- zero or one OperationOutcome Resource that contains warnings, if the Resource Subscription Broker is sending warnings.

More information about search response can be found at <http://hl7.org/fhir/R4B/http.html#search>.

2:3.113.8.3 Expected Actions

The Resource Notification Subscriber shall process the results according to application-defined rules.

2:3.113.9 Subscription Status Search Response Message

The Resource Notification Broker returns an HTTP status code appropriate to the processing as well as a Bundle containing a list of the matching SubscriptionStatus resources.

2:3.113.9.1 Trigger Events

The Resource Notification Broker completed the processing of the Subscription Status Search Request Message.

2:3.113.9.2 Message Semantics

The response shall adhere to the FHIR Bundle constraints specified in ITI TF-2x: [Appendix Z.7](#)

Based on the query results, the Resource Notification Broker will either return an error or success. Guidance on handling Access Denied related to the use of 200, 403, and 404 can be found in ITI TF-2x: [Appendix Z.7](#). When the Resource Notification Broker needs to report an error, it shall use HTTP error response codes and should include a FHIR OperationOutcome with more details on the failure. See FHIR <https://hl7.org/fhir/R4B/http.html> and <https://hl7.org/fhir/R4B/operationoutcome.html>.

If the \$status operation request is processed successfully the response shall be an HTTP 200 status code. The Resource Subscription Search Response message shall be a Bundle Resource that shall have:

- SubscriptionStatus Bundle
 - the Bundle.type element valued `searchset`
 - zero or more entries containing the SubscriptionStatus Resources for the \$status operation;
 - zero or one OperationOutcome Resource that contains warnings, if the Resource Subscription Broker is sending warnings.

2:3.113.9.3 Expected Actions

The Resource Notification Subscriber shall process the results according to application-defined rules.

2:3.113.10 Subscription Events Search Response Message

The Resource Notification Broker returns an HTTP status code appropriate to the processing as well as a Bundle containing the events.

2:3.113.10.1 Trigger Events

The Resource Notification Broker completed the processing of the Subscription Events Search Request Message.

2:3.113.10.2 Message Semantics

The response shall adhere to the FHIR Bundle constraints specified in ITI TF-2x: [Appendix Z.7](#)

Based on the query results, the Resource Notification Broker will either return an error or success. Guidance on handling Access Denied related to the use of 200, 403, and 404 can be found in ITI TF-2x: [Appendix Z.7](#). When the Resource Notification Broker needs to report an error, it shall use HTTP error response codes and should include a FHIR OperationOutcome with more details on the failure. See FHIR <https://hl7.org/fhir/R4B/http.html> and <https://hl7.org/fhir/R4B/operationoutcome.html>.

If the \$events operation request is processed successfully the response shall be an HTTP 200 status code. The Resource Subscription Search Response message shall be a Bundle Resource that shall have:

- SubscriptionEvent Bundle
 - the Bundle.type element valued `history`
 - in the first the first entry the SubscriptionStatus for the \$events operation;
 - zero or more additional entries, with either URLs or resources representing contents, depending on the content parameter in the request and the Subscription.payload.content and the notificationShape element defined in the Topic of the Subscription.

2:3.113.10.3 Expected Actions

The Resource Notification Subscriber shall process the results according to application-defined rules.

2:3.113.10.4 CapabilityStatement Resource

The Resource Notification Subscriber implementing this transaction shall provide a CapabilityStatement Resource as described in ITI TF-2x: [Appendix Z.3](#) indicating the transaction has been implemented.

- FHIR Capability Statement for [Resource Notification Subscriber](#)
- FHIR Capability Statement for [Resource Notification Subscriber](#) that support the [Updates to document sharing resources](#) option.

The Resource Notification Broker implementing this transaction shall provide a CapabilityStatement Resource as described in ITI TF-2x: [Appendix Z.3](#) indicating the transaction has been implemented.

- FHIR Capability Statement for [Resource Notification Broker](#)
- FHIR Capability Statement for [Resource Notification Broker](#) that support the [Updates to document sharing resources](#) option.

2:3.113.10.5 Security Considerations

See [DSUBm Security Considerations](#).

The Implementers should be aware that a specific Resource Notification Subscriber may acquire sensitive information if searching for Subscriptions created by other Subscribers. The Resource Notification Broker should follow an implementing policy in order to allow or prohibit the search for Subscription resources created by other Subscribers.

It’s highly recommended that the Resource Notification Subscriber should use some form of authentication method when searching for existing Subscription. The Resource Notification Broker should always verify the authentication token used in this transaction before returning the information requested.

2:3.113.10.5.1 Security Audit Considerations

The Resource Notification Subscriber, when grouped with [ATNA](#) Secure Node or Secure Application Actor, shall be able to record fundamental AuditEvents for:

- BALP Query, when a search interaction is performed;
- BALP Read, when a read interaction is performed.

The Resource Notification Broker, when grouped with [ATNA](#) Secure Node or Secure Application Actor, shall be able to record fundamental AuditEvents for:

- BALP Query, when a search interaction is performed;
- BALP Read, when a read interaction is performed.