

## Example of polychemotherapy protocol

Periodicity 28 days

### Diagnosis:

Other Lymphomas

### Phases:

Note: PARACETAMOL 1 G oral 30-60 MIN before RITUXIMAB# LENALIDOMIDE 20 MGGG 1-21#  
 PREDNISONE 100 MG PER OS 3 GG SUCCESSIVI AD EPCORITAMAB

UMACA: prepared by the Hospital Pharmacy

FISIOLOGICA: Physiologic solution Sodium Chloride 0,9%

## Administration Schema

### Day: 1

Seq	Route of Administration	Duration (min)	Duration seq.(min)		
<b>1</b>	Endovenous infusion	15			
	<b>METILPREDNISOLONE (PREP UMACA)</b>		Dose: <b>80 MG</b>		Unit of ref: Absolute
	<b>FISIOLOGICA 100ML</b>		Dose: <b>100 ML</b>		Unit of ref: Absolute
	Note:				
Seq	Route of Administration	Duration (min)	Duration seq.(min)	Place	Conferma
<b>2</b>	Endovenous infusion	15		Umaca	N
	<b>CLORFENAMINA (PREP UMACA)</b>		Dose: <b>10 MG</b>		Unit of ref: Absolute
	<b>FISIOLOGICA 100ML</b>		Dose: <b>100 ML</b>		Unit of ref: Absolute
	Note:				
Seq	Route of Administration	Duration (min)	Duration seq.(min)	Place	Conferma
<b>3</b>	Endovenous infusion	60		Umaca	N
	<b>FISIOLOGICA 500ML Bottle</b>		Dose: <b>500 ML</b>		Unit of ref: Absolute
	Note:				
Seq	Route of Administration	Duration (min)	Duration seq.(min)	Place	Conferma
<b>4</b>	Endovenous infusion	180		Umaca	N
	<b>RITUXIMAB (PREP UMACA)</b>		Dose: <b>375 MG</b>		Unit of ref: Body surface
	<b>FISIOLOGICA 500ML Bottle</b>		Dose: <b>500 ML</b>		Unit of ref: Absolute
	Note: in second route				
Seq	Route of Administration	Duration (min)	Duration seq.(min)	Place	Conferma
<b>5</b>	subcutaneous	5		Umaca	N
	<b>EPCORITAMAB PRIMING DOSE (PREP.UMACA)</b>		Dose: <b>0,16 MG</b>		Unit of ref: Absolute

Note:

**Day: 8**

Seq	Route of Administration	Duration (min)	Duration seq.(min)	Place	Conferma
1	Endovenous infusion <b>METILPREDNISOLONE (PREP UMACA) FISIOLOGICA 100ML</b>	15		Umaca	S
			Dose: <b>80 MG</b>	Unit of ref: Absolute	
			Dose: <b>100 ML</b>	Unit of ref: Absolute	

Note:

Seq	Route of Administration	Duration (min)	Duration seq.(min)	Place	Conferma
2	Endovenous infusion <b>CLORFENAMINA (PREP UMACA) FISIOLOGICA 100ML</b>	15		Umaca	S
			Dose: <b>10 MG</b>	Unit of ref: Absolute	
			Dose: <b>100 ML</b>	Unit of ref: Absolute	

Note:

Seq	Route of Administration	Duration (min)	Duration seq.(min)	Place	Conferma
3	Endovenous infusion <b>FISIOLOGICA 500ML Bottle</b>	60		Umaca	S
			Dose: <b>500 ML</b>	Unit of ref: Absolute	

Note:

Seq	Route of Administration	Duration (min)	Duration seq.(min)	Place	Conferma
4	Endovenous infusion <b>RITUXIMAB (PREP UMACA) FISIOLOGICA 500ML Bottle</b>	180		Umaca	S
			Dose: <b>375 MG</b>	Unit of ref: Body surface	
			Dose: <b>500 ML</b>	Unit of ref: Absolute	

Note: in second route

Seq	Route of Administration	Duration (min)	Duration seq.(min)	Place	Conferma
5	subcutaneous <b>EPCORITAMAB INTERMEDIATE DOSE (PREP UMACA)</b>	5		Umaca	S
			Dose: <b>0,8 MG</b>	Unit of ref: Absolute	

Note:

**Day: 15**

Seq	Route of Administration	Duration (min)	Duration seq.(min)	Place	Conferma
1	Endovenous infusion <b>METILPREDNISOLONE (PREP UMACA) FISIOLOGICA 100ML</b>	15		Umaca	S
			Dose: <b>80 MG</b>	Unit of ref: Absolute	
			Dose: <b>100 ML</b>	Unit of ref: Absolute	

Note:

Seq	Route of Administration	Duration (min)	Duration seq.(min)	Place	Conferma
2	Endovenous infusion <b>CLORFENAMINA (PREP UMACA) FISIOLOGICA 100ML</b>	15		Umaca	S
			Dose: <b>10 MG</b>	Unit of ref: Absolute	
			Dose: <b>100 ML</b>	Unit of ref: Absolute	

Note:

Seq	Route of Administration	Duration (min)	Duration seq.(min)	Place	Conferma
-----	-------------------------	----------------	--------------------	-------	----------

3	Endovenous infusion <b>FISIOLOGICA 500ML Bottle</b>	60		Dose: <b>500 ML</b>	Umaca Unit of ref: Absolute	S
---	--	----	--	---------------------	--------------------------------	---

Note:

Seq 4	Route of Administration Endovenous infusion	Duration (min) 180	Duration seq.(min)	Dose: <b>375 MG</b> Dose: <b>500 ML</b>	Place Umaca Unit of ref: Body surface Unit of ref: Absolute	Conferma S
----------	--	--------------------------	--------------------	--	--	---------------

Note: in second route

Seq 5	Route of Administration subcutaneous	Duration (min) 5	Duration seq.(min)	Dose: <b>24 MG</b>	Place Umaca Unit of ref: Absolute	Conferma S
----------	---	---------------------	--------------------	--------------------	---	---------------

Note:

**Day: 22**

Seq 1	Route of Administration Endovenous infusion	Duration (min) 15	Duration seq.(min)	Dose: <b>80 MG</b> Dose: <b>100 ML</b>	Place Umaca Unit of ref: Absolute Unit of ref: Absolute	Conferma S
----------	--	----------------------	--------------------	---	--	---------------

Note:

Seq 2	Route of Administration Endovenous infusion	Duration (min) 15	Duration seq.(min)	Dose: <b>10 MG</b> Dose: <b>100 ML</b>	Place Umaca Unit of ref: Absolute Unit of ref: Absolute	Conferma S
----------	--	----------------------	--------------------	---	--	---------------

Note:

Seq 3	Route of Administration Endovenous infusion	Duration (min) 60	Duration seq.(min)	Dose: <b>500 ML</b>	Place Umaca Unit of ref: Absolute	Conferma S
----------	--	----------------------	--------------------	---------------------	---	---------------

Note:

Seq 4	Route of Administration Endovenous infusion	Duration (min) 180	Duration seq.(min)	Dose: <b>375 MG</b> Dose: <b>500 ML</b>	Place Umaca Unit of ref: Body surface Unit of ref: Absolute	Conferma S
----------	--	-----------------------	--------------------	--	--	---------------

Note: in second route

Seq 5	Route of Administration subcutaneous	Duration (min) 5	Duration seq.(min)	Dose: <b>24 MG</b>	Place Umaca Unit of ref: Absolute	Conferma S
----------	---	---------------------	--------------------	--------------------	---	---------------

Note: