IHE Change Proposal

Tracking information:

IHE Domain	Patient Care Device
Change Proposal ID:	CP-PCD-038-01
Change Proposal Status:	Submitted
Date of last update:	2011-01-08
Person assigned:	John Rhoads

Change Proposal Summary information:

Add Acknowledgement Code AE and other table edits	
Submitter's Name(s) and e-mail address(es):	John Rhoads (john.rhoads@philips.com) based on suggestions from Lee Surprenant, Randy Carroll and Paul Schluter
Submission Date:	2010-01-07
Integration Profile(s) affected:	None
Actor(s) affected:	None
IHE Technical Framework or Supplement modified:	IHE PCD Technical Framework for Trial Implementation Version 1.2
Volume(s) and Section(s) affected:	Volume 2, Appendix B, Table 2.2
Rationale for Change: Contents of this table were initially limited to codes used in Profile "Point of Care Infusion Verification", Transaction PCD-03, and discussed only "Enhanced Mode", thus giving partial and potentially misleading information for "Original Mode" other uses such as in the Continua consortium	

Replace "Table B.2-2 HL7 table 0008 - Acknowledgement code" with the following:

Value	Description	Comment
AA	Original mode: Application Accept - Enhanced mode: Application acknowledgment: Accept	The receiving system accepted and integrated the message.
AE	Original mode: Application Error - Enhanced mode: Application acknowledgment: Error	The message has been rejected for an error in its content or format (see HL7 v.2.6 section 2.9 for further details).
AR	Original mode: Application Reject - Enhanced mode: Application acknowledgment: Reject	The receiving system was unable to process the message for reasons unrelated to its content or format (so that the message may be acceptable at a future time), or because of an unacceptable value in MSG-9 message type, MSH-12 version ID, or MSH-11 processing ID.

Value	Description	Comment
CA	Enhanced mode: Accept acknowledgment: Commit Accept	The message has been reviewed and accepted.
CE	Enhanced mode: Accept acknowledgment: Commit Error	The message has been rejected by the receiving system for a reason other than those enumerated under "CR"
CR	Enhanced mode: Accept acknowledgment: Commit Reject	The message has been rejected for a value the receiving system cannot accept in MSH-9 message type, MSH-12 version ID, or MSH-11 processing ID..

Original content for comparison:

Value	Description	Comment
CA	Enhanced mode: Accept acknowledgment: Commit Accept	The message has been reviewed and accepted.
CE	Enhanced mode: Accept acknowledgment: Error	The message has been rejected for an error.
CR	Enhanced mode: Accept acknowledgment: Commit Reject	The message has been rejected by the receiving system
AA	Enhanced mode Application Acknowledgment-- Accept	The IOC accepted and integrated the message.
AR	Enhanced mode Application Acknowledgement -- Reject	The IOC rejected the message