


HA – Form Processing using Django II

Folder Structure:



Settings.py:

```
INSTALLED_APPS = [  
    'django.contrib.admin',  
    'django.contrib.auth',  
    'django.contrib.contenttypes',  
    'django.contrib.sessions',  
    'django.contrib.messages',  
    'django.contrib.staticfiles',  
    'q1',  
    'q2',  
    'q3',  
    'a1',
```

```
'a2',  
]
```

Urls.py:

```
urlpatterns = [  
    path('admin/', admin.site.urls),  
    path('q1/', include('q1.urls')),  
    path('q2/', include('q2.urls')),  
    path('q3/', include('q3.urls')),  
    path('a1/', include('a1.urls')),  
    path('a2/', include('a2.urls')),  
]
```

A1.

Bill.html:

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
  <meta charset="UTF-8">  
  <meta name="viewport" content="width=device-width, initial-scale=1.0">  
  <title>Bill Generator - A1</title>  
  <link rel="stylesheet" href="/static/css/a1.css">  
</head>  
<body>  
  <div class="container a1-container">  
    <h1>Bill Generator</h1>  
    <form method="POST">  
      {% csrf_token %}  
      <div class="form-group">  
        <label>Select Brand:</label>  
        {{ form.brand }}  
      </div>  
  
      <div class="form-group">  
        <label>Select Device(s):</label>  
        {{ form.devices }}  
      </div>  
  
      <div class="form-group">  
        <label for="{{ form.quantity.id_for_label }}">{{ form.quantity.label }}</label>  
        {{ form.quantity }}  
      </div>  
  
      <button type="submit" class="btn-submit">Produce Bill</button>
```

```
</form>
</div>
</body>
</html>
```

Result.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Bill Result - A1</title>
<link rel="stylesheet" href="/static/css/a1.css">
</head>
<body>
<div class="container a1-container">
<h1>Bill Summary</h1>
{% if items %}
<table class="bill-table">
<thead>
<tr>
<th>Brand</th>
<th>Device</th>
<th>Unit Price</th>
<th>Quantity</th>
<th>Total</th>
</tr>
</thead>
<tbody>
{% for item in items %}
<tr>
<td>{{ item.brand }}</td>
<td>{{ item.device }}</td>
<td>₹{{ item.price }}</td>
<td>{{ item.quantity }}</td>
<td>₹{{ item.total }}</td>
</tr>
{% endfor %}
<tr class="total-row">
<td colspan="4"><strong>Total Amount:</strong></td>
<td><strong>₹{{ total_amount }}</strong></td>
</tr>
</tbody>
</table>
{% else %}
```

```

<p>No items in bill</p>
{% endif %}
<a href="{% url 'a1:bill' %}" class="btn-link">Generate Another Bill</a>
</div>
</body>
</html>

```

Forms.py:

```

from django import forms

class BillForm(forms.Form):
    BRAND_CHOICES = [
        ('hp', 'HP'),
        ('nokia', 'Nokia'),
        ('samsung', 'Samsung'),
        ('motorola', 'Motorola'),
        ('apple', 'Apple'),
    ]
    DEVICE_CHOICES = [
        ('mobile', 'Mobile'),
        ('laptop', 'Laptop'),
    ]
    brand = forms.ChoiceField(choices=BRAND_CHOICES, widget=forms.RadioSelect, label='Select Brand')
    devices = forms.MultipleChoiceField(choices=DEVICE_CHOICES, widget=forms.CheckboxSelectMultiple,
    label='Select Device(s)')
    quantity = forms.IntegerField(min_value=1, label='Quantity',
    widget=forms.NumberInput(attrs={'class': 'form-input', 'placeholder': 'Enter quantity'}))

```

Urls.py:

```

from django.urls import path
from . import views

app_name = 'a1'

urlpatterns = [
    path('bill/', views.bill, name='bill'),
    path('result/', views.result, name='result'),
]

```

Views.py:

```

from django.shortcuts import render, redirect
from .forms import BillForm

PRICES = {
    'hp_mobile': 30000,

```

```
'hp_laptop': 50000,
'nokia_mobile': 15000,
'nokia_laptop': 0,
'samsung_mobile': 25000,
'samsung_laptop': 45000,
'motorola_mobile': 20000,
'motorola_laptop': 0,
'apple_mobile': 70000,
'apple_laptop': 100000,
}

def bill(request):
    if request.method == 'POST':
        form = BillForm(request.POST)
        if form.is_valid():
            brand = form.cleaned_data['brand']
            devices = form.cleaned_data['devices']
            quantity = form.cleaned_data['quantity']
            request.session['brand'] = brand
            request.session['devices'] = devices
            request.session['quantity'] = quantity
            return redirect('a1:result')
        else:
            form = BillForm()
            return render(request, 'a1/bill.html', {'form': form})

def result(request):
    brand = request.session.get('brand', 'hp')
    devices = request.session.get('devices', [])
    quantity = request.session.get('quantity', 1)
    items = []
    total_amount = 0
    for device in devices:
        key = f'{brand}_{device}'
        price = PRICES.get(key, 0)
        if price > 0:
            item_total = price * quantity
            items.append({
                'brand': brand.capitalize(),
                'device': device.capitalize(),
                'price': price,
                'quantity': quantity,
                'total': item_total
            })
    total_amount += item_total
```

```
return render(request, 'a1/result.html', {
    'items': items,
    'total_amount': total_amount
})
```

Screenshots:

Bill Generator

Select Brand:

☐ HP

☐ Nokia

☒ Samsung

☐ Motorola

☐ Apple

Select Device(s):

☒ Mobile

☐ Laptop

Quantity

2

Produce Bill

Bill Summary

Brand	Device	Unit Price	Quantity	Total
Samsung	Mobile	₹25000	2	₹50000
Total Amount:				₹50000

Generate Another Bill

A2.

feedback.html:

```
<!DOCTYPE html>
```

```

<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Coursework Feedback Form - A2</title>
<link rel="stylesheet" href="/static/css/a2.css">
</head>
<body>
<div class="container a2-container">
<h1>Coursework Feedback Form</h1>
<form method="POST">
{% csrf_token %}
<div class="form-group">
<label for="{{ form.student_name.id_for_label }}">{{ form.student_name.label }}</label>
{{ form.student_name }}
</div>

<div class="form-group">
<label for="{{ form.gender.id_for_label }}">{{ form.gender.label }}</label>
{{ form.gender }}
</div>

<div class="form-group">
<label for="{{ form.course.id_for_label }}">{{ form.course.label }}</label>
{{ form.course }}
</div>

<div class="form-group">
<label for="{{ form.suggestion.id_for_label }}">{{ form.suggestion.label }}</label>
{{ form.suggestion }}
</div>

<button type="submit" class="btn-submit">Submit Form</button>
</form>
</div>
</body>
</html>

```

Thank_you.html:

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Thank You - A2</title>

```

```

<link rel="stylesheet" href="/static/css/a2.css">
</head>
<body>
<div class="container a2-container">
<h1>Thank You</h1>
<p class="thank-you-message">Thanks {{ student_name }} for your feedback.</p>
<a href="{% url 'a2:feedback' %}" class="btn-link">Submit Another Feedback</a>
</div>
</body>
</html>

```

Forms.py:

```

from django import forms

class FeedbackForm(forms.Form):
    GENDER_CHOICES = [
        ('male', 'Male'),
        ('female', 'Female'),
        ('other', 'Other'),
    ]
    COURSE_CHOICES = [
        ('asp-xml', 'ASP-XML'),
        ('dotnet', 'DotNET'),
        ('javapro', 'JavaPro'),
        ('unix', 'Unix'),
        ('c', 'C'),
        ('cpp', 'C++'),
    ]
    student_name = forms.CharField(max_length=100, label='Student Name',
    widget=forms.TextInput(attrs={'class': 'form-input', 'placeholder': 'Enter your name'}))
    gender = forms.ChoiceField(choices=GENDER_CHOICES, label='Gender',
    widget=forms.Select(attrs={'class': 'form-input'}))
    course = forms.ChoiceField(choices=COURSE_CHOICES, label='Select Course',
    widget=forms.Select(attrs={'class': 'form-input'}))
    suggestion = forms.CharField(label='Suggestion', required=False,
    widget=forms.Textarea(attrs={'class': 'form-input', 'rows': 5, 'placeholder': 'Enter your suggestion'}))

```

Urls.py:

```

from django.urls import path
from . import views

app_name = 'a2'

urlpatterns = [
    path('feedback/', views.feedback, name='feedback'),

```



```
path('thank-you/', views.thank_you, name='thank_you'),  
]
```

Views.py:

```
from django.shortcuts import render, redirect  
from .forms import FeedbackForm  
  
def feedback(request):  
    if request.method == 'POST':  
        form = FeedbackForm(request.POST)  
        if form.is_valid():  
            request.session['student_name'] = form.cleaned_data['student_name']  
            request.session['gender'] = form.cleaned_data['gender']  
            request.session['course'] = form.cleaned_data['course']  
            request.session['suggestion'] = form.cleaned_data['suggestion']  
            return redirect('a2:thank_you')  
        else:  
            form = FeedbackForm()  
            return render(request, 'a2/feedback.html', {'form': form})  
  
def thank_you(request):  
    student_name = request.session.get('student_name', 'Student')  
    return render(request, 'a2/thank_you.html', {  
        'student_name': student_name  
    })
```

Screenshots:

Coursework Feedback Form - A2

localhost:8000/a2/feedback/

Coursework Feedback Form

Student Name

Wpl

Gender

Other

Select Course

C++

Suggestion

Good Course

Submit Form

Thank You - A2

localhost:8000/a2/thank-you/

Thank You

Thanks Wpl for your feedback.

Submit Another Feedback