Indian Standard

Reaffirmed 1997

METHODS OF TEST FOR SOILS

PART III DETERMINATION OF SPECIFIC GRAVITY

Section 2 Fine, Medium and Coarse Grained Soils

(First Revision)

Second Reprint MARCH 1994

UDC 624.131.431.5

© Copyright 1981

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

Indian Standard

METHODS OF TEST FOR SOILS

PART III DETERMINATION OF SPECIFIC GRAVITY

Section 2 Fine, Medium and Coarse Grained Soils

(First Revision)

Soil Engineering and Rock Mechanics Sectional Committee, BDC 23

Chairman

Representing

DR JAGDISH NARAIN

University of Roorkee, Roorkee

Members

Additional Director, IRI

Irrigation Department, Government of Bihar, Patna ADDITIONAL DIRECTOR RESEARCH Ministry of Railways

(FE), RDSO

DEPUTY DIRECTOR RESEARCH

(Soil MECH), RDSO (Alternate)

DR ALAM SINGH COL AVTAR SINGH University of Jodhpur, Jodhpur

Engineer-in-Chief's Branch, Army Headquarters

LT-COL V. K. KANITKAR (Alternate) DR \ BANERJEE

Cemindia Co Ltd, Bombay

SHRI S. GUPTA (Alternate)

DR R. K. BHANDARI

Central Building Research Institute (CSIR), Roorkee

Irrigation Department, Government of Punjab,

CHIEF ENGINEER (B&R)

Chandigarh

DR G. S. DHILLON (Alternate) SHRI M. C. DANDAVATE

The Concrete Association of India, Bombay

SHRI N. C. DUGGUL (Alternate) SHRI A. G. DASTIDAR

personal capacity (5 Hungerford

DR G. S. DHILLON

12/1 Hungerford Court Calcutta - 700017) Indian Geotechnical Society, New Delhi

DIRECTOR, IRI

Department, Government

Uttar Pradesh, Roorkee Asia Foundations and Construction (P) Ltd,

SHRI A. H. DIVANJI

Bombay

SHRI A. N. JANGLE (Alternate)

DR GOPAL RAJAN

Dr Gopal Rajan DR SHASHI K. GULHATI

DR G. B. RAO (Alternate)

University of Roorkee, Roorkee Institution of Engineers (India), Calcutta

Indian Institute of Technology, New Delhi

(Continued on page 2)

© Copyright 1981

BUREAU OF INDIAN STANDARDS

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

(Continued from page 1)

Members Representing Public Works Department, Union Territory of SHRI O. P. MALHOTRA Chandigarh, Chandigarh Central Road Research Institute (CSIR), New Delhi SHRI T. K. NATRAJAN PRESIDENT (AIIMDA) All India Instrument Manufacturers and Dealers Association, Bombay DEPUTY SECRETARY (AIIMDA) (Alternate) Central Water Commission, New Delhi SHRI R. V. RANTHIDEVAN DEPUTY DIRECTOR (CSMRS) (Alternate) RESEARCH OFFICER (B & RRL) Public Works Department, Government of Punjah, Chandigarh Government SHRI K. R. SAXENA Public Works Department, Andhra Pradesh, Hyderabad Central Board of Irrigation & Power, New Delhi SECRETARY DEPUTY SECRETARY (Alternate) Roads Wing (Ministry of Shipping and Transport) SHRI N. SIVAGURU SHRI D. V. SIKKA (Alternate) SHRI K. S SRINIVASAN National buildings Organization, New Delhi SHRI SUNIL BERRY (Alternate) Public Department, Government of SUPERINTENDING ENGINEER Works (P & DC) Tamil Nadu, Madras EXECUTIVE ENGINEER (SMRD) (Alternate) Government Department, Public Works of SHRI'S, D. VIDYARTHI Uttar Pradesh, Lucknow DR B. L. DHAWAN (Alternate)

Secretary

Director General, BIS (Ex-officio Member)

SHRIK. M. MATHUR Deputy Director (Civ Engg), BIS

Soil Testing Procedures and Equipment Subcommittee, BDC 23:3

Convener

SHRI G. RAMAN, Director (Civ Engg)

DR ALAM SINGH University of Jodhpur, Jodhpur

Members

Shri Amar Singh Central Building Research Institute (CSIR),
Roorkee

COL AVTAR SINGH Engineer-in-Chief's Branch, Army Headquarters LT-COL V. K. KAINTKAR (Alternate)

DEPUTY DIRECTOR RESEARCH Ministry of Railways

(FE-II), RDSO

DEPUTY DIRECTOR RESEARCH (SM-III), RDSO (Alternate)

DIRECTOF (CSMRS) Central Water Commission, New Delhi

DEPUTY DIRECTOR (CSMRS) (Alternate)

DR GOPAL RANJAN University of Roorkee, Roorkee

DR S. C. HANDA (Alternate)

(Continued on page 8)

Indian Standard

METHODS OF TEST FOR SOILS

PART III DETERMINATION OF SPECIFIC GRAVITY

Section 2 Fine, Medium and Coarse Grained Soils

(First Revision)

O. FOREWORD

- 0.1 This Indian Standard (Part III/Sec 2) (First Revision) was adopted by the Indian Standards Institution on 10 November 1980, after the draft finalized by the Soil Engineering and Rock Mechanics Sectional Committee had been approved by the Civil Engineering Division Council.
- 0.2 With a view to establishing uniform procedures for the determination of different characteristics of soils and also for facilitating a comparative study of the results, the Indian Standards Institution is bringing out a series of standards on methods of test for soils (IS: 2720). This part deals with the method of test for determination of specific gravity of the soils which is used in finding out the degree of saturation and unit weight of moist soils. The unit weights are needed in pressure, settlement and stability problems in soil engineering. This standard was published in the year 1964. In view of the further work done in this field in this country and overseas, the revision has been prepared so as to give the latest method of test. The revision is being prepared in two sections: Section 1, dealing with fine grained soil which is basically a laboratory method; and Section 2 dealing with the method for fine, medium and coarse-grained soils which is basically a field method.
- **0.3** In reporting the result of a test made in accordance with this standard, if the final value, observed or caluculated, is to be rounded off, it shall be done in accordance with IS: 2-1960*.

1. SCOPE

1.1 This standard (Part III/Sec 2) lays down the method of test for the determination of the specific gravity of soil particle of fine, medium and

^{*}Rules for rounding off numerical values (revised).*

coarse-grained soils. It is not suitable for soils containing more than 10 percent of stones retained on a 40-mm IS sieve and such stones should be broken down to less than this size.

2. TERMINOLOGY

- 2.0 For the purpose of this standard, the following definition shall apply.
- 2.1 Specific Gravity (G) The ratio of the weight in air of a given volume of soil solids at a stated temperature to the weight in air of an equal volume of distilled water at that temperature.

3. APPARATUS

- 3.1 The following apparatus is required:
 - a) A gas jar of 1 litre capacity, fitted with a rubber bung (see Note 1) (see Fig. 1);
 - b) A ground-glass plate or a plastic slip cover for closing the gas jar (see Fig. 1);
 - c) A mechanical shaking apparatus capable of rotating the gas jar, end-over-end, at about 50 rev/min (see Note 2);
 - d) A balance readable and accurate to 0.2 g; and
 - e) A thermometer to cover the temperature range 0°C to 50°C, readable and accurate to 1°C.

4. PROCEDURE

- 4.1 A sample weighing 200 g in the case of fine-grained soil and 400 g in the case of medium and coarse-grained soils, shall be obtained in accordance with the procedure for the preparation of disturbed soil samples for testing. This sample shall have been oven dried (see Note 3) and then stored in an airtight container until required.
- 4.2 The gas jar and ground glass plate/plastic slip cover shall be dried and weighed to the nearest 0.2 g (m₁).
- 4.3 Approximately 200 g of fine-grained soil or 400 g of medium or coarse-grained soil shall be introduced into the gas jar directly from the container in which it has been cooled. The gas jar, ground-glass plate/plastic slip cover and contents shall be weighed to the nearest 0.2 g (m_2) .
- 4.4 Approximately 500 ml of water at a temperature within \pm 2°C of the average room temperature during the test (see Note 4) shall be added to the soil. The rubber stopper shall then be inserted into the gas jar and in the case of medium and coarse-gained soils the gas jar and contents shall be set aside for at least 4 hours. At the end of this

period, or immediately after the addition of water in the case of fine-grained soils, the gas jar shall be shaken by hand until the particles are in suspension and then placed in the shaking apparatus and shaken for a period of 20 to 30 minutes.




Fig. 1 Gas Jar, Plate and Stopper for the Determination of Specific Gravity of Soil Particales

- **4.4.1** The stopper shall then be removed carefully and any soil adhering to the stopper or the top of the gas jar shall be washed carefully into the jar; any froth that has formed shall be dispersed with a fine spray of water. Water shall then be added to the gas jar to within 2 mm of the top. The soil shall be allowed to settle for a few minutes and the gas jar then filled to the brim with more water. The ground-glass plate plastic slip cover shall then be placed on the top of the jar taking care not to trap any air undert the plate. The gas jar and plate shall then be carefully dried on the outside and the whole weighed to the nearest 0.2 g (m_3) .
- 4.5 The gas jar shall be emptied, washed out thoroughly, and filled completely to the brim with water. The glass plate shall be placed in position taking care not to trap any air under the plate. The gas jar and plate shall then be dried carefully on the outside and the whole weighed to the nearest 0.2 g (m_{\bullet}) .
- **4.6** The procedure outlined in **4.1** to **4.4** shall be repeated on a second sample of the same soil so that two values for specific gravity are obtained.

5. CALCULATIONS

5.1 The specific gravity, G, of the soil particles shall be calculated from the equation:

$$G = \frac{m_2 - m_1}{(m_4 - m_1) - (m_3 - m_2)}$$

where

 m_1 = the mass of gas jar and ground glass plate;

 m_2 = the mass of gas jar, plate and soil;

 m_3 = the mass of gas jar, plate, soil and water;

 m_4 = the mass of gas jar, plate and water.

5.2 The specific gravity shall be calculated at 27°C. If the room temperature is different then 27°C, the following corrections shall be done:

$$G' = KG$$

where

G' =corrected specific gravity at 27°C, and

 $K = \frac{\text{Relative density of water at room temperature}}{\text{Relative density of water at } 27^{\circ}\text{C}}$

6. REPORTING OF RESULTS

- 6.1 The specific gravity of the soil particles shall be reported to the nearest 0.01.
- 6.2 Three determinations of the specific gravity of the same soil sample shall be made. The average of the values obtained shall be taken as the specific gravity of the soil particles and shall be reported to the nearest 0.01. If the results differ by more than 0.03 from the average value, the tests shall be repeated.
 - Note 1 A gas jar has been found to make a very effective pycnometer but any container of similar capacity can be used provided that it can be shaken in a mechanical shaking apparatus, and provided that the mouth can be sealed in such a way that its volume is constant.
 - NOTE 2 An end-over-end shaker has been specified but shaking machines giving a vibrating motion would also be suitable. The choice of shaking machine depends on the type of pycnometer uaed.
 - Note 3 Oven drying of the soil has been specified for convenience. If there is any reason to believe that this will change the specific gravity due to loss of water of hydration, the soil should be dried at not more than 80°C. This fact should be reported.
 - Note 4 If there is a large difference the air temperature sufficient water should be drawn for the required number of tests and allowed to stand in the room in which the tests are being done until the temperature is within the given range.

(Continued from page 2)

Members

Representing

Dr Shashi K. Gulhati

SHRI H. K. GUHA

SHRI N. N. BHATTACHARAYA (Alternate) SHRI O. P. MALHOTRA

Indian Institute of Technology, New Delhi Geologists Syndicate Pvt Ltd, Calcutta

Public Works Department, Union Territory of Chandigarh, Chandigarh

SHRI M. D. NAIR Associated Instruments Manufacturers (I) Pvt Ltd, New Delhi

PROF T. S. NAGARAJ (Alternate) SHRI N. M. PATEL

SHRI P. JAGANATHA RAO

Delhi College of Engineering, Delhi Central Road Research Institute

SHRI S. D. VIDYARTHI

New Delhi Public Works Department, Government Uttar Pradesh, Lucknow

(CSIR),

DR B. L. DHAWAN (Alternate)

BUREAU OF INDIAN STANDARDS

| Headquarters : | |
|---|----------------------------|
| Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002 | |
| Telephones: 331 01 31 Telegrams: | Manaksanstha |
| 331 13 75 (Commor | to all Offices) |
| Regional Offices : | Telephone |
| Central : Marrak Bhavan, 9, Bahadur Shah Zafar Marg. NEW DELHI 110002 | { 331 01 31 { 331 13 75 |
| * Eastern : 1/14 C.I.T. Scheme VII M. V.I.P. Road, Maniktola, CALCUTTA 700054 | 37 86 62 |
| Northern : SCO 445-446, Sector 35-C, CHANDIGARH 160036 | 2 18 43 |
| Southern : C.I.T. Campus, IV Cross Road, MADRAS 600113 : Manakalaya, E9 MIDC, Marol, Andheri (East). BOMBAY 400093 | 41 29 16 6 32 92 95 |
| Branch Offices : | |
| 'Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMADABAD 38000 Peenya Industrial Area, 1st Stage, Bangalore-Tumkur Road, BANGALORE 560058 | 1 2 63 48 39 49 55 |
| Gangotri Complex, 5th Fioor, Bhadbhada Road, T.T. Nagar, BHOPAL 462003 | 55 40 21 |
| Plot No. 82/83, Lewis Road, BHUBANESHWAR 751002 | 5 36 27 |
| Kalai Kathir Building, 6/48-A Avanasi Road, COIMBATORE 641037 | 2 67 05 |
| Quality Marking Centre, N.H. IV, N.I.T., FARIDABAD 121001 Savitri Complex, 116 G.T. Road, GHAZIABAD 201001 | 8-71 19 96 |
| 53/5 Ward No. 29, R.G. Barua Road, 5th By-lane, GUWAHATI 781003 | 3 31 77 |
| 5-8-56C L. N. Gupta Marg, (Nampally Station Road) HYDERABAD 500001 | 23 10 83 |
| R14 Yudhister Marg, C Scheme, JAIPUR 302005 | 6 34 71 |
| 117/418 B Sarvodaya Nagar, KANPUR 208005 | 21 68 76 |
| Plot No. A-9, House No. 561/63, Sindhu Nagar, Kanpur Road, LUCKNOW 226005 | 5 55 07 |
| Patliputra Industrial Estate, PATNA 800013 | 6 23 05 |
| District Industries Centre Complex, Bagh-e-Ali Maidan. SRINAGAR 190011 | |
| T. C. No. 14/1421, University P. O., Palayam, THIRUVANANTHAPURAM 695034 | 6 21 04 |
| Inspection Offices (With Sale Point): | |
| Pushpanjali, First Floor, 205-A West High Court Road. Shankar Nagar Square, NAGPUR 440010 | 62 51 71 |
| Institution of Engineers (India) Building, 1332 Shivaji Nagar, PUNE 411005 | 5 24 35 |
| *Sales Office Calcutta is at 5 Chowringhee Approach, P. O. Princep Street, CALCUTTA | 27 68 00 |
| † Sales Office is at Novelty Chambers, Grant Road, BOMBAY | 89 65 28 |
| ‡ Sales Office is at Unity Building, Narasimharaja Square, BANGALORE | 22 39 71 |