There are only two industries that refer to their customers as "users". -- Edward Tufte

## Javascript Char Codes (Key Codes)

Interactive Demonstration and Lookup Table

By **Steve** on **Thursday**, **January 11**, **2007** Updated **Monday**, **July 04**, **2016** Viewed **5,652,191** times. (**145** times today.)

Developer

Tools and Tables

Javascript

Javascript is often used on the browser client side to perform simple tasks that would otherwise require a full postback to the server. Many of those simple tasks involve processing text or characters entered into a form element on a web page, and it is often necessary to know the javascript keycode associated with a character. Here is a reference.

Press a key in the text box below to see the corresponding Javascript key code. Or scroll down to see the full list.

862 SHARES

Key	Code
backspace	8
tab	9
enter	13
shift	16
ctrl	17
alt	18
pause/break	19
caps lock	20
escape	27
page up	33
page down	34
end	35
home	36
left arrow	37

Key	Code
е	69
f	70
g	71
h	72
i	73
j	74
k	75
I	76
m	77
n	78
0	79
р	80
q	81
r	82

Key	Code
numpad 8	104
numpad 9	105
multiply	106
add	107
subtract	109
decimal point	110
divide	111
f1	112
f2	113
f3	114
f4	115
f5	116
f6	117
f7	118

862 SHARES

up arrow	38
right arrow	39
down arrow	40
insert	45
delete	46
0	48
1	49
2	50
3	51
4	52
5	53
6	54
7	55
8	56
9	57
а	65
b	66
С	67

S	83
t	84
u	85
V	86
W	87
Х	88
у	89
Z	90
left window key	91
right window key	92
select key	93
numpad 0	96
numpad 1	97
numpad 2	98
numpad 3	99
numpad 4	100
numpad 5	101
numpad 6	102

f8	119
f9	120
f10	121
f11	122
f12	123
num lock	144
scroll lock	145
semi-colon	186
equal sign	187
comma	188
dash	189
period	190
forward slash	191
grave accent	192
open bracket	219
back slash	220
close braket	221
single quote	222

862 SHARES


d 68 numpad 7 103

Back to top

58

862

SHARES



Name



**Developer** • 7 years ago

How could you handle the "F11" key without show the page in Full Screen mode?? When I use "on key down" in my aplication, I can capture the event, but, anyway the browser show

the full screen mode! 16 ^ | Y • Reply • Share >



Fllamber → Developer • 6 years ago

Use the function:

event.preventDefault()

Right after you catch the "F11" event

e.g:

if(event.keyCode == 122) { event.preventDefault()

console.log('F11 was pressed');

47 ^ | > 1 • Reply • Share >



Jools → Fllamber • 5 years ago

If you move onto other function keys, F1 is slightly trickier. Indeed the Trylt field above doesn't manage to suppress it in IE. For this you'll need the following:

document.onhelp = function() {return(false);} window.onhelp = function() {return(false);} 1 ^ | V • Reply • Share >



Aditya sharma → Fllamber • 5 years ago

Thanks a ton, It help me a lot for other issue......

^ | ∨ 1 • Reply • Share >

862

58



andyjv - Developer • 7 years ago

over the browser behavior; this is for both security and user experience reasons.



**Anon** → Developer • 6 years ago

Well, I clicked on the text container before pressing F11 and it didnt go full screen so I hope that'll help.



Vinicius Monteiro → Developer • 6 years ago

You can use return false too.



**Bryan Eslinger** → Vinicius Monteiro • 5 years ago

This is a little old, but for anyone else reading this: there's a key difference between preventDefault() and returning false: Returning false also stops the event from bubbling up the DOM.



**KEYMASHING RULZ fjdskfshdfdhgj** → Bryan Eslinger • 2 years ago

What do you mean by "bubbling" up the DOM??



lucanos → Bryan Eslinger • 4 years ago

Or use event.stopPropagation()



**Jojati** → Developer • 3 years ago

scripting

862 SHARES

58



Aditya sharma → Developer • 5 years ago

Thanks a ton, It help me a lot for other issue...



**Brandon** → Developer • 5 years ago

im on windows 8 so its ok for me



Nilpo → Developer • 5 years ago

You can't override built-in browser or system keyboard shortcuts.



GR → Nilpo • 4 years ago

But not every script is intended for 3rd party browsers on the Internet.

ie: It could be your app with embedded Chromium.



Jools → Nilpo • 5 years ago • edited

There are certainly good arguments for why you shouldn't, but in most cases you actually can. What surprised me is that Chrome is the most restrictive browser as it doesn't allow you to override most of its shortcuts for manipulating tabs and several others. Firefox seems to be the most passive about this, even allowing you to override Alt+F4!



e → Developer • 5 years ago

no idea



wyattbergeron1 → Developer • 5 years ago

use e.preventDefault at the end of your function.

862 SHARES

58



Saranya • 9 years ago



char code 31?



EugeneGrachev • 7 years ago

space missing



Jaanus → EugeneGrachev • 7 years ago

32. At least in chrome. Try the "try it!" textbox.;)



Alexander Wallin → Jaanus • 7 years ago

Yup, in Firefox (23.0.1) as well.



mm → Alexander Wallin • 6 years ago

And safari.



adf → mm • 6 years ago

I wish I could say "And internet explorer"



Erwin Hekkert → adf • 6 years ago

And why can't you. When I use IE, pressing space (after clicking in the Try it textbox) gives 32 as a result.



Andrew Scott → Erwin Hekkert • 6 years ago

I think in IE9, space is also 13 like enter key.



Jools → Andrew Scott • 5 years ago



IE9 give 32; perhaps IE8.



**Doge** → EugeneGrachev • 3 years ago

It's 32 in Opera as well



tomy • 8 years ago

Also, for game systems!

WII:

Platform: "Nintendo Wii"

Up: 175 (CAUTION! ALSO SCROLLS UP)

Down: 176 (CAUTION! ALSO SCROLLS DOWN) Left: 178 (CAUTION! ALSO SCROLLS LEFT)

Right: 177 (CAUTION! ALSO SCROLLS RIGHT)

-: 170 (CAUTION! ALSO ZOOMS OUT) +: 174 (CAUTION! ALSO ZOOMS IN)

1: 172

2: 173 (CAUTION! ALSO SPLITS SCREEN INTO SINGLE COLUMN MODE)

PS3:

Platform: "PLAYSTATION 3"

Up: 38 Down: 40 Left: 37 Right: 39

see more

10 ^ | Y • Reply • Share >



tomy → tomy • 8 years ago

Forgot to mention that for the 3ds, A: 13



kavitha • 9 years ago

% and left arrow gives key code as 37. how to differenciate



**Sebastian** → kavitha • 7 years ago

If it's the Shift-5 % rather than the numpad %, you can check e.shiftKey where e is the first parameter of an event callback.



Lucy • 8 years ago

How do I handle "shift"? like ")" = "shift 0"



mm → Lucy • 6 years ago

you would have shift AND 0.



Dmitriy Kucherenko • 6 years ago

superb photo! Missouri River Rail Bridge



Steve @ Cambia Research Mod → Dmitriy Kucherenko • 6 years ago

Thanks, Dmitriy. You can see more of my photos at http://www.SparrowsHome.com.



guest • 6 years ago

862 SHARES

58



Diogo → guest • 3 years ago



Alex • 7 years ago

this looks really neat http://dmauro.github.io/Key...



rajesh • 7 years ago

what is the char code of >



Pai Cthulhu → rajesh • 7 years ago

Shift+190

In mine keyboard layout(Brazillian), dunno if its the same as yours...

There is a attribute on the event that you can check if shift is being pressed or no, then you check that and the keycode 190



shamsi • 6 years ago

really so good.....



Vinicius Monteiro • 6 years ago

Your script is great, but don't support keyboard with special characters, such as standard ABNT



Choo Hwan • 6 years ago

Thanks!



58



Rancho • 8 years ago

Please Provide the key code testing textbox for Combination keys. As of now the textbox is jst taking single character.

If shift + 0 is pressed to get the output of ) key code it does not give desired output

```
2 ^ | Y • Reply • Share >
```



pepe → Rancho • 8 years ago

Key codes differ from character codes

```
2 ^ | Y • Reply • Share >
```



Shivesh Chandra → Rancho • 5 years ago

```
// Jquery Lib.
$(window).keydown(function(event) {
```

```
if(event.shiftKey && event.keyCode == 48){
  event.preventDefault();
  alert("Shift + 0 Pressed");
}
```



Jools → Shivesh Chandra • 5 years ago

Be very cautious when using alerts with preventDefault . An alert will often stop the default behaviour from being prevented. This is because it will pause the thread and for security/usability reasons some browsers will continue with their default behaviour Obviously you wouldn't have the alert in your release code, but even for debugging and exploratory code it can completely throw you off when you're trying to determine what you can and cannot prevent. I'd say that alerts suffer far too much from the observer effect and you're better sticking to console.logs.

Also, I might be wrong about this, but I think you should be using event.which rather than keyCode as "which" is the field that jQuery's documentation states is normalized across browsers.

```
^ | ✓ • Reply • Share >
```

862 SHARES

58



Abhishek Mishra • 6 years ago

hi I want an Html code which does the following

- 1) wait for windows to load
- 2)automatically press the tab button
- 3)automatically press the enter button
- 3 ^ | V 1 Reply Share >



Chirag Maliwal • a year ago

what is the keycode of screenoff key?

58

SHARES

Site Navigation

↑ Home 862 ♥ Follow More

★ Recent Posts☆ Popular Posts

Projects

♠ PieceWorx Writing Studio

Blog	
<b>⊠</b> Contact	
<b>6</b> About	
<b>→</b> Login	

<b>E</b> Categories	
Privacy Policy	

Copyright © 2002-2020 CambiaResearch.com. All rights reserved.

Version: 5.1.20200306.0422

58