
System Requirements Specification Index

For

Mobile Banking Management App

Version 1.0

IIHT Pvt. Ltd.

IIHT Ltd, No: 15, 2nd Floor, Sri Lakshmi Complex, Off MG Road, Near SBI LHO,
Bangalore, Karnataka – 560001, India

fullstack@iiht.com

Mobile Banking Management

System Requirements Specification

1. BUSINESS-REQUIREMENT:

1.1 PROBLEM STATEMENT:

Mobile Banking Management Application is .Net Core web API 3.1 application integrated with MS SQL Server, where it refers to introduce new features for mobile and online banking applications and display available features, account information, and transaction history on digital platforms.

1.2 FOLLOWING IS THE REQUIREMENT SPECIFICATION:

	Mobile Banking Management
Modules	
1	Mobile Banking
Mobile Banking Module Functionalities	
1	Create a Feature
2	Update the existing Feature
3	Get a Feature by Id
6	Fetch all Features
7	Delete an existing Features

2. ASSUMPTIONS, DEPENDENCIES, RISKS / CONSTRAINTS

2.1 Mobile Banking Constraints:

- While deleting the Mobile Banking, if Mobile Banking Id does not exist then the operation should throw a custom exception.

- While fetching the Mobile Banking details by id, if Mobile Banking id does not exist then the operation should throw a custom exception.

2.4 Common Constraints

- For all rest endpoints receiving @RequestBody, validation check must be done and must throw custom exception if data is invalid
- All the business validations must be implemented in model classes only.
- All the database operations must be implemented on entity object only
- Do not change, add, remove any existing methods in service layer
- In Repository interfaces, custom methods can be added as per requirements.
- All RestEndpoint methods and Exception Handlers must return data wrapped in **ResponseEntity**

3. BUSINESS VALIDATIONS

3.1 Mobile Banking Class Entities

- Feature Id (long) Not null, Key attribute.
- Transaction Id (string) Not null.
- Feature Name (string) is not null, min 3 and max 100 characters.
- Description (string) is not null.
- Name (string)
- UserName(string)

4. CONSIDERATIONS

- There is no roles in this application
- You can perform the following possible actions

Mobile Banking

REST ENDPOINTS

Rest End-points to be exposed in the controller along with method details for the same to be created

5.1 Mobile BankingController

URL Exposed		Purpose
/create-feature		Create Feature
Http Method	POST	
Parameter 1	Mobile Banking model	
Return	HTTP Response StatusCode	
/update-feature		Update a feature
Http Method	PUT	
Parameter 1	Long Id	
Parameter 2	Mobile BankingViewModel model	
Return	HTTP Response StatusCode	
/get-all-features		Fetches the list of all Features
Http Method	GET	
Parameter 1	-	
Return	<IEnumerable<Mobile Banking >>	
/get-feature-by-id?id={id}		Fetches the details of a feature
Http Method	GET	
Parameter 1	Long (id)	
Return	<Mobile Banking>	
/delete-feature?id={id}		Delete a feature
Http Method	DELETE	
Parameter 1	Long (id)	
Return	HTTP Response StatusCode	

6. TEMPLATE CODE STRUCTURE

6.1 Package: Mobile BankingManagement

Resources

Names	Resource	Remarks	Status
Package Structure			
controller	MobileBankingController	Controller class to expose all rest-endpoints for auction related activities.	Partially implemented
Startup.cs	Startup CS file	Contain all Services settings and SQL server Configuration.	Already Implemented
Properties	launchSettings.json file	All URL Setting for API	Already Implemented
	appsettings.json	Contain connection string for database	Already Implemented

6.2 Package: Mobile BankingManagement.BusinessLayer

Resources

Names	Resource	Remarks	Status
Package Structure			
Interface	IMobileBankingServices interface	Inside all these interface files contains all business validation logic functions.	Already implemented

Service	MobileBankingServices CS file	Using this all class we are calling the Repository method and use it in the program and on the controller.	Partially implemented
Repository	IMobileBanking Repository MobileBanking Repository (CS files and interfaces)	All these interfaces and class files contain all CRUD operation code for the database. Need to provide implementation for service related functionalities	Partially implemented
ViewModels	MobileBanking ViewModel	Contain all view Domain entities for show and bind data. All the business validations must be implemented.	Partially implemented

6.3 Package: Mobile BankingManagement.DataLayer

Resources

Names	Resource	Remarks	Status
Package Structure			
DataLayer	MobileBankingDBContext cs file	All database Connection, collection setting class	Already Implemented

6.4 Package: Mobile BankingManagement.Entities

Resources

Names	Resource	Remarks	Status
-------	----------	---------	--------

Package Structure			
Entities	MobileBanking ,Response (CS files)	<p>All Entities/Domain attribute are used for pass the data in controller and status entity to return response</p> <p>Annotate this class with proper annotation to declare it as an entity class with Id as primary key.</p> <p>Generate the Id using the IDENTITY strategy</p>	Partially implemented

7. EXECUTION STEPS TO FOLLOW

1. All actions like build, compile, running application, running test cases will be through Command Terminal.
2. To open the command terminal the test takers need to go to the Application menu (Three horizontal lines at left top) Terminal → New Terminal.
3. On command prompt, cd into your project folder (**cd <Your-Project-folder>**).
4. To connect SQL server from terminal:
(MobileBankingManagement /**sqlcmd -S localhost -U sa -P pass@word1**)
 - To create database from terminal -
 - 1> Create Database MobileDb**
 - 2> Go**
5. Steps to Apply Migration(Code first approach):
 - Press **Ctrl+C** to get back to command prompt
 - Run following command to apply migration-
(MobileBankingManagement /**dotnet-ef database update**)
6. To check whether migrations are applied from terminal:
(MobileBankingManagement /**sqlcmd -S localhost -U sa -P pass@word1**)

```
1> Use MobileDb
2> Go
1> Select * From __EFMigrationsHistory
2> Go
```

7. To build your project use command:
(MobileBankingManagement /**dotnet build**)
 8. To launch your application, Run the following command to run the application:
(MobileBankingManagement /**dotnet run**)
 9. This editor Auto Saves the code.
 10. To test any Restful application, the last option on the left panel of IDE, you can find ThunderClient, which is the lightweight equivalent of POSTMAN.
 11. To test web-based applications on a browser, use the internal browser in the workspace. Click on the second last option on the left panel of IDE, you can find Browser Preview, where you can launch the application.
- Note: The application will not run in the local browser**
12. To run the test cases in CMD, Run the following command to test the application:
(MobileBankingManagement .Tests/**dotnet test --logger "console;verbosity=detailed"**)
(You can run this command multiple times to identify the test case status, and refactor code to make maximum test cases passed before final submission)
 13. If you want to exit(logout) and continue the coding later anytime (using Save & Exit option on Assessment Landing Page) then you need to use CTRL+Shift+B - command compulsorily on code IDE. This will push or save the updated contents in the internal git/repository. Else the code will not be available in the next login.

14. These are time bound assessments the timer would stop if you logout and while logging in back using the same credentials the timer would resume from the same time it was stopped from the previous logout.

15. You need to use CTRL+Shift+B - command compulsorily on code IDE, before final submission as well. This will push or save the updated contents in the internal git/repository, and will be used to evaluate the code quality.
