# System Requirements Specification Index

## For

## Online Auction System

**Version 1.0**

**IIHT Pvt. Ltd.**
fullstack@iiht.com

# TABLE OF CONTENTS

# 1 PROJECT ABSTRACT

**Online Auction System** Application is Spring boot RESTful application with MySQL, where it allows the sellers to Manage Products, Customers can place a bid on the products before the last date of the bidding.

**Following is the requirement specifications:**

| | | Online Auction System |
|---|---|---|
| | | |
| Modules | | |
| | 1 | Seller |
| | 2 | Customer |
| | | |
| | | |
| Seller Module Functionalities | | |
| | | |
| | 1 | Register Itself |
| | 2 | Can add a new product based on predefined categories |
| | 3 | Can View details of bids placed on a particular product |
| | | |
| Customer Module Functionalities | | |
| | 1 | Customer can register itself |
| | 2 | Can view all product placed for bidding based on category |
| | 3 | Customer can Place a bid on specific product |
| | | |
| | | |

# 2 ASSUMPTIONS, DEPENDENCIES, RISKS / CONSTRAINTS

## 2.1 CUSTOMER CONSTRAINTS

- While placing a bid if customer-id does not exist then operation should throw custom exception.

## 2.2 COMMON CONSTRAINTS

- For all rest endpoints receiving @RequestBody, validation check must be done and must throw custom exception if data is invalid
- All the business validations must be implemented in dto classes only.
- All the database operations must be implemented on entity object only
- Do not change, add, remove any existing methods in service layer
- In Repository interfaces, custom methods can be added as per requirements.
- All RestEndpoint methods and Exception Handlers must return data wrapped in **ResponseEntity**

# 3 BUSINESS VALIDATIONS

- Seller name is not null, min 3 and max 100 characters.
- Seller email is not null, min 3, max 100 characters and should be email format
- Seller address is not null, min 3 and max 100 characters.
- Seller phone number is not null, min 10 and max 10 digits only
- Product name is not null, min 3 and max 100 characters.
- Product description is not null, min 3 and max 100 characters.
- Product quantity is not null.
- Product start bidding amount is not null.
- Product price is not null
- Product last date of bidding is not null, it should be in 'yyyy-mm-dd' format and future date
- Product category is not null, min 3 and max 100 characters
- Product predefined categories should be [Mobiles, Electronics, Clothing, Home]
- Customer username is not null, min 3 and max 100 characters
- Customer password is not null, min 3 and max 100 characters
- Customer email is not null, min 3, max 100 characters and should be email format
- Customer phone number is not null, min 10 and max 10 digits only
- Customer address is not null, min 3 and max 100 characters

# 4 REST ENDPOINTS

Rest End-points to be exposed in the controller along with method details for the same to be created

### 4.1 SELLERCONTROLLER

| URL Exposed | | Purpose |
|---|---|---|
| 1. /sellers/register | | Register a seller |
| Http Method | POST | |
| Parameter 1 | SellerDto | |
| Return | SellerDto | |
| | | |
| /sellers/get/bids-on-product/{produtId} | | Get Bids on a Products |
| Http Method | GET | |
| Parameter 1 | Long (productId) | |
| Return | List<BidsDto> | |

### 4.2 PRODUCTCONTROLLER

| URL Exposed | | Purpose |
|---|---|---|
| /products/register | | Register a Product |
| Http Method | POST | |
| Parameter 1 | ProductDto | |
| Return | ProductDto | |
| | | |
| /products/get/by-category/{categoryId} | | Fetch the details of all the products registered under a category |
| Http Method | GET | |
| Parameter 1 | Long (categoryId) | |
| Return | List<ProductDto > | |

### 4.3 CUSTOMERCONTROLLER

| URL Exposed | | Purpose |
|---|---|---|
| /customers/register | | Register a Customer |
| Http Method | POST | |
| Parameter 1 | CustomerDto | |
| Return | CustomerDto | |
| | | |
| /customers/place-bid | | Places a bid on the product by the customer |
| Http Method | POST | |
| Parameter 1 | BidsDto | |
| Return | BidsDto | |

# 5 TEMPLATE CODE STRUCTURE

## 5.1 PACKAGE: COM.IIHT.TRAINING.AUCTION

**Resources**

| | | |
|---|---|---|
| **OnlineAuctionSystemApplication (Class)** | This is the Spring Boot starter class of the application. | Already Implemented |

## 5.2 PACKAGE: COM.IIHT.TRAINING.AUCTION.ENTITY

**Resources**

| Class/Interface | Description | Status |
|---|---|---|
| **SellerEntity (class)** | o Annotate this class with proper annotation to declare it as an entity class with **sellerId** as primary key.<br>o Map this class with **sellers** table.<br>o Generate the **sellerId** using **IDENTITY** strategy | Partially implemented. |
| **ProductEntity(class)** | o This class is partially implemented.<br>o Annotate this class with proper annotation to declare it as an entity class with **productId** as primary key.<br>o Map this class with **products** table.<br>o Generate the **productId** using the **IDENTITY** strategy | Partially implemented. |
| **CustomerEntity(class)** | o This class is partially implemented.<br>o Annotate this class with proper annotation to declare it as an entity class with **id** as primary key.<br>o Map this class with **customers** table.<br>o Generate the **id** using the **IDENTITY** strategy | Partially implemented. |

| Class/Interface | Description | Status |
|---|---|---|
| **BidsEntity(class)** | o This class is partially implemented.<br>o Annotate this class with proper annotation to declare it as an entity class with **id** as primary key.<br>o Map this class with **bids** table.<br>o Generate the **id** using the **IDENTITY** strategy<br>o | Partially implemented. |

## 5.3 PACKAGE: COM.IIHT.TRAINING.AUCTION.DTO

**Resources**

| Class/Interface | Description | Status |
|---|---|---|
| **SellerDto (class)** | Use appropriate annotations from the **Java Bean Validation API** for validating attributes of this class. (Refer **Business Validation** section for validation rules). | Partially implemented. |
| **ProductDto (class)** | Use appropriate annotations from the **Java Bean Validation API** for validating attributes of this class. (Refer **Business Validation** section for validation rules). | Partially implemented. |
| **CustomerDto (class)** | Use appropriate annotations from the **Java Bean Validation API** for validating attributes of this class. (Refer **Business Validation** section for validation rules). | Partially implemented. |
| **BidsDto (class)** | Use appropriate annotations from the **Java Bean Validation API** for validating attributes of this class. | Partially implemented. |

| Class/Interface | Description | Status |
|---|---|---|
| | (Refer **Business Validation** section for validation rules). | |

## 5.4 PACKAGE: COM.IIHT.TRAINING.AUCTION.MODEL.EXCEPTION

**Resources**

| Class/Interface | Description | Status |
|---|---|---|
| **ExceptionResponse (class)** | Object of this class is supposed to be returned in case of exception through exception handlers | Already implemented. |

## 5.5 PACKAGE: COM.IIHT.TRAINING.AUCTION.REPOSITORY

**Resources**

| Class/Interface | Description | Status |
|---|---|---|
| **SellerRepository (interface)** | 1. Repository interface exposing CRUD functionality for **SellerEntity** Entity.<br>2. You can go ahead and add any custom methods as per requirements | Partially implemented |
| **ProductRepository (interface)** | 1. Repository interface exposing CRUD functionality for **ProductEntity** Entity.<br>2. You can go ahead and add any custom methods as per requirements | Partially implemented |
| **CustomerRepository (interface)** | 1. Repository interface exposing CRUD functionality for **Customer** Entity. | Partially implemented |

| Class/Interface | Description | Status |
|---|---|---|
| | 2. You can go ahead and add any custom methods as per requirements | |
| **BidsRepository (interface)** | 1. Repository interface exposing Bids functionality for **Bids** Entity.<br><br>2. You can go ahead and add any custom methods as per requirements | Partially implemented |

### 5.6 PACKAGE: COM.IIHT.TRAINING.AUCTION.SERVICE

**Resources**

| Class/Interface | Description | Status |
|---|---|---|
| **SellerService (interface)** | Interface to expose method signatures for seller related functionality.<br><br><span style="color:red">Do not modify, add or delete any method</span> | Already implemented. |
| **ProductService (interface)** | Interface to expose method signatures for product related functionality.<br><br><span style="color:red">Do not modify, add or delete any method</span> | Already implemented. |
| **CustomerService (interface)** | Interface to expose method signatures for customer related functionality.<br><br><span style="color:red">Do not modify, add or delete any method</span> | Already implemented. |

| Class/Interface | Description | Status |
|---|---|---|
| **BidsService (interface)** | Interface to expose method signatures for bids related functionality.<br><br>Do not modify, add or delete any method | Already implemented. |

## 5.7 Package: com.iiht.training.auction.service.impl

**Resources**

| Class/Interface | Description | Status |
|---|---|---|
| **SellerServiceImpl (class)** | • Implements **SellerService**. Contains template method implementation.<br>• Need to provide implementation for seller related functionalities<br>• Add required repository dependency<br>• Do not modify, add or delete any method signature | To be implemented. |
| **ProductServiceImpl (class)** | • Implements **ProductService**. Contains template method implementation.<br>• Need to provide implementation for product related functionalities<br>• Add required repository dependency<br>• Do not modify, add or delete any method signature | To be implemented. |

| CustomerServiceImpl (class) | • Implements **CustomerService**. Contains template method implementation.<br>• Need to provide implementation for Customer related functionalities<br>• Add required repository dependency<br>• <span style="color:red">Do not modify, add or delete any method signature</span> | To be implemented. |
|---|---|---|
| BidsServiceImpl (class) | • Implements **BidsService**. Contains template method implementation.<br>• Need to provide implementation for **Bids** related functionalities<br>• Add required repository dependency<br>• <span style="color:red">Do not modify, add or delete any method signature</span> | To be implemented. |

## 5.8 PACKAGE: COM.IIHT.TRAINING.AUCTION.EXCEPTION

**Resources**

| Class/Interface | Description | Status |
|---|---|---|
| GlobalHandler (class) | • RestControllerAdvice Class for defining global exception handlers.<br>• Contains Exception Handler for **InvalidDataException** class.<br>• Use this as a reference for creating exception handler | Partially implemented. |

| Class/Interface | Description | Status |
|---|---|---|
| | for other custom exception classes | |

| Class/Interface | Description | Status |
|---|---|---|
| **CustomerNotFoundException (Class)** | ● Custom Exception to be thrown when trying to fetch or delete a Customer info which does not exist.<br><br>● Need to create Exception Handler for same wherever needed (local or global) | Already created. |

### 5.9 PACKAGE: COM.IIHT.TRAINING.AUCTION.CONTROLLER

**Resources**

| Class/Interface | Description | Status |
|---|---|---|
| **SellerController (Class)** | ● Controller class to expose all rest-endpoints for Seller related activities.<br><br>● May also contain local exception handler methods | To be implemented |
| **ProductController (Class)** | ● Controller class to expose all rest-endpoints for Product related activities.<br><br>● May also contain local exception handler methods | To be implemented |

| | | |
|---|---|---|
| **CustomerController (Class)** | ● Controller class to expose all rest-endpoints for Customers related activities.<br><br>● May also contain local exception handler methods | To be implemented |

# 6 CONSIDERATIONS

A. There are 2 roles in this application

| |
|---|
| Seller |
| Customer |

B. You can perform the following 4 possible actions

| |
|---|
| Seller Actions |
| Product Actions |
| Customer Actions |
| Bids on Products |

# 7   EXECUTION STEPS TO FOLLOW

1. **All actions like build, compile, running application, running test cases will be through Command Terminal.**

2. **To open the command terminal the test takers, need to go to Application menu (Three horizontal lines at left top) -> Terminal -> New Terminal.**

3. **To build your project use command:**
   **mvn clean package -Dmaven.test.skip**

4. **To launch your application, move into the target folder (cd target). Run the following command to run the application:**
   **java -jar online-auction-system-0.0.1-SNAPSHOT.jar**

5. **This editor Auto Saves the code.**

6. **If you want to exit(logout) and continue the coding later anytime (using Save & Exit option on Assessment Landing Page) then you need to use CTRL+Shift+B-command compulsorily on code IDE. This will push or save the updated contents in the internal git/repository. Else the code will not be available in the next login.**

7. **These are time bound assessments the timer would stop if you logout and while logging in back using the same credentials the timer would resume from the same time it was stopped from the previous logout.**

8. **To test any Restful application, the last option on the left panel of IDE, you can find ThunderClient, which is the lightweight equivalent of POSTMAN.**

9. **To test any UI based application the second last option on the left panel of IDE, you can find Browser Preview, where you can launch the application.**

10. **Default credentials for MySQL:**
    a. **Username: root**
    b. **Password: pass@word1**

11. **To login to mysql instance: Open new terminal and use following command:**
    a. **sudo systemctl enable mysql**
    b. **sudo systemctl start mysql**

       **NOTE: After typing the second sql command (sudo systemctl start mysql), you may encounter a warning message like :**

          **System has not been booted with systemd as init system (PID 1). Can't operate.  Failed to connect to bus: Host is down**
       **>> Please note that this warning is expected and can be disregarded. Proceed to the next step.**
    c. **mysql -u root -p**
       **The last command will ask for password which is 'pass@word1'**

12. **Mandatory: Before final submission run the following command:**
   mvn test

13. **You need to use CTRL+Shift+B - command compulsorily on code IDE, before final submission as well. This will push or save the updated contents in the internal git/repository, and will be used to evaluate the code quality.**