

# MONEY CONTROL EMERGENCY FUND CALCULATOR AUTOMATION

## 1 PROBLEM STATEMENT

---

Need to automate the following activities using Selenium + Java

## 2 BUSINESS REQUIREMENTS:

---

Navigate to <https://www.moneycontrol.com/>

1. Navigate to “Emergency Fund Calculator” sub-menu from “Personal Finance” Menu.
2. Enter medical dental cost.
3. Enter Vehicle repair cost.
4. Enter other costs
5. Enter Life Health Insurance Premiums to be paid
6. Enter Home and Auto insurance premium to be paid.
7. Enter home loan and other important EMIS to be paid.
8. Enter monthly living expenses.
9. Enter number of months if unemployed.
10. Click on calculate button.
11. Check the uninsured emergency amount required.
12. Check annual amount of fixed payments to be done
13. Check for total amount of reserve to be build
14. Check the result.

For all the above activities to accomplish, there are template methods in Activites Class. These methods need to take use of helper methods available in SubActivites class. Those are also templated.

Helper methods to be implemented are as follows:

1. Find an element using xpath. Add appropriate locators in locator class and use them here

### Expectations:

- 1) Learners should write automation script using Java and selenium to automate all the steps in the above question. In other words, automation script should perform all mentioned steps.
- 2) Learners should not use any tools to create the xpath. They should develop the xpath/cssselector on their own.

### 3 IMPLEMENTATION/FUNCTIONAL REQUIREMENTS

---

#### 3.1 CODE QUALITY/OPTIMIZATIONS

1. Associates should have written clean code that is readable.
2. Associates need to follow SOLID programming principles.


### 4 EXECUTION STEPS TO FOLLOW

---

1. **You are mandatory required to run test cases for applications before final submission. Without which project evaluation will not happen**
2. **You can run the Junit test cases using Eclipse menu options**
3. **Before final submission, you are also required to push your code to GIT. Following are the steps to follow:**



Right click in folder and open Git Bash



In Git bash terminal, run following commands

- git status
- git add .
- git commit -m "First commit"  
(You can provide any message every time you commit)
- git push

```
MINGW64/c/Users/Administrator/Desktop/definavin@gmail.com_1677066354005
Administrator@52a1fe0b03145b4 MINGW64 ~/Desktop/definavin@gmail.com_1677066354
005 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    GroceryDelivery.BusinessLayer/bin/
    GroceryDelivery.BusinessLayer/obj/
    GroceryDelivery.DataLayer/bin/
    GroceryDelivery.DataLayer/obj/
    GroceryDelivery.Entities/bin/
    GroceryDelivery.Entities/obj/
    GroceryDelivery.Test/bin/
    GroceryDelivery.Test/obj/
    GroceryDelivery/.vs/
    GroceryDelivery/bin/
    GroceryDelivery/obj/

nothing added to commit but untracked files present (use "git add" to track)
Administrator@52a1fe0b03145b4 MINGW64 ~/Desktop/definavin@gmail.com_1677066354
005 (main)
$ git add .
Administrator@52a1fe0b03145b4 MINGW64 ~/Desktop/definavin@gmail.com_1677066354
005 (main)
$ git commit -m "First commit"
[main 5469b72] First commit
360 files changed, 53778 insertions(+)
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/CoverletSourceRootsMapping
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.deps.json
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.dll
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.pdb
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.runtimeconfig.json
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.DataLayer.dll
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.DataLayer.pdb
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.Entities.dll
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.Entities.pdb
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/.NETCoreApp,Version=v7.0.AssemblyAttributes.cs
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.AssemblyInfo.cs
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.AssemblyInfoInputs.cache
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.GeneratedMSBuildEditorConfig.editorconfig
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.assets.cache
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.csproj.AssemblyReference.cache
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.csproj.CopyComplete
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.csproj.CoreCompileInputs.cache
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.csproj.FileListAbsolute.txt
```

