

---

# System Requirements Specification

**Index**

**For**

**Trader Management  
Application**

**Version 1.0**

# TRADER MANAGEMENT APPLICATION

## System Requirements Specification

---

### 1 PROJECT ABSTRACT

The **Trader Management Application** is a ASP.NET Core Web API 7.0 with MS SQL Server database connectivity. It enables users to manage various aspects of Trader management.

**Following is the requirement specifications:**

	Trader Management Application	
Modules		
	1	Trader
Trader Module Functionalities		
	1	Create an Trader
	2	Update the existing Trader details
	3	Get the Trader by Id
	4	Get all Traders
	5	Delete an Trader

## 2 ASSUMPTIONS, DEPENDENCIES, RISKS / CONSTRAINTS

### 2.1 Trader CONSTRAINTS

- When fetching an Trader by ID, if the Trader ID does not exist, the operation should throw a custom exception.
- When updating an Trader, if the Trader ID does not exist, the operation should throw a custom exception.
- When removing an Trader, if the Trader ID does not exist, the operation should throw a custom exception.

### Common Constraints

- For all rest endpoints receiving @RequestBody, validation check must be done and must throw custom exception if data is invalid
- All the database operations must be implemented on entity object only
- Do not change, add, remove any existing methods in service layer
- In Repository interfaces, custom methods can be added as per requirements.
- All RestEndpoint methods and Exception Handlers must return data wrapped in **ResponseEntity**

## 3 BUSINESS VALIDATIONS

- TraderId (Int) Key, Not Null
- Name (string) Key, Not Null
- Age (Int),Not Null
- Date of Birth (DateTime) of the event Trader not null.

## 4 REST ENDPOINTS

Rest End-points to be exposed in the controller along with method details for the same to be created

### 4.1 TraderCONTROLLER

<b>URL Exposed</b>		<b>Purpose</b>
1. /get-all-traders		Fetches all the Traders
Http Method	GET	
Parameter	-	
Return	<IEnumerable<Trader >>	
2. /create-trader		Add a new Trader
Http Method	POST	
Parameter 1	Trader	
Return	Trader	
3. /delete-trader		Delete Trader with given Trader id
Http Method	DELETE	
Parameter 1	Int (id)	
Return	-	
4./ get-trader-by-id		Fetches the Trader with the given id
Http Method	GET	
Parameter 1	Int (id)	
Return	Trader	
5. /update-trader		Updates existing Trader
Http Method	PUT	
Parameter 1	Int (id)	
Parameter 2	Trader	
Return	Trader	

## 5. TEMPLATE CODE STRUCTURE

---

### 5.1 Package: TraderManagementApp

#### Resources

Names	Resource	Remarks	Status
Package Structure			
controller	Trader Controller	Controller class to expose all rest-endpoints for auction related activities.	Partially implemented
Program.cs	Program.cs file	Contain all Services settings and SQL server Configuration.	Already Implemented

Interface	ITraderService, interface	Inside all these interface files contains all business validation logic functions.	Already Implemented
Service	TraderService CS file	Using this all class we are calling the Repository method and use it in the program and on the controller.	Partially Implemented
Repository	ITraderRepository TraderRepository CS file and interface.	All these interfaces and class files contain all CRUD operation code for the database. Need to provide implementation for service related functionalities	Partially Implemented
Models	Trader cs file	All Entities/Domain attribute are used for pass the data in controller.	Already Implementation

### 5.2 Package: TraderManagementApp.Tests

#### Resources

**The TraderManagementApp.Tests project contains all test case classes and functions for code evaluation. Don't edit or change anything inside this project.**

## 6. EXECUTION STEPS TO FOLLOW

---

1. After successfully cloning the project template on desktop, you will be able to see folder named with your user id. (e.g. [user@gmail.com](mailto:user@gmail.com))
2. Go to below path and open solution file with Visual Studio.  
Path: `user@gmail.com > TraderManagementApp > TraderManagementApp.Sln`
3. All actions like build, compile, running application, running test cases will be through Command Terminal.
4. Press CTRL + S to save your code.
5. To open the command terminal the test takers need to go to the Application menu (Top Horizontal Menu Bar) View → Terminal.
6. To connect SQL server from terminal:  
(TraderManagementApp /`sqlcmd -S localhost -U sa -P pass@word1`)
  - To create database from terminal -
    - 1> `Create Database TraderDb`
    - 2> `Go`
7. Steps to Apply Migration(Code first approach):
  - Press **Ctrl+C** to get back to command prompt
  - Run following command to apply migration-  
(TraderManagementApp /`dotnet-ef database update`)
8. To check whether migrations are applied from terminal:  
(TraderManagementApp /`sqlcmd -S localhost -U sa -P pass@word1`)
  - 1> `Use TraderDb`
  - 2> `Go`
  - 1> `Select * From __EFMigrationsHistory`
  - 2> `Go`
9. To build your project use command:  
(TraderManagementApp /`dotnet build`)
10. To launch your application, Run the following command to run the application:  
(TraderManagementApp /`dotnet run`)  
(Note: After running this command, you will get one URL in terminal)

```
info: Microsoft.Hosting.Lifetime[14]
      Now listening on: http://localhost:5104
```

11. To test any Restful application, you can use POSTMAN.

(e.g. `http://localhost:5104/get-all-traders`)

12. To test web-based applications on a browser, use the internal browser in the workspace

**Note: The application will not run in the local browser**

13. To run the test cases in CMD, Run the following command to test the application:

(`TraderManagementApp.Tests/`**dotnet test --logger "console;verbosity=detailed"**)

(You can run this command multiple times to identify the test case status, and refactor code to make maximum test cases passed before final submission)

14. Steps to push changes to GitHub:

- Go to "View" -> "Git Changes" from the top menu bar of Visual Studio.
- In the "Changes" window on the right side of Visual Studio, you'll see the modified files.
- Enter any commit message in the "Message" box at the top of the window, and click on "Commit All" button.
- After committing your changes, Click the "Push" button (Up Arrow Button) to push your committed changes to the GitHub repository.

15. If you want to exit (logout) and continue the coding later anytime (using Save & Exit option on Assessment Landing Page) then you need to follow step-14 compulsorily. This will push or save the updated contents in the internal git/repository. Else the code will not be available in the next login.

16. These are time bound assessments the timer would stop if you logout and while logging in back using the same credentials the timer would resume from the same time it was stopped from the previous logout.

17. You need to follow step-14 compulsorily, before final submission as well. This will push or save the updated contents in the internal git/repository, and will be used to evaluate the code quality.