

LOGIN AUTOMATION

Login A

PROBLEM STATEMENT

Need to automate the following activities using Selenium + Java.

Key Activities to implement:


SN	Test Steps
1	Open the Login Panel.
2	Switch to sign-in Iframe.
3	Open Sign-in Box.
4	Enter Email & Password in Signin Box.
5	Click on the login button.
6	Check for failure login and validate the error message.
7	Check for success login.

NOTE: "Please do not delete any file in the src folder. But you are free to add any other file".


Pre-requisite:

As soon as you import project in eclipse, update the project using maven update option as below. This is to resolve issue if any maven dependency not downloaded properly:

1. Right click on project : Go to “Maven” : Select “Update Project”



2. In Update Maven Project Box Select “Force Update of Snapshots/Releases” and click OK



Template Code Structure: Packages and files you will be required to work upon. Other Files and packages you can ignore.

Package	Class/File	Description
pages	Login_Automation_L1_Pages.java	<ol style="list-style-type: none">1. All core activities (mentioned in list above) to be performed here.2. The comments associated with each templated method here describe the expectation.3. You can define locators and xpath here.4. Declare any variable/object you need to share data/status between different methods.5. Do not modify the signature of methods declared here.6. You can create additional supportive common methods in CommonEvents class.

Expectations:

- 1) Learners should write automation script using Java and selenium to automate all the steps in the above question. In other words, automation script should perform all mentioned steps.
- 2) Learners should not use any tools to create the xpath. They should develop the xpath/cssselector on their own.


IMPLEMENTATION/FUNCTIONAL REQUIREMENT

1.1 CODE QUALITY/OPTIMIZATIONS


1. Associates should have written clean code that is readable.
2. Associates need to follow SOLID programming principles.

EXECUTION STEPS TO FOLLOW


1. **You are mandatory required to run test cases for applications before final submission. Without which project evaluation will not happen.**
2. **You can launch test cases any time as follows: Right click on testng.xml and run TestNGSuite**



3. Before final submission, you are also required to push your code to GIT. Following are the steps to follow:



Right click in folder and open Git Bash



Login A

In Git bash terminal, run following commands

- git status
- git add .
- git commit -m "First commit"
(You can provide any message every time you commit)
- git push

```
MINGW64/c:/Users/Administrator/Desktop/definavin1gmail.com_1677066354005
Administrator@52a1fe0b03145b4 MINGW64 ~/Desktop/definavin1gmail.com_1677066354
005 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    GroceryDelivery.BusinessLayer/bin/
    GroceryDelivery.BusinessLayer/obj/
    GroceryDelivery.DataLayer/bin/
    GroceryDelivery.DataLayer/obj/
    GroceryDelivery.Entities/bin/
    GroceryDelivery.Entities/obj/
    GroceryDelivery.Test/bin/
    GroceryDelivery.Test/obj/
    GroceryDelivery/.vs/
    GroceryDelivery/bin/
    GroceryDelivery/obj/

nothing added to commit but untracked files present (use "git add" to track)
Administrator@52a1fe0b03145b4 MINGW64 ~/Desktop/definavin1gmail.com_1677066354
005 (main)
$ git add .
Administrator@52a1fe0b03145b4 MINGW64 ~/Desktop/definavin1gmail.com_1677066354
005 (main)
$ git commit -m "First commit"
[main 5469b72] First commit
360 files changed, 53778 insertions(+)
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/CoverletSourceRootsMapping
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.deps.json
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.dll
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.pdb
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.runtimeconfig.json
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.DataLayer.dll
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.DataLayer.pdb
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.Entities.dll
create mode 100644 GroceryDelivery.BusinessLayer/bin/Debug/netcoreapp7.0/GroceryDelivery.Entities.pdb
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/.NETCoreApp,Version=v7.0.AssemblyAttributes.cs
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.AssemblyInfo.cs
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.AssemblyInfoInputs.cache
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.GeneratedMSBuildEditorConfig.editorconfig
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.assets.cache
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.csproj.AssemblyReference.cache
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.csproj.CopyComplete
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.csproj.CoreCompileInputs.cache
create mode 100644 GroceryDelivery.BusinessLayer/obj/Debug/netcoreapp7.0/GroceryDelivery.BusinessLayer.csproj.FileListAbsolute.txt
```