

---

# System Requirements Specification

**Index**

**For**

**Expense Tracker  
Application**

**Version 1.0**

# EXPENSE TRACKER APPLICATION

## System Requirements Specification

---

### 1 PROJECT ABSTRACT

The **Expense Tracker Application** is a ASP.NET Web API 4.8 with MS SQL Server database connectivity. It enables users to manage various aspects of event planning and organization.

**Following is the requirement specifications:**

	Expense Tracker Application	
Modules		
	1	Expense
Expense Module Functionalities		
	1	Create an Expense
	2	Update the existing Expense details
	3	Get the Expense by Id
	4	Get all Expenses
	5	Delete an Expense

## 2 ASSUMPTIONS, DEPENDENCIES, RISKS / CONSTRAINTS

### 2.1 EVENT CONSTRAINTS

- When fetching an Expense by ID, if the expense ID does not exist, the operation should throw a custom exception.
- When updating an Expense, if the expense ID does not exist, the operation should throw a custom exception.
- When removing an Expense, if the expense ID does not exist, the operation should throw a custom exception.

### Common Constraints

- For all rest endpoints receiving @RequestBody, validation check must be done and must throw custom exception if data is invalid
- All the database operations must be implemented on entity object only
- Do not change, add, remove any existing methods in service layer
- In Repository interfaces, custom methods can be added as per requirements.
- All RestEndpoint methods and Exception Handlers must return data wrapped in **ResponseEntity**

## 3 BUSINESS VALIDATIONS

- Id (Int) Key, Not Null
- Amount (Decimal) of the expense is not null.
- Description (String) of the expense is not null and should be between 5 and 200 characters in length.
- Date (DateTime) of the event expense not null.

## 4 REST ENDPOINTS

Rest End-points to be exposed in the controller along with method details for the same to be created

### 4.1 EVENTCONTROLLER

<b>URL Exposed</b>		<b>Purpose</b>
1. /api/Expense/GetAllExpenses		Fetches all the expenses
Http Method	GET	
Parameter	-	
Return	<IEnumerable<Expense>>	
2. api/Expense/CreateExpense		Add a new expense
Http Method	POST	
Parameter 1	Expense	
Return	Expense	
3. /api/Expense/DeleteExpense		Delete expense with given expense id
Http Method	DELETE	
Parameter 1	Int (id)	
Return	-	
4./ api/Expense/GetExpenseById		Fetches the expense with the given id
Http Method	GET	
Parameter 1	Int (id)	
Return	Expense	
5. /api/Expense/UpdateExpense		Updates existing expense
Http Method	PUT	
Parameter 1	Int (id)	
Parameter 2	Expense	
Return	Expense	

## 5. TEMPLATE CODE STRUCTURE

---

## 5.1 Package: ExpenseTrackerApp

### Resources

Names	Resource	Remarks	Status
Package Structure			
controller	expense Controller	Controller class to expose all rest-endpoints for auction related activities.	Partially implemented
Web.Config	Web.Config file	Contain all Services settings and SQL server Configuration.	Already Implemented

Interface	IExpenseService, interface	Inside all these interface files contains all business validation logic functions.	Already Implemented
Service	ExpenseService CS file	Using this all class we are calling the Repository method and use it in the program and on the controller.	Partially Implemented
Repository	IExpenseRepository ExpenseRepository CS file and interface.	All these interfaces and class files contain all CRUD operation code for the database. Need to provide implementation for service related functionalities	Partially Implemented
Models	Expense cs file	All Entities/Domain attribute are used for pass the data in controller.	Already Implementation

## 5.2 Package: ExpenseTrackerApp.Tests

### Resources

The ExpenseTrackerApp.Tests project contains all test case classes and functions for code evaluation. Don't edit or change anything inside this project.

## 6. EXECUTION STEPS TO FOLLOW

---

1. All actions like build, compile, running application, running test cases will be through Command Terminal.
2. To open the command terminal the test takers need to go to the Application menu (Three horizontal lines at left top) Terminal → New Terminal.
3. On command prompt, cd into your project folder (**cd <Your-Project-folder>**).
4. To connect SQL server from terminal:  
(ExpenseTrackerApp /**sqlcmd -S localhost -U sa -P pass@word1**)
  - To create database from terminal -
    - 1> **Create Database ExpenseTrackerDb**
    - 2> **Go**
5. Steps to Apply Migration(Code first approach):
  - Press **Ctrl+C** to get back to command prompt
  - Run following command to apply migration-  
(ExpenseTrackerApp /**dotnet-ef database update**)
6. To check whether migrations are applied from terminal:  
(ExpenseTrackerApp /**sqlcmd -S localhost -U sa -P pass@word1**)
  - 1> **Use ExpenseTrackerDb**
  - 2> **Go**
  - 1> **Select \* From \_\_EFMigrationsHistory**
  - 2> **Go**
7. To build your project use command:  
(ExpenseTrackerApp /**dotnet build**)
8. To launch your application, Run the following command to run the application:  
(ExpenseTrackerApp /**dotnet run**)
9. This editor Auto Saves the code.
10. To test any Restful application, the last option on the left panel of IDE, you can find ThunderClient, which is the lightweight equivalent of POSTMAN.
11. To test web-based applications on a browser, use the internal browser in the workspace. Click

on the second last option on the left panel of IDE, you can find Browser Preview, where you can launch the application.

**Note: The application will not run in the local browser**

12. To run the test cases in CMD, Run the following command to test the application:

(ExpenseTrackerApp.Tests/**dotnet test --logger "console;verbosity=detailed"**)

(You can run this command multiple times to identify the test case status, and refactor code to make maximum test cases passed before final submission)

13. If you want to exit (logout) and continue the coding later anytime (using Save & Exit option on Assessment Landing Page) then you need to use CTRL+Shift+B - command compulsorily on code IDE. This will push or save the updated contents in the internal git/repository. Else the code will not be available in the next login.

14. These are time bound assessments the timer would stop if you logout and while logging in back using the same credentials the timer would resume from the same time it was stopped from the previous logout.

15. You need to use CTRL+Shift+B - command compulsorily on code IDE, before final submission as well. This will push or save the updated contents in the internal git/repository, and will be used to evaluate the code quality.

---