# System Requirements Specification Index

For

# **Event Management**

Version 1.0



## Contents

1	Business-	Requirement:	3
	1.1 Prok	olem Statement:	3
	1.1.1	Event Management	3
2.	Template Co	ode Structure	4
:	2.1 Event Co	ontroller	4
:	2.2 Resourc	es Available:	4
3	Suggeste	d Wireframes:	5
4	Business	Validations	9
5	Considera	ations	9
6	Execution	n Steps to Follow	9

### 1 Business-Requirement:

#### 1.1 PROBLEM STATEMENT:

The Event Management Application serves as a comprehensive platform for organizing and tracking the upcoming events.

Your task is to develop a system that enables users to access a home page, add new events with key details such as name, description, place, and date, and manage these entries effectively. Additionally, users should be able to edit, delete, and search for events by name or location. The system must also include a feature to view and sort past events, enhancing the user's ability to manage event schedules and historical data efficiently.

#### 1.1.1 Event Management:

The Event Management allows you to:

- 1. Access home page
- 2. Should be able to add a new event.
- 3. It can have basic fields like name, description, place and eventDate.
- 4. Should be able to get the list of events along with options to sort in ascending and descending order in each field.
- 5. Should be able to edit and delete any event.
- 6. Should be able to search for any event by event name or place.
- 7. Should be able to view past events along with options to sort in ascending and descending order in each field.

# 2. TEMPLATE CODE STRUCTURE:

## 2.1 EVENT CONTROLLER


Method Exposed	Purpose
listEvents()	Should return page "list-events" with required data.
showFormForAdd()	Should return page "add-event-form" for adding an
	event.
saveEvent()	Should save an event and return "event/list" with
	required data.
showFormForUpdate()	Should show event details in page
	"update-event-form" to edit an event.
deleteEvent()	Should delete an event and return "event/list" with
	required data.
searchEvents()	Should search an event and return "list-events" with
	required data.
pastEvents()	Should show past event details in the "past-events"
·	page.

# 2.2 Resources Available:

Description	View Pages Name	Remarks
Common UI		
Home Page	list-events	Contains a
All events	list-events	homepage which shows a list of all events along with options to add, edit , delete and search an event.
Add an event	add-event-form	
Update an event	update-event-form	
Search an event	list-events	
View Past event	past-events	


## 3 SUGGESTED WIREFRAMES:

## 1. **Homepage –** Visitor Landing Page




### 2. Create an Event


← C Q (i) localhost:8080/addEventForm
Events
Add Event
Event Name
Event Description
Event Place
Event Date dd-mm-yyyy
Save
Back to List




## 3. Event List



# 4. Update an Event




### 5. Delete an Event



### 6. Search an Event



#### 7. View Past Events



#### 4 Business Validations

- 1. Id must be of type id.
- 2. Name value should not be blank, min 2 and max 40 characters.
- 3. Description value should not be blank, min 2 and max 200 characters.
- 4. Place value should not be blank.
- 5. Event date value is not null and should be of format "yyyy/mm/dd"

#### **5** Considerations

The Code template already contains skeleton methods for service and controller layer. Please write your logic in it.

#### 6 Execution Steps to Follow

- 1. All actions like build, compile, running application, running test cases will be through Command Terminal.
- To open the command terminal the test takers, need to go to Application menu
  (Three horizontal lines at left top) -> Terminal -> New Terminal
- 3. To build your project use command:

mvn clean package -Dmaven.test.skip

4. To launch your application:

java -jar <your application war file name>

- 5. This editor Auto Saves the code
- 6. If you want to exit(logout) and continue the coding later anytime (using Save & Exit option on Assessment Landing Page) then you need to use CTRL+Shift+B-command compulsorily on code IDE. This will push or save the updated contents in the internal git/repository. Else the code will not be available in the next login.
- 7. These are time bound assessments the timer would stop if you logout and while logging in back using the same credentials the timer would resume from the same time it was stopped from the previous logout.
- 8. To test any Restful application, the last option on the left panel of IDE, you can find ThunderClient, which is the lightweight equivalent of POSTMAN.
- 9. This is a web-based application, to run the application on a browser, use the internal browser in the workspace. Click on the second last option on the left panel of IDE, you can find Browser Preview, where you can launch the application.

Note: The application will not run in the local browser

- 10. Default credentials for MySQL:
  - a. Username: root
  - b. Password: pass@word1
- 11. To login to mysql instance: Open new terminal and use following command:
  - a. sudo systemctl enable mysql
  - b. sudo systemctl start mysql

**NOTE:** After typing any of the above commands you might encounter any warnings.

- >> Please note that these warnings are expected and can be disregarded. Proceed to the next step.
- c. mysql -u root -p

The last command will ask for password which is 'pass@word1'

12. Mandatory: Before final submission run the following command:

mvn test

13. You need to use CTRL+Shift+B - command compulsorily on code IDE, before final submission as well. This will push or save the updated contents in the internal git/repository, and will be used to evaluate the code quality.