# System Requirements Specification Index

For

# **Quiz Application**

Version 1.0



# Contents

| 1                          | Business-Requirement: |                   | 3 |  |  |  |
|----------------------------|-----------------------|-------------------|---|--|--|--|
| :                          | l.1 Prok              | plem Statement:   | 3 |  |  |  |
|                            | 1.1.1                 | Quiz Application  | 3 |  |  |  |
| 2. Template Code Structure |                       |                   |   |  |  |  |
| 1                          | 1 QuizApp             | o Controller      |   |  |  |  |
| 3. F                       | Resources A           | AVAILABLE:        | 4 |  |  |  |
| 4                          | Suggeste              | d WIREFRAMES:     | 5 |  |  |  |
| 5                          | Business              | Validations       | 9 |  |  |  |
| 6                          | Consider              | ations            | 9 |  |  |  |
| 7                          | Execution             | n Steps to Follow | 9 |  |  |  |

# 1 Business-Requirement:

### 1.1 PROBLEM STATEMENT:

The purpose of this application is to allow someone to take the quiz.

### 1.1.1 Quiz Application:

The Quiz Application allows you to:

- 1. Access the home page to start the quiz or see the scoreboard..
- 2. Should be able to add the name and start a quiz.
- 3. Should display a list of questions with options.
- 4. Should show the list of participants after submitting the quiz.
- 5. Should show a scoreboard with a list of participant names and their score.

# 2. TEMPLATE CODE STRUCTURE:

# 2.1 QUIZAPP CONTROLLER


| Method Exposed | Purpose  |  |
|----------------|--|--|
| home()         | Should return page "index" with required data.     |  |
| quiz()         | Should return page "quiz" with required data.      |  |
| submit()       | Should return page "result" after submitting quiz. |  |
| score()        | Should return "scoreboard" page with all scores.   |  |

# 3. RESOURCES AVAILABLE:


| Description | View Pages Name | Remarks  |  |
|-------------|-----------------|--|--|
| Common UI   |                 |  |  |
| Home Page   | index           | Contains a homepage which shows the option to                          |  |
| Score       | scoreboard      |  |  |
| Submit      | result          |  |  |
| quiz        | quiz            | show the scoreboard and start the quiz by adding the participant name. |  |

## **3 SUGGESTED WIREFRAMES:**

1. **Homepage –** Visitor Landing Page




# 2. Scoreboard




# 3. Quiz

2. O length()
3. O size()
Submit Answer



## 4. Result



## 4 Business Validations

## 1. Question

- 1. Id must be of type id.
- 2. title value not blank, min 3 and max 500 characters.
- 3. optionA value not blank, min 3 and max 500 characters.
- 4. optionB value not blank, min 3 and max 500 characters.
- 5. optionC value not blank, min 3 and max 500 characters.
- 6. ans value not null, min 1 and max 3.

#### 2. Result

- 7. Id must be of type id.
- 8. username value not blank, min 3 and max 500 characters

## **5** Considerations

The Code template already contains skeleton methods for service and controller layer. Please write your logic in it.

#### 6 EXECUTION STEPS TO FOLLOW

- 1. All actions like build, compile, running application, running test cases will be through Command Terminal.
- To open the command terminal the test takers, need to go to Application menu
   (Three horizontal lines at left top) -> Terminal -> New Terminal
- 3. To build your project use command:

mvn clean package -Dmaven.test.skip

4. To launch your application:

java -jar springboot-quiz-app-0.0.1-SNAPSHOT.jar

- 5. This editor Auto Saves the code
- 6. If you want to exit(logout) and continue the coding later anytime (using Save & Exit option on Assessment Landing Page) then you need to use CTRL+Shift+B-command compulsorily on code IDE. This will push or save the updated contents in the internal git/repository. Else the code will not be available in the next login.
- 7. These are time bound assessments the timer would stop if you logout and while logging in back using the same credentials the timer would resume from the same time it was stopped from the previous logout.
- 8. To test any Restful application, the last option on the left panel of IDE, you can find ThunderClient, which is the lightweight equivalent of POSTMAN.
- 9. This is a web-based application, to run the application on a browser, use the internal browser in the workspace. Click on the second last option on the left panel of IDE, you can find Browser Preview, where you can launch the application.

Note: The application will not run in the local browser

- 10. Default credentials for MySQL:
  - a. Username: root
  - b. Password: pass@word1
- 11. To login to mysql instance: Open new terminal and use following command:
  - a. sudo systemctl enable mysql
  - b. sudo systemctl start mysql
  - c. mysql -u root -p

The last command will ask for password which is 'pass@word1'

12. Mandatory: Before final submission run the following command:

mvn test

13. You need to use CTRL+Shift+B - command compulsorily on code IDE, before final submission as well. This will push or save the updated contents in the internal git/repository, and will be used to evaluate the code quality.