System Requirements Specification

Index

For

TPO Hub Application

Version 1.0

TABLE OF CONTENTS

BAC	CKEND-SPRING BOOT RESTFUL APPLICATION	3
1.	Project Abstract	3
2.	Assumptions, Dependencies, Risks / Constraints	5
2.1.	Company Constraints	5
2.2.	Common Constraints	5
3.	Business Validations	6
3.1.	Business Validations - Company	6
4.	Rest Endpoints	7
4.1.	CompanyController	7
5.	Template Code Structure	9
5.1.	Package: com.tpohubapplication	9
5.2.	Package: com.tpohubapplication.repository	9
5.3.	Package: com.tpohubapplication.service	10
5.4.	Package: com.tpohubapplication.service.impl	11
5.5.	Package: com.tpohubapplication.controller	11
5.6.	Package: com.tpohubapplication.dto	12
5.7.	Package: com.tpohubapplication.entity	12
5.8.	Package: com.tpohubapplication.exception	13
5.9.	Properties Files	13
6.	Execution Steps to Follow for Backend	14

TPO HUB APPLICATION

System Requirements Specification

BACKEND-SPRING BOOT RESTFUL APPLICATION

1 PROJECT ABSTRACT

The **TPO Hub Application** is implemented using Spring Boot with a MySQL database. The application aims to provide a comprehensive platform for managing and registering different types of volunteers for different types of programs.

Following is the requirement specifications:

	TPO Hub Application
Modules	
1	Company
Company Module	
Functionalities	
1	Create a company
2	Get a company by id
3	Update a company by id
4	Delete a company by id
5	Get all companies
6	Get all companies by stream (should be a custom query)
7	Get all completed by minimum passing percentage (should be a custom query)

Overall Application	
1	Actuator support needs to be added in the properties file. Expose all actuator endpoints except beans.
2	In application.properties file expose a property "profile.validate.data" with value as "This is default profile".
	Create application-qa.properties file (for QA profile) and expose a property "profile.validate.data" with value as "This is qa profile".
3	Create an endpoint in CompanyController with following configurations: 1. Method – GET
	2. Endpoint - /profile
	3. Return – String
	The method for this endpoint must read the "profile.validate.data" property file
	and return its value based on the active profile.

2 ASSUMPTIONS, DEPENDENCIES, RISKS / CONSTRAINTS

2.1 COMPANY CONSTRAINTS

- When fetching a company by ID, if the company ID does not exist, the service method should throw a ResourceNotFoundException with "Company not found." message.
- When updating a company by ID, if the company ID does not exist, the service method should throw a ResourceNotFoundException with "Company not found." message.
- When deleting a company by ID, if the company ID does not exist, the service method should throw a ResourceNotFoundException with "Company not found." message.

2.2 COMMON CONSTRAINTS

- For all rest endpoints receiving @RequestBody, validation checks must be done and must throw custom exceptions if data is invalid.
- All the business validations must be implemented in dto classes only.
- All the database operations must be implemented on entity object only
- Do not change, add, remove any existing methods in the service layer.
- In Repository interfaces, custom methods can be added as per requirements.
- All RestEndpoint methods and Exception Handlers must return data wrapped in ResponseEntity.

3 Business Validations

3.1 BUSINESS VALIDATIONS - COMPANY

- Company name should not be blank.
- Stream should not be blank.
- MinimumQualification should not be blank.
- MustToHave should not be blank.
- GoodToHave should not be blank.

4 REST ENDPOINTS

Rest End-points to be exposed in the controller along with method details for the same to be created

4.1 COMPANY CONTROLLER

1. /api/companies			
Http Method POST			
Parameter The company data to			
be created must be Creates a new co	amaany		
received in the	Эпрапу		
controller using			
@RequestBody.			
Return CompanyDTO			
2. /api/companies/{id}			
Http Method GET Gets a company	/ by		
Parameter 1 Long (id) id			
Return CompanyDTO			
3. /api/companies/{id}			
Http Method PUT			
Parameter Long (id)			
The company data to Undates a comp			
be updated must be	any by id		
received in the			
@RequestBody.			
Return CompanyDTO			
4. /api/companies/{id}			
Http Method DELETE			
Parameter 1 Long (id) Deletes a compa	ny by id		
Return -			
5. /api/companies			
Http Method GET			
Parameter 1 - Fetches all compa	anies		
Return List <companydto></companydto>			
6. /api/companies/stream/{stream}			
Http Method GET Searches all companie	es by stream		

Parameter 1	String (stream)
Return	List <companydto></companydto>

7. /api/companies/m	inPassingPercentage/{percent	a
ge}		Fetches list of companies having
Http Method	GET	passed minimum passing percentage
Parameter 1	String (percentage)	
Return	List <companydto></companydto>	

5 TEMPLATE CODE STRUCTURE

5.1 PACKAGE: COM. TPOHUBAPPLICATION

Resources

TpoHubApplication (Class)	This is the Spring Boot starter class of the application.	Already Implemented

5.2 PACKAGE: COM. TPOHUBAPPLICATION. REPOSITORY

Resources

Class/Interface	Description	Status
CompanyRepository	• Repository interface exposing	Partially implemented.
(interface)	CRUD functionality for Company	
	Entity.	
	You can go ahead and add any	
	custom methods as per	
	requirements.	
	You need to write a function to	
	find all companies by stream.	
	• You need to write a function to	
	find all companies having a	
	minimum passing percentage as	
	shared.	

5.3 PACKAGE: COM. TPOHUBAPPLICATION. SERVICE

Resources

Class/Interface	Description	Status
CompanyService	• Interface to expose method	Already implemented.
(interface)	signatures for company related functionality.Do not modify, add or delete any method.	

5.4 PACKAGE: COM. TPOHUBAPPLICATION. SERVICE. IMPL

Class/Interface	Description	Status
CompanyServiceImpl	 Implements CompanyService. 	To be implemented.
(class)	 Contains template method implementation. Need to provide implementation for company related functionalities. Do not modify, add or delete any 	
	method signature	

5.5 PACKAGE: COM.TPOHUBAPPLICATION.CONTROLLER

Resources

Class/Interface	Description	Status
CompanyController	• Controller class to expose all	To be implemented
(Class)	rest-endpoints for company	
	related activities.	
	 May also contain local 	
	exception handler methods	

5.6 PACKAGE: COM. TPOHUBAPPLICATION. DTO

Resources

Class/Interface	Description	Status
CompanyDTO (Class)	Use appropriate annotations for	Partially implemented.
	validating attributes/fields of this	
	class.	

5.7 PACKAGE: COM. TPOHUBAPPLICATION. ENTITY

Resources

Class/Interface	Description Status
Company (Class)	• This class is partially Partially implemented.
	implemented.
	Annotate this class with proper
	annotation to declare it as an
	entity class with id as primary key.
	Map this class with a company
	table.
	• Generate the id using the
	IDENTITY strategy

5.8 PACKAGE: COM. TPOHUBAPPLICATION. EXCEPTION

Class/Interface	Description	Status
ResourceNotFoundExcepti	• Custom Exception to be thrown	Already implemented.
on (Class)	when trying to fetch, update or	
	delete the company info which	
	does not exist.	
	Need to create Exception	
	Handler for same wherever needed (local or global)	

5.9 Properties Files

Resources

Class/Interface	Description	Status
application.properties	• This file is treated as the default	Partially implemented.
	properties file for this application.	
	• You need to write properties to	
	add actuator support.	
	• You need to write property to	
	expose all endpoints.	
	• You need to write property to	
	exclude /beans endpoint.	
	• Add "profile.validate.data"	
	property with value as "This is	
	default profile".	
application-qa.properties	• This file is treated as the qa	Partially implemented.
	properties file for this application.	
	• You need to write properties to	
	add actuator support.	
	• You need to write property to	
	expose all endpoints.	
	• You need to write property to	
	exclude /beans endpoint.	
	• Add "profile.validate.data"	
	property with value as "This is qa	
	profile".	

6 EXECUTION STEPS TO FOLLOW FOR BACKEND

1. All actions like build, compile, running application, running test cases will be through

Command Terminal.

2. To open the command terminal the test takers need to go to the Application menu

(Three horizontal lines at left top) -> Terminal -> New Terminal.

3. cd into your backend project folder

4. To build your project use command:

i. mvn clean package -Dmaven.test.skip

5. To launch your application, move into the target folder (cd target). Run the following

command to run the application:

i. java -jar <your application jar file name>

6. This editor Auto Saves the code.

7. If you want to exit(logout) and continue the coding later anytime (using Save & Exit

option on Assessment Landing Page) then you need to use CTRL+Shift+B-command

compulsorily on code IDE. This will push or save the updated contents in the internal

git/repository. Else the code will not be available in the next login.

8. These are time bound assessments the timer would stop if you logout and while logging

in back using the same credentials the timer would resume from the same time it was

stopped from the previous logout.

9. To test any Restful application, the last option on the left panel of IDE, you can find

ThunderClient, which is the lightweight equivalent of POSTMAN.

10. To test any UI based application the second last option on the left panel of IDE, you can

find Browser Preview, where you can launch the application.

11. Default credentials for MySQL:

a. Username: root

Danasasas .

b. Password: pass@word1

- 12. To login to mysql instance: Open new terminal and use following command:
 - a. sudo systemctl enable mysql
 - b. sudo systemctl start mysql

NOTE: After typing the second sql command (sudo systemctl start mysql), you may encounter a warning message like:

System has not been booted with systemd as init system (PID 1). Can't operate. Failed to connect to bus: Host is down

>> Please note that this warning is expected and can be disregarded. Proceed to the next step.

- c. mysql -u root -p
 - i. The last command will ask for password which is 'pass@word1'
- 13. Mandatory: Before final submission run the following command:
 - i. mvn test
- 14. You need to use CTRL+Shift+B command compulsorily on code IDE, before final submission as well. This will push or save the updated contents in the internal git/repository, and will be used to evaluate the code quality.