

TPO APPLICATION

IIHT

Time To Complete: 2 hr

CONTENTS

1	Problem Statement	3
2	Proposed TPO Application Wireframe	4
2.1	Welcome Page	4
3	Business-Requirement	7
4	Validations	7
5	Constraints	8
6	Mandatory Assessment Guidelines	8

1 PROBLEM STATEMENT

"TPO Application" is a Single Page Application (SPA) that empowers a college TPO department to list out all placement drives from different companies in all streams.

2 PROPOSED TPO APPLICATION WIREFRAME

UI needs improvisation and modification as per given use case and to make test cases passed.

2.1 WELCOME PAGE

The screenshot shows a web browser window at localhost:8081/. The page has a header "Welcome to TPO App" and a section "Placement Form". Under "Placement Form", there is a sub-section "Add a Placement" with a form containing fields for Name, Drive Date (with a date picker), Description, Stream, and Minimum Percentile. Below the form is an "Add Placement" button. Underneath the form is a "Placement List" section with a "Filter by Name:" input field. Below the filter is a list item: "Name: Company A Drive Date: 2023-12-15" with "Edit" and "Delete" buttons.

SCREEN SHOTS

The screenshot shows the same web browser window at localhost:8081/. The page has a header "Welcome to TPO App" and a section "Placement Form". Under "Placement Form", there is a sub-section "Edit Placement" with a form containing fields for Name (pre-filled with "Company A"), Drive Date (pre-filled with "12/15/2023"), Description (pre-filled with "Placement drive details for Company"), Stream (pre-filled with "Engineering"), and Minimum Percentile (pre-filled with "80"). Below the form is an "Update Placement" button. Underneath the form is a "Placement List" section with a "Filter by Name:" input field. Below the filter is a list item: "Name: Company A Drive Date: 2023-12-15" with "Edit" and "Delete" buttons.

3 BUSINESS-REQUIREMENT:

As an application developer, develop the TPO Application (Single Page App) with below guidelines:

User Story #	User Story Name	User Story
US_01	Welcome Page	<p>As a user I should be able to visit the welcome page as default page.</p> <p>Acceptance criteria:</p> <ol style="list-style-type: none">1. Users should be able to see a form to add a new placement drive.2. Users should be able to see the list of all placement drives.3. It must have Name, Drive Date, Description, Stream & Minimum Percentile fields along with an Add Placement button.4. List should have an Edit and Delete button to edit and delete a placement respectively.

4 VALIDATIONS

- All required fields must be fulfilled with valid data.
- In the starting “Add Placement” button should be disabled.
- Only after validating fields, “Add Placement” button should be enabled.
- Once we click on “Add Placement”, a new placement must be added to the list.

5 CONSTRAINTS

- You should be able to press the “TAB” key and “SHIFT + TAB” to navigate from top field to bottom field and vice-versa.
- On clicking the “Add Placement” button, a new placement must be added with entered fields.
- “Add Placement” button will be disabled until all validations are fulfilled.

6 MANDATORY ASSESSMENT GUIDELINES

1. All actions like build, compile, running application, running test cases will be through Command Terminal.
2. To open the command terminal the test takers, need to go to Application menu (Three horizontal lines at left top) -> Terminal ->New Terminal.
3. This editor Auto Saves the code.
4. If you want to exit(logout) and continue the coding later anytime (using Save & Exit option on Assessment Landing Page) then you need to use CTRL+Shift+B-command compulsorily on code IDE. This will push or save the updated contents in the internal git/repository. Else the code will not be available in the next login.
5. These are time bound assessments the timer would stop if you logout and while logging in back using the same credentials the timer would resume from the same time it was stopped from the previous logout.
6. To test any Restful application, the last option on the left panel of IDE, you can find ThunderClient, which is the lightweight equivalent of POSTMAN.
7. This is a web-based application, to run the application on a browser, use the internal browser in the workspace. Click on the second last option on the left panel of IDE, you can find Browser Preview, where you can launch the application.

Note: The application will not run in the local browser

8. You can follow series of command to setup React environment once you are in your project-name folder:
 - a. npm install -> Will install all dependencies -> takes 10 to 15 min
 - b. npm run start -> To compile and deploy the project in browser. You can press <Ctrl> key while clicking on localhost:8080/8081 to open project in browser -> takes 2 to 3 min
 - c. npm run json-start -> As we are using a json server to mimic our db.json file as a database. So, this command is useful to start a json server.

- a. `npm run jest` -> to run all test cases and see the summary. It takes 5 to 6 min to run.
 - d. `npm run test` -> to run all test cases. **It is mandatory to run this command before submission of workspace** -> takes 5 to 6 min
9. You may also run “`npm run jest`” while developing the solution to re-factor the code to pass the test-cases.
10. Once you are done with development and ready with submission, you may navigate to the previous tab and submit the workspace. It is mandatory to click on **“Submit Assessment”** after you are done with code.
11. You need to use `CTRL+Shift+B` - command compulsorily on code IDE, before final submission as well. This will push or save the updated contents in the internal git/repository, and will be used to evaluate the code quality.