

DB SCHEMA

Domain : Real Estate & Property Management

Creation of database :

```
MariaDB [(none)]> CREATE DATABASE TRUESTATE;  
Query OK, 1 row affected (0.002 sec)  
  
MariaDB [(none)]> USE TRUESTATE;  
Database changed  
MariaDB [TRUESTATE]>
```

Creation of tables :

Address table :

```
MariaDB [(none)]> USE TRUESTATE;  
Database changed  
MariaDB [TRUESTATE]> CREATE TABLE ADDRESS (  
-> address_id INT PRIMARY KEY AUTO_INCREMENT,  
-> address_line VARCHAR(255) NOT NULL,  
-> city VARCHAR(100) NOT NULL,  
-> state VARCHAR(100) NOT NULL,  
-> pin_code VARCHAR(20) NOT NULL,  
-> country VARCHAR(100) NOT NULL  
-> );  
Query OK, 0 rows affected (0.050 sec)
```

```
MariaDB [TRUESTATE]> DESC ADDRESS;
```

Field	Type	Null	Key	Default	Extra
address_id	int(11)	NO	PRI	NULL	auto_increment
address_line	varchar(255)	NO		NULL	
city	varchar(100)	NO		NULL	
state	varchar(100)	NO		NULL	
pin_code	varchar(20)	NO		NULL	
country	varchar(100)	NO		NULL	

```
6 rows in set (0.002 sec)
```

User :

```
MariaDB [TRUESTATE]> CREATE TABLE USER (
)
ON DELETE SET NULL
);
-> user_id INT PRIMARY KEY AUTO_INCREMENT,
-> first_name VARCHAR(100) NOT NULL,
-> last_name VARCHAR(100) NOT NULL,
-> email VARCHAR(255) NOT NULL UNIQUE,
-> phone VARCHAR(20),
-> password VARCHAR(255) NOT NULL,
-> avatar_url VARCHAR(500),
-> address_id INT,
-> gender ENUM('MALE', 'FEMALE', 'OTHER', 'PREFER_NOT_TO_SAY'),
-> date_of_birth DATE,
-> created_at DATETIME DEFAULT CURRENT_TIMESTAMP,
->
-> CONSTRAINT fk_user_address
-> FOREIGN KEY (address_id) REFERENCES ADDRESS(address_id)
-> ON DELETE SET NULL
-> );
Query OK, 0 rows affected (0.070 sec)
```

```
MariaDB [TRUESTATE]> DESC USER;
```

Field	Type	Null	Key	Default	Extra
user_id	int(11)	NO	PRI	NULL	auto_increment
first_name	varchar(100)	NO		NULL	
last_name	varchar(100)	NO		NULL	
email	varchar(255)	NO	UNI	NULL	
phone	varchar(20)	YES		NULL	
password	varchar(255)	NO		NULL	
avatar_url	varchar(500)	YES		NULL	
address_id	int(11)	YES	MUL	NULL	
gender	enum('MALE', 'FEMALE', 'OTHER', 'PREFER_NOT_TO_SAY')	YES		NULL	
date_of_birth	date	YES		NULL	
created_at	datetime	YES		current_timestamp()	

```
11 rows in set (0.008 sec)
```

Buyer :

```

MariaDB [TRUESTATE]> CREATE TABLE BUYER (
  ->     user_id          INT          PRIMARY KEY,
  ->     profile_name     VARCHAR(150),
  ->     bio              TEXT,
  ->     member_since     DATETIME     DEFAULT CURRENT_TIMESTAMP,
  ->
  ->     CONSTRAINT fk_buyer_user
  ->         FOREIGN KEY (user_id) REFERENCES USER(user_id)
  ->         ON DELETE CASCADE
  -> );
Query OK, 0 rows affected (0.047 sec)

```

```

MariaDB [TRUESTATE]> DESC BUYER;

```

Field	Type	Null	Key	Default	Extra
user_id	int(11)	NO	PRI	NULL	
profile_name	varchar(150)	YES		NULL	
bio	text	YES		NULL	
member_since	datetime	YES		current_timestamp()	

4 rows in set (0.006 sec)

Seller :

```

MariaDB [TRUESTATE]> CREATE TABLE SELLER (
  ->     user_id          INT          PRIMARY KEY,
  ->     is_verified      BOOLEAN      DEFAULT FALSE,
  ->     member_since     DATETIME     DEFAULT CURRENT_TIMESTAMP,
  ->
  ->     CONSTRAINT fk_seller_user
  ->         FOREIGN KEY (user_id) REFERENCES USER(user_id)
  ->         ON DELETE CASCADE
  -> );
Query OK, 0 rows affected (0.037 sec)

```

```

MariaDB [TRUESTATE]> DESC SELLER;

```

Field	Type	Null	Key	Default	Extra
user_id	int(11)	NO	PRI	NULL	
is_verified	tinyint(1)	YES		0	
member_since	datetime	YES		current_timestamp()	

3 rows in set (0.003 sec)

Agent :

```

MariaDB [TRUESTATE]> CREATE TABLE AGENT (
  ->     user_id          INT          PRIMARY KEY,
  ->     specialization   VARCHAR(200),
  ->     bio              TEXT,
  ->     member_since     DATETIME     DEFAULT CURRENT_TIMESTAMP,
  ->
  ->     CONSTRAINT fk_agent_user
  ->         FOREIGN KEY (user_id) REFERENCES USER(user_id)
  ->         ON DELETE CASCADE
  -> );
Query OK, 0 rows affected (0.044 sec)

MariaDB [TRUESTATE]> DESC AGENT;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default          | Extra |
+-----+-----+-----+-----+-----+-----+
| user_id        | int(11)       | NO   | PRI | NULL             |       |
| specialization | varchar(200)  | YES  |     | NULL             |       |
| bio           | text         | YES  |     | NULL             |       |
| member_since   | datetime     | YES  |     | current_timestamp() |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.004 sec)

```

Admin :

```

MariaDB [TRUESTATE]> CREATE TABLE ADMIN (
  ->     user_id          INT          PRIMARY KEY,
  ->     last_login       DATETIME,
  ->
  ->     CONSTRAINT fk_admin_user
  ->         FOREIGN KEY (user_id) REFERENCES USER(user_id)
  ->         ON DELETE CASCADE
  -> );
Query OK, 0 rows affected (0.052 sec)

MariaDB [TRUESTATE]> DESC ADMIN;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default          | Extra |
+-----+-----+-----+-----+-----+-----+
| user_id        | int(11)       | NO   | PRI | NULL             |       |
| last_login     | datetime     | YES  |     | NULL             |       |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.001 sec)

```

Bank :

```
MariaDB [TRUESTATE]> CREATE TABLE BANK (
    VARCHAR(50) NOT NULL UNIQUE
); -> bank_id INT PRIMARY KEY AUTO_INCREMENT,
-> bank_name VARCHAR(200) NOT NULL,
-> bank_code VARCHAR(50) NOT NULL UNIQUE
-> );
Query OK, 0 rows affected (0.056 sec)
```

```
MariaDB [TRUESTATE]> DESC BANK
-> ;
```

Field	Type	Null	Key	Default	Extra
bank_id	int(11)	NO	PRI	NULL	auto_increment
bank_name	varchar(200)	NO		NULL	
bank_code	varchar(50)	NO	UNI	NULL	

```
3 rows in set (0.006 sec)
```

Bank_account :

```
MariaDB [TRUESTATE]> CREATE TABLE BANK_ACCOUNT (
-> bank_account_id INT PRIMARY KEY AUTO_INCREMENT,
-> seller_id INT NOT NULL,
-> bank_id INT NOT NULL,
-> account_holder_name VARCHAR(200) NOT NULL,
-> account_number VARCHAR(100) NOT NULL,
-> ifsc_code VARCHAR(50) NOT NULL,
-> account_type ENUM('SAVINGS', 'CURRENT', 'SALARY', 'NRI') NOT NULL DEFAULT 'SAVINGS',
->
-> CONSTRAINT fk_bankaccount_seller
-> FOREIGN KEY (seller_id) REFERENCES SELLER(user_id)
-> ON DELETE CASCADE,
->
-> CONSTRAINT fk_bankaccount_bank
-> FOREIGN KEY (bank_id) REFERENCES BANK(bank_id)
-> ON DELETE RESTRICT
-> );
```

```
Query OK, 0 rows affected (0.060 sec)
```

```
MariaDB [TRUESTATE]> DESC BANK_ACCOUNT;
```

Field	Type	Null	Key	Default	Extra
bank_account_id	int(11)	NO	PRI	NULL	auto_increment
seller_id	int(11)	NO	MUL	NULL	
bank_id	int(11)	NO	MUL	NULL	
account_holder_name	varchar(200)	NO		NULL	
account_number	varchar(100)	NO		NULL	
ifsc_code	varchar(50)	NO		NULL	
account_type	enum('SAVINGS', 'CURRENT', 'SALARY', 'NRI')	NO		SAVINGS	

```
7 rows in set (0.003 sec)
```

Property_Type :

```
MariaDB [TRUESTATE]> CREATE TABLE PROPERTY_TYPE (  
->     property_type_id    INT          PRIMARY KEY AUTO_INCREMENT,  
->     type_name           VARCHAR(100)  NOT NULL  
-> );  
Query OK, 0 rows affected (0.036 sec)
```

```
MariaDB [TRUESTATE]> DESC PROPERTY_TYPE;
```

Field	Type	Null	Key	Default	Extra
property_type_id	int(11)	NO	PRI	NULL	auto_increment
type_name	varchar(100)	NO		NULL	

2 rows in set (0.003 sec)

Transaction_type :

```
MariaDB [TRUESTATE]> CREATE TABLE TRANSACTION_TYPE (  
->     transaction_type_id  INT          PRIMARY KEY AUTO_INCREMENT,  
->     name                 VARCHAR(100)  NOT NULL  
-> );  
Query OK, 0 rows affected (0.048 sec)
```

```
MariaDB [TRUESTATE]> DESC TRANSACTION_TYPE;
```

Field	Type	Null	Key	Default	Extra
transaction_type_id	int(11)	NO	PRI	NULL	auto_increment
name	varchar(100)	NO		NULL	

2 rows in set (0.003 sec)

Listing_status :

```
MariaDB [TRUESTATE]> CREATE TABLE LISTING_STATUS (  
->     status_id      INT      PRIMARY KEY AUTO_INCREMENT,  
->     status_name    VARCHAR(100) NOT NULL  
-> );
```

Query OK, 0 rows affected (0.025 sec)

```
MariaDB [TRUESTATE]> DESC LISTING_STATUS;
```

Field	Type	Null	Key	Default	Extra
status_id	int(11)	NO	PRI	NULL	auto_increment
status_name	varchar(100)	NO		NULL	

2 rows in set (0.003 sec)

Property :

```

MariaDB [TRUESTATE]> CREATE TABLE PROPERTY (
->   property_id      INT          PRIMARY KEY AUTO_INCREMENT,
->   seller_id       INT          NOT NULL,
->   agent_id        INT          NOT NULL,
->   property_type_id INT          NOT NULL,
->   transaction_type_id INT       NOT NULL,
->   status_id       INT          NOT NULL,
->   address_id      INT          NOT NULL,
->   -- ENUMs (error the lookup table values for direct querying)
->   property_type_enum ENUM('APARTMENT',
->                           'HOUSE',
->                           'VILLA',
->                           'PLOT',
->                           'COMMERCIAL',
->                           'WAREHOUSE',
->                           'LAND') NOT NULL,
->   transaction_type_enum ENUM('SALE',
->                              'RENT',
->                              'LEASE') NOT NULL,
->   furnishing_type ENUM('FULLY_FURNISHED',
->                        'SEMI_FURNISHED',
->                        'UNFURNISHED')
->                        DEFAULT 'UNFURNISHED',
->   status_enum      ENUM('PENDING',
->                          'ACTIVE',
->                          'SOLD',
->                          'RENTED',
->                          'REJECTED',
->                          'INACTIVE')
->                          NOT NULL DEFAULT 'PENDING',
->   price            DECIMAL(10,2) NOT NULL,
->   bedrooms        INT          NOT NULL,
->   bathrooms        INT          NOT NULL,
->   sqft            DECIMAL(10,2),
->   description      TEXT,
->   listed_date      DATETIME     DEFAULT CURRENT_TIMESTAMP,
->   CONSTRAINT fk_property_seller
->     FOREIGN KEY (seller_id) REFERENCES SELLER(user_id)
->     ON DELETE RESTRICT,
->   CONSTRAINT fk_property_agent
->     FOREIGN KEY (agent_id) REFERENCES AGENT(user_id)
->     ON DELETE SET NULL,
->   CONSTRAINT fk_property_type
->     FOREIGN KEY (property_type_id) REFERENCES PROPERTY_TYPE(property_type_id)
->     ON DELETE RESTRICT,
->   CONSTRAINT fk_property_transaction
->     FOREIGN KEY (transaction_type_id) REFERENCES TRANSACTION_TYPE(transaction_type_id)
->     ON DELETE RESTRICT,
->   CONSTRAINT fk_property_status
->     FOREIGN KEY (status_id) REFERENCES LISTING_STATUS(status_id)
->     ON DELETE RESTRICT,
->   CONSTRAINT fk_property_address
->     FOREIGN KEY (address_id) REFERENCES ADDRESS(address_id)
->     ON DELETE RESTRICT
-> );

```

Query OK, 0 rows affected (0.008 sec)

```

MariaDB [TRUESTATE]> DESC PROPERTY;

```

Field	Type	Null	Key	Default	Extra
property_id	int(11)	NO	PRI	NULL	auto_increment
seller_id	int(11)	NO	MUL	NULL	
agent_id	int(11)	YES	MUL	NULL	
property_type_id	int(11)	NO	MUL	NULL	
transaction_type_id	int(11)	NO	MUL	NULL	
status_id	int(11)	NO	MUL	NULL	
address_id	int(11)	NO	MUL	NULL	
property_type_enum	enum('APARTMENT','HOUSE','VILLA','PLOT','COMMERCIAL','WAREHOUSE','LAND')	NO		NULL	
transaction_type_enum	enum('SALE','RENT','LEASE')	NO		NULL	
furnishing_type	enum('FULLY_FURNISHED','SEMI_FURNISHED','UNFURNISHED')	YES		UNFURNISHED	
status_enum	enum('PENDING','ACTIVE','SOLD','RENTED','REJECTED','INACTIVE')	NO		PENDING	
price	decimal(10,2)	YES		NULL	
bedrooms	int(11)	YES		NULL	
bathrooms	int(11)	YES		NULL	
sqft	decimal(10,2)	YES		NULL	
description	text	YES		NULL	
listed_date	datetime	YES		current_timestamp()	

Property_image :

```

MariaDB [TRUESTATE]> CREATE TABLE PROPERTY_IMAGE (
->   image_id      INT          PRIMARY KEY AUTO_INCREMENT,
->   property_id   INT          NOT NULL,
->   image_url     VARCHAR(500) NOT NULL,
->   is_primary    BOOLEAN      DEFAULT FALSE,
->
->   CONSTRAINT fk_image_property
->     FOREIGN KEY (property_id) REFERENCES PROPERTY(property_id)
->     ON DELETE CASCADE
-> );

```

Query OK, 0 rows affected (0.055 sec)

```

MariaDB [TRUESTATE]> DESC PROPERTY_IMAGE;

```

Field	Type	Null	Key	Default	Extra
image_id	int(11)	NO	PRI	NULL	auto_increment
property_id	int(11)	NO	MUL	NULL	
image_url	varchar(500)	NO		NULL	
is_primary	tinyint(1)	YES		0	

4 rows in set (0.003 sec)

Document_type :


```

MariaDB [TRUESTATE]> CREATE TABLE DOCUMENT_TYPE (
->     doc_type_id    INT          PRIMARY KEY AUTO_INCREMENT,
->     type_name      VARCHAR(100)  NOT NULL
-> );
Query OK, 0 rows affected (0.034 sec)

MariaDB [TRUESTATE]> DESC DOCUMENT_TYPE;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra          |
+-----+-----+-----+-----+-----+-----+
| doc_type_id | int(11)       | NO   | PRI | NULL    | auto_increment |
| type_name   | varchar(100) | NO   |     | NULL    |                |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.003 sec)

```

Property_document :

```

MariaDB [TRUESTATE]> CREATE TABLE PROPERTY_DOCUMENT (
->   document_id          INT          PRIMARY KEY AUTO_INCREMENT,
->   property_id          INT          NOT NULL,
->   seller_id            INT          NOT NULL,
->   doc_type_id          INT          NOT NULL,
->   verified_by_admin_id INT,
->   document_url         VARCHAR(500) NOT NULL,
->
->   -- ENUMs
->   doc_type_enum        ENUM(
->                           'TITLE_DEED',
->                           'SALE_DEED',
->                           'NOC',
->                           'TAX_RECEIPT',
->                           'ENCUMBRANCE_CERTIFICATE',
->                           'BUILDING_PLAN',
->                           'LEASE_AGREEMENT',
->                           'IDENTITY_PROOF',
->                           'OTHER'
->   ) NOT NULL,
->
->   verification_status  ENUM(
->                           'PENDING',
->                           'VERIFIED',
->                           'REJECTED'
->   ) NOT NULL DEFAULT 'PENDING',
->
->   rejection_reason     TEXT,
->
->   CONSTRAINT fk_doc_property
->     FOREIGN KEY (property_id) REFERENCES PROPERTY(property_id)
->     ON DELETE CASCADE,
->
->   CONSTRAINT fk_doc_seller
->     FOREIGN KEY (seller_id) REFERENCES SELLER(user_id)
->     ON DELETE RESTRICT,
->
->   CONSTRAINT fk_doc_type
->     FOREIGN KEY (doc_type_id) REFERENCES DOCUMENT_TYPE(doc_type_id)
->     ON DELETE RESTRICT,
->
->   CONSTRAINT fk_doc_admin
->     FOREIGN KEY (verified_by_admin_id) REFERENCES ADMIN(user_id)
->     ON DELETE SET NULL
-> );
Query OK, 0 rows affected (0.078 sec)

```

```
MariaDB [TRUESTATE]> DESC PROPERTY_DOCUMENT;
```

Field	Type	Null	Key	Default	Extra
document_id	int(11)	NO	PRI	NULL	auto_increment
property_id	int(11)	NO	MUL	NULL	
seller_id	int(11)	NO	MUL	NULL	
doc_type_id	int(11)	NO	MUL	NULL	
verified_by_admin_id	int(11)	YES	MUL	NULL	
document_url	varchar(500)	NO		NULL	
doc_type_enum	enum('TITLE_DEED','SALE_DEED','NOC','TAX_RECEIPT','ENCUMBRANCE_CERTIFICATE','BUILDING_PLAN','LEASE_AGREEMENT','IDENTITY_PROOF','OTHER')	NO		NULL	
verification_status	enum('PENDING','VERIFIED','REJECTED')	NO		PENDING	
rejection_reason	text	YES		NULL	

9 rows in set (0.004 sec)

Shortlist :

```

MariaDB [TRUESTATE]> CREATE TABLE SHORTLIST (
->     buyer_id      INT          NOT NULL,
->     property_id   INT          NOT NULL,
->     shortlisted_at DATETIME     DEFAULT CURRENT_TIMESTAMP,
->
->     PRIMARY KEY (buyer_id, property_id),
->
->     CONSTRAINT fk_shortlist_buyer
->         FOREIGN KEY (buyer_id) REFERENCES BUYER(user_id)
->         ON DELETE CASCADE,
->
->     CONSTRAINT fk_shortlist_property
->         FOREIGN KEY (property_id) REFERENCES PROPERTY(property_id)
->         ON DELETE CASCADE
-> );

```

Query OK, 0 rows affected (0.039 sec)

```

MariaDB [TRUESTATE]> DESC SHORTLIST;

```

Field	Type	Null	Key	Default	Extra
buyer_id	int(11)	NO	PRI	NULL	
property_id	int(11)	NO	PRI	NULL	
shortlisted_at	datetime	YES		current_timestamp()	

3 rows in set (0.003 sec)

Visit_status :

```

MariaDB [TRUESTATE]> CREATE TABLE VISIT_STATUS (
->     status_id      INT          PRIMARY KEY AUTO_INCREMENT,
->     status_name     VARCHAR(100) NOT NULL
-> );

```

Query OK, 0 rows affected (0.049 sec)

```

MariaDB [TRUESTATE]> DESC VISIT_STATUS;

```

Field	Type	Null	Key	Default	Extra
status_id	int(11)	NO	PRI	NULL	auto_increment
status_name	varchar(100)	NO		NULL	

2 rows in set (0.003 sec)

Visit :

```
MariaDB [TRUESTATE]> CREATE TABLE VISIT (
->   visit_id          INT          PRIMARY KEY AUTO_INCREMENT,
->   property_id      INT          NOT NULL,
->   buyer_id         INT          NOT NULL,
->   seller_id        INT,
->   agent_id         INT,
->   status_id        INT          NOT NULL,
->   status_enum       ENUM(
->                       'REQUESTED',
->                       'APPROVED',
->                       'SCHEDULED',
->                       'COMPLETED',
->                       'CANCELLED',
->                       'REJECTED'
->   )                 NOT NULL DEFAULT 'REQUESTED',
->   requested_date    DATETIME     NOT NULL,
->   scheduled_date    DATETIME,
->   CONSTRAINT fk_visit_property
->     FOREIGN KEY (property_id) REFERENCES PROPERTY(property_id)
->     ON DELETE CASCADE,
->   CONSTRAINT fk_visit_buyer
->     FOREIGN KEY (buyer_id) REFERENCES BUYER(user_id)
->     ON DELETE RESTRICT,
->   CONSTRAINT fk_visit_seller
->     FOREIGN KEY (seller_id) REFERENCES SELLER(user_id)
->     ON DELETE SET NULL,
->   CONSTRAINT fk_visit_agent
->     FOREIGN KEY (agent_id) REFERENCES AGENT(user_id)
->     ON DELETE SET NULL,
->   CONSTRAINT fk_visit_status
->     FOREIGN KEY (status_id) REFERENCES VISIT_STATUS(status_id)
->     ON DELETE RESTRICT
-> );
Query OK, 0 rows affected (0.083 sec)

MariaDB [TRUESTATE]> DESC VISIT;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| visit_id | int(11) | NO | PRI | NULL | auto_increment |
| property_id | int(11) | NO | MUL | NULL | |
| buyer_id | int(11) | NO | MUL | NULL | |
| seller_id | int(11) | YES | MUL | NULL | |
| agent_id | int(11) | YES | MUL | NULL | |
| status_id | int(11) | NO | MUL | NULL | |
| status_enum | enum('REQUESTED','APPROVED','SCHEDULED','COMPLETED','CANCELLED','REJECTED') | NO | | NULL | REQUESTED |
| requested_date | datetime | NO | | NULL | |
| scheduled_date | datetime | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
```

Negotiation_status :

```
MariaDB [TRUESTATE]> CREATE TABLE NEGOTIATION_STATUS (
->   status_id          INT          PRIMARY KEY AUTO_INCREMENT,
->   status_name        VARCHAR(100) NOT NULL
-> );
Query OK, 0 rows affected (0.052 sec)

MariaDB [TRUESTATE]> DESC NEGOTIATION_STATUS;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| status_id | int(11) | NO | PRI | NULL | auto_increment |
| status_name | varchar(100) | NO | | NULL | |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.003 sec)
```

Negotiation :

```
MariaDB [TRUESTATE]> CREATE TABLE NEGOTIATION (
->     negotiation_id INT PRIMARY KEY AUTO_INCREMENT,
->     property_id INT NOT NULL,
->     buyer_id INT NOT NULL,
->     seller_id INT,
->     agent_id INT,
->     status_id INT NOT NULL,
->
->     status_enum ENUM(
->         'PENDING',
->         'COUNTERED',
->         'ACCEPTED',
->         'REJECTED',
->         'WITHDRAWN'
->     ) NOT NULL DEFAULT 'PENDING',
->     buyer_offer DECIMAL(15,2) NOT NULL,
RAINT fk_neg_buyer
FOREI ->     counter_offer DECIMAL(15,2),
->
->     CONSTRAINT fk_neg_property
->         FOREIGN KEY (property_id) REFERENCES PROPERTY(property_id)
->         ON DELETE CASCADE,
->
->     CONSTRAINT fk_neg_buyer
->         FOREIGN KEY (buyer_id) REFERENCES BUYER(user_id)
->         ON DELETE RESTRICT,
->
->     CONSTRAINT fk_neg_seller
->         FOREIGN KEY (seller_id) REFERENCES SELLER(user_id)
->         ON DELETE SET NULL,
->
->     CONSTRAINT fk_neg_agent
->         FOREIGN KEY (agent_id) REFERENCES AGENT(user_id)
->         ON DELETE SET NULL,
->
->     CONSTRAINT fk_neg_status
->         FOREIGN KEY (status_id) REFERENCES NEGOTIATION_STATUS(status_id)
->         ON DELETE RESTRICT
-> );
Query OK, 0 rows affected (0.086 sec)
```

```
MariaDB [TRUESTATE]> DESC NEGOTIATION;
```

Field	Type	Null	Key	Default	Extra
negotiation_id	int(11)	NO	PRI	NULL	auto_increment
property_id	int(11)	NO	MUL	NULL	
buyer_id	int(11)	NO	MUL	NULL	
seller_id	int(11)	YES	MUL	NULL	
agent_id	int(11)	YES	MUL	NULL	
status_id	int(11)	NO	MUL	NULL	
status_enum	enum('PENDING','COUNTERED','ACCEPTED','REJECTED','WITHDRAWN')	NO		PENDING	
buyer_offer	decimal(15,2)	NO		NULL	
counter_offer	decimal(15,2)	YES		NULL	

```
9 rows in set (0.129 sec)
```

Purchase_status :

```
MariaDB [TRUESTATE]> CREATE TABLE PURCHASE_STATUS (
->     status_id      INT          PRIMARY KEY AUTO_INCREMENT,
->     status_name    VARCHAR(100) NOT NULL
-> );
```

Query OK, 0 rows affected (0.043 sec)

```
MariaDB [TRUESTATE]> DESC PURCHASE_STATUS;
```

Field	Type	Null	Key	Default	Extra
status_id	int(11)	NO	PRI	NULL	auto_increment
status_name	varchar(100)	NO		NULL	

2 rows in set (0.004 sec)

Purchase :

```
MariaDB [TRUESTATE]> CREATE TABLE PURCHASE (
->     purchase_id     INT          PRIMARY KEY AUTO_INCREMENT,
->     property_id     INT          NOT NULL UNIQUE,
->     buyer_id       INT          NOT NULL,
->     seller_id       INT,
->     agent_id        INT,
->     status_id       INT          NOT NULL,
->     status_enum      ENUM(
->         'INITIATED',
->         'AGREEMENT_SIGNED',
->         'PAYMENT_PENDING',
->         'COMPLETED',
->         'CANCELLED'
->     ) NOT NULL DEFAULT 'INITIATED',
->     agreed_price     DECIMAL(15,2) NOT NULL,
->     CONSTRAINT fk_purchase_property
->     FOREIGN KEY (property_id) REFERENCES PROPERTY(property_id)
->     ON DELETE RESTRICT,
->     CONSTRAINT fk_purchase_buyer
->     FOREIGN KEY (buyer_id) REFERENCES BUYER(user_id)
->     ON DELETE RESTRICT,
->     CONSTRAINT fk_purchase_seller
->     FOREIGN KEY (seller_id) REFERENCES SELLER(user_id)
->     ON DELETE SET NULL,
->     CONSTRAINT fk_purchase_agent
->     FOREIGN KEY (agent_id) REFERENCES AGENT(user_id)
->     ON DELETE SET NULL,
->     CONSTRAINT fk_purchase_status
->     FOREIGN KEY (status_id) REFERENCES PURCHASE_STATUS(status_id)
->     ON DELETE RESTRICT
-> );
```

Query OK, 0 rows affected (0.084 sec)

```
MariaDB [TRUESTATE]> DESC PURCHASE;
```

Field	Type	Null	Key	Default	Extra
purchase_id	int(11)	NO	PRI	NULL	auto_increment
property_id	int(11)	NO	UNI	NULL	
buyer_id	int(11)	NO	MUL	NULL	
seller_id	int(11)	YES	MUL	NULL	
agent_id	int(11)	YES	MUL	NULL	
status_id	int(11)	NO	MUL	NULL	
status_enum	enum('INITIATED', 'AGREEMENT_SIGNED', 'PAYMENT_PENDING', 'COMPLETED', 'CANCELLED')	NO		INITIATED	
agreed_price	decimal(15,2)	NO		NULL	

8 rows in set (0.003 sec)

Payment_method :

```
MariaDB [TRUESTATE]> CREATE TABLE PAYMENT_METHOD (  
->     payment_method_id INT PRIMARY KEY AUTO_INCREMENT,  
->     method_name VARCHAR(100) NOT NULL  
-> );
```

Query OK, 0 rows affected (0.046 sec)

```
MariaDB [TRUESTATE]> DESC PAYMENT_METHOD;
```

Field	Type	Null	Key	Default	Extra
payment_method_id	int(11)	NO	PRI	NULL	auto_increment
method_name	varchar(100)	NO		NULL	

2 rows in set (0.002 sec)

Payment_status :

```
MariaDB [TRUESTATE]> CREATE TABLE PAYMENT_STATUS (  
->     status_id INT PRIMARY KEY AUTO_INCREMENT,  
->     status_name VARCHAR(100) NOT NULL  
-> );
```

Query OK, 0 rows affected (0.037 sec)

```
MariaDB [TRUESTATE]> DESC PAYMENT_STATUS;
```

Field	Type	Null	Key	Default	Extra
status_id	int(11)	NO	PRI	NULL	auto_increment
status_name	varchar(100)	NO		NULL	

2 rows in set (0.003 sec)

Payment :

```

MariaDB [TRUESTATE]> CREATE TABLE PAYMENT (
->   payment_id          INT          PRIMARY KEY AUTO_INCREMENT,
->   purchase_id         INT          NOT NULL,
->   payer_user_id       INT          NOT NULL,
->   receiver_user_id    INT          NOT NULL,
->   payment_method_id   INT          NOT NULL,
->   status_id           INT          NOT NULL,
->
->   payment_method_enum ENUM(
->                       'UPI',
->                       'NET_BANKING',
->                       'CREDIT_CARD',
->                       'DEBIT_CARD',
->                       'BANK_TRANSFER',
->                       'CHEQUE',
->                       'CASH',
->                       'DEMAND_DRAFT'
->   )                    NOT NULL,
->
->   status_enum          ENUM(
->                       'INITIATED',
->                       'PENDING',
->                       'SUCCESS',
->                       'FAILED',
->                       'REFUNDED'
->   )                    NOT NULL DEFAULT 'INITIATED',
->
->   amount               DECIMAL(15,2) NOT NULL,
->   transaction_id       VARCHAR(255)  NOT NULL UNIQUE,
->
->   CONSTRAINT fk_payment_purchase
_id)
ON DELETE RESTRICT,

CONSTRAINT fk_payment_meth  ->      FOREIGN KEY (purchase_id) REFERENCES PURCHASE(purchase_id)
->   ON DELETE RESTRICT,
->
->   CONSTRAINT fk_payment_payer
->     FOREIGN KEY (payer_user_id) REFERENCES USER(user_id)
->   ON DELETE RESTRICT,
->
->   CONSTRAINT fk_payment_receiver
->     FOREIGN KEY (receiver_user_id) REFERENCES USER(user_id)
->   ON DELETE RESTRICT,
->
->   CONSTRAINT fk_payment_method
->     FOREIGN KEY (payment_method_id) REFERENCES PAYMENT_METHOD(payment_method_id)
->   ON DELETE RESTRICT,
->
->   CONSTRAINT fk_payment_status
->     FOREIGN KEY (status_id) REFERENCES PAYMENT_STATUS(status_id)
->   ON DELETE RESTRICT
-> );

```

```

MariaDB [TRUESTATE]> DESC PAYMENT;

```

Field	Type	Null	Key	Default	Extra
payment_id	int(11)	NO	PRI	NULL	auto_increment
purchase_id	int(11)	NO	MUL	NULL	
payer_user_id	int(11)	NO	MUL	NULL	
receiver_user_id	int(11)	NO	MUL	NULL	
payment_method_id	int(11)	NO	MUL	NULL	
status_id	int(11)	NO	MUL	NULL	
payment_method_enum	enum('UPI','NET_BANKING','CREDIT_CARD','DEBIT_CARD','BANK_TRANSFER','CHEQUE','CASH','DEMAND_DRAFT')	NO		NULL	
status_enum	enum('INITIATED','PENDING','SUCCESS','FAILED','REFUNDED')	NO		INITIATED	
amount	decimal(15,2)	NO		NULL	
transaction_id	varchar(255)	NO	UNI	NULL	

```

10 rows in set (0.002 sec)

```


Notification :

```
MariaDB [TRUESTATE]> CREATE TABLE NOTIFICATION (
-> notification_id INT PRIMARY KEY AUTO_INCREMENT,
-> user_id INT NOT NULL,
-> type ENUM(
-> 'LISTING_APPROVED',
-> 'LISTING_REJECTED',
-> 'DOCUMENT_VERIFIED',
-> 'DOCUMENT_REJECTED',
-> 'VISIT_REQUESTED',
-> 'VISIT_SCHEDULED',
-> 'VISIT_COMPLETED',
-> 'OFFER_RECEIVED',
-> 'OFFER_ACCEPTED',
-> 'OFFER_REJECTED',
-> 'PURCHASE_INITIATED',
-> 'PAYMENT_SUCCESS',
-> 'PAYMENT_FAILED',
-> 'REPORT_FILED',
-> 'GENERAL'
-> ) NOT NULL DEFAULT 'GENERAL',
-> title VARCHAR(255) NOT NULL,
-> message TEXT NOT NULL,
-> is_read BOOLEAN DEFAULT FALSE,
-> created_at DATETIME DEFAULT CURRENT_TIMESTAMP,
-> CONSTRAINT fk_notification_user
-> FOREIGN KEY (user_id) REFERENCES USER(user_id)
-> ON DELETE CASCADE
-> );
Query OK, 0 rows affected (0.044 sec)

MariaDB [TRUESTATE]> DESC NOTIFICATION;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| notification_id | int(11) | NO | PRI | NULL | auto_increment |
| user_id | int(11) | NO | MUL | NULL | |
| type | enum('LISTING_APPROVED', 'LISTING_REJECTED', 'DOCUMENT_VERIFIED', 'DOCUMENT_REJECTED', 'VISIT_REQUESTED', 'VISIT_SCHEDULED', 'VISIT_COMPLETED', 'OFFER_RECEIVED', 'OFFER_ACCEPTED', 'OFFER_REJECTED', 'PURCHASE_INITIATED', 'PAYMENT_SUCCESS', 'PAYMENT_FAILED', 'REPORT_FILED', 'GENERAL') | NO | | GENERAL | |
| title | varchar(255) | NO | | NULL | |
| message | text | NO | | NULL | |
| is_read | tinyint(1) | YES | | 0 | |
| created_at | datetime | YES | | current_timestamp() | |
+-----+-----+-----+-----+-----+-----+
```

Report :

```
MariaDB [TRUESTATE]> CREATE TABLE REPORT (
-> report_id INT PRIMARY KEY AUTO_INCREMENT,
-> reported_user_id INT NOT NULL,
-> reported_by_user_id INT NOT NULL,
-> reason VARCHAR(255) NOT NULL,
-> description TEXT,
-> status ENUM(
-> 'OPEN',
-> 'UNDER_REVIEW',
-> 'RESOLVED',
-> 'DISMISSED'
-> ) NOT NULL DEFAULT 'OPEN',
-> report_date DATETIME DEFAULT CURRENT_TIMESTAMP,
-> CONSTRAINT fk_report_reported
-> FOREIGN KEY (reported_user_id) REFERENCES USER(user_id)
-> ON DELETE CASCADE,
-> CONSTRAINT fk_report_reportedby
-> FOREIGN KEY (reported_by_user_id) REFERENCES USER(user_id)
-> ON DELETE CASCADE
-> );
Query OK, 0 rows affected (0.044 sec)

MariaDB [TRUESTATE]> DESC REPORT;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| report_id | int(11) | NO | PRI | NULL | auto_increment |
| reported_user_id | int(11) | NO | MUL | NULL | |
| reported_by_user_id | int(11) | NO | MUL | NULL | |
| reason | varchar(255) | NO | | NULL | |
| description | text | YES | | NULL | |
| status | enum('OPEN', 'UNDER_REVIEW', 'RESOLVED', 'DISMISSED') | NO | | OPEN | |
| report_date | datetime | YES | | current_timestamp() | |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.003 sec)
```