

# 5.1

## CHAPTER

## OFFICIAL SUPR SAMPLE PAPER

- Choose the correct alternative that will continue the same pattern and fill in the blank spaces. 2, 7, 14, 23, \_\_\_\_, 47  
(a) 34      (b) 31      (c) 38      (d) 27      (e) None of these
- It is postulated that huge deposits of NaCl (rock salt) and  $\text{CaCO}_3$  (chalk and marble) are sites of erstwhile oceans, where the salts had been concentrated through weathering by rain and wind and leaching by rivers. Select the correct explanatory statement in this context.  
(a) Both NaCl and  $\text{CaCO}_3$  are highly soluble in water.  
(b) NaCl is soluble in water but  $\text{CaCO}_3$  is not. Hence, concentration of  $\text{CaCO}_3$  in the oceans through weathering is an untenable hypothesis.  
(c) The solubility of  $\text{CaCO}_3$  in water is pH dependent and is enhanced by acidic atmospheric gases. Hence,  $\text{CaCO}_3$  may be leached into water during weathering.  
(d) NaCl and  $\text{CaCO}_3$  are igneous rocks and have crystallized as such during the slow cooling process when the earth was born. Hence, the ocean postulates are baseless.
- A known positive charge is located at point P as shown above, between two unknown charges, Q1 and Q2. P is closer to Q2 than Q1. If the net electric force acting on the charge at P is zero, it may correctly be concluded that:  
(A) Both Q1 and Q2 are positive  
(B) Both Q1 and Q2 are negative  
(C) Q1 and Q2 have opposite signs  
(D) Q1 and Q2 have the same sign, but magnitude of Q1 is greater than the magnitude of Q2
- If  $\log 2 = 0.30103$  and  $\log 3 = 0.4771$ , find the number of digits in  $(648)^5$ .  
(a) 23.      (b) 15.      (c) 13.      (d) 14.      (e) 22.
- Which of the following solutions, when mixed, will not form a buffer solution?  
(a) 100 mL 0.1 M NaOH + 50 mL 0.1 M  $\text{CH}_3\text{COOH}$   
(b) 50 mL 0.1 M NaOH + 100 mL 0.1 M  $\text{CH}_3\text{COOH}$   
(c) 50 mL 0.1 M  $\text{NH}_4\text{OH}$  + 50 mL 0.1 M  $\text{CH}_3\text{COOH}$   
(d) 50 mL 0.1 M HCl + 100 mL 0.1 M  $\text{CH}_3\text{COONa}$
- A man can cover a distance in 1hr 24min by covering  $\frac{2}{3}$  of the distance at 4 km/h and the rest at 5km/h. The total distance is  
(a) 2km      (b) 5km      (c) 6km      (d) 10km      (e) None of these
- Three identical masses are at the three corners of the triangle, connected by massless identical springs (rest length  $l_0$ ) forming an isosceles right-angle triangle. If the two sides of equal length (of length  $2l_0$ ) lie along positive x-axis and positive y-axis, then the force on the mass that is not at the origin but on the x-axis is given by  $a\hat{x} + b\hat{y}$  with  
(a)  $a = 1$  and  $b = 0$

- (b)  $a = 0$  and  $b = 1$   
 (c)  $a = -\sqrt{2}$  and  $b = 1$   
 (d)  $a = -2$  and  $b = 0$   
 (e)  $a = -2$  and  $b = 1$
8. Asim got thrice as many sums wrong as he got right. If he attempted 60 sums in all, how many sums did he solve correctly?  
 (a) 25 (b) 12 (c) 20 (d) 10 (e) 15
9. A system consists of  $N$  particles, interacting with each other (for example, protein molecule). Which one of the following statements is FALSE?  
 (a) The motion of the system can be split into translational, rotational and vibrational motions  
 (b) Number of rotational degrees of freedom are 3  
 (c) Number of translational degrees of freedom are 3  
 (d) Number of vibrational degrees of freedom are 3  
 (e) The system, if isolated, will conserve both total energy and total angular momentum.
10. Three pipes A, B and C can fill a tank in 6 hrs. After working at it together for 2 hrs C is closed and A and B can fill the remaining part in 7 hrs. The total number of hrs taken by C alone to fill the tank is  
 (a) 14 (b) 12 (c) 11 (d) 10 (e) 13
11. A square closed loop of area  $A$ , lying in the horizontal plane, is moving horizontally with velocity  $v$  in a uniform vertical magnetic field  $B$ . Which one of the following statements is FALSE?  
 (a) There is current in the loop even though there is no battery (or any other voltage source)  
 (b) The work done in moving the coil is being converted to the current in the coil  
 (c) The current is being generated because the magnetic field is doing the work.  
 (d) the emf generated is proportional to the velocity of the coil (e) the emf generated is proportional to the magnetic field strength
12. Two liquids A and B are mixed in such a proportion that they form an ideal solution whose total vapor pressure is exactly three times that of the partial pressure of A. If  $P_A^\circ$  and  $P_B^\circ$  are the vapor pressures of pure A and B respectively, then the total vapor pressure of the solution is given by  
 Options:  
 (a)  $\frac{2P_A^\circ P_B^\circ}{3P_A^\circ + P_B^\circ}$  (b)  $\frac{3P_A^\circ P_B^\circ}{P_B^\circ + 2P_A^\circ}$  (c)  $\frac{2P_A^\circ}{2P_A^\circ + P_B^\circ}$  (d)  $\frac{2P_B^\circ}{P_A^\circ + 2P_B^\circ}$   
 (e) more data needed to solve the problem
13. If  $P_0$  and  $P_s$  are the vapour pressures of the solvent and solution respectively and  $X_0$  and  $X_s$  are mole fractions of solvent and solute respectively, then  
 (a)  $P_0 = X_s P_s$  (b)  $P_s = X_0 P_0$  (c)  $P_0 = X_0 P_s$  (d)  $P_s = X_s P_0$
14. The velocity of the nitrogen molecule in room temperature air is:  
 (a) zero (b)  $10 \text{ m s}^{-1}$  (c)  $100 \text{ m s}^{-1}$  (d)  $500 \text{ m s}^{-1}$  (e)  $5000 \text{ m s}^{-1}$
15. Helium is two times heavier than  $\text{H}_2$ . The average kinetic energy per molecule for helium at 300K is  
 (a) twice as  $\text{H}_2$  (b) same as  $\text{H}_2$  (c) half as  $\text{H}_2$  (d) one fourth of  $\text{H}_2$












# IIITprep Result : UGEE 2021

UGEE AIR **4**



**NISHITA SINGH**  
2021 BATCH

UGEE AIR 4  HARSHVARDHAN 2021 BATCH	UGEE AIR 19  SAI MADHUSUDAN 2021 BATCH	UGEE AIR 20  BHAV BERI 2021 BATCH	UGEE AIR 29  KHUSHI WADHWA 2021 BATCH	UGEE AIR 43  BALABHADRA SAKETH 2021 BATCH
UGEE AIR 51  SREENIVAS B. PAPIREDDY 2021 BATCH	UGEE AIR 60  RIDHIMANK K. DHINDSA 2021 BATCH	UGEE AIR 80  UTSAV SHEKHAR 2021 BATCH	UGEE AIR 100  ARJUN DOSAJH 2021 BATCH	UGEE AIR 133  SRIHARI BANDARUPALLI 2021 BATCH
UGEE AIR 157  BOLLIMUNTHA SHREYA 2021 BATCH	121.5/150  YASH AGARWAL 2021 BATCH	105/150  SANSKAR RANJAN 2021 BATCH	102.5/150  SIDDHARTH KOTHARI 2021 BATCH	100/150  ANIRUDDH PRAMOD 2021 BATCH
99.5/150  RISHI AGRAWAL 2021 BATCH	99.5/150  GAGAN CHOPRA 2021 BATCH	99/150  ISHAN SINGH 2021 BATCH	98.5/150  ISHA NAYAR 2021 BATCH	98/150  MANRAJ SINGH CHAHAL 2021 BATCH

Yet again **Maximum Top Scorers**  
From IIITprep in UGEE Exam across India

✓ 4 in Top 20 All India Rank

✓ 6 in Top 50 All India Rank

✓ 10 in Top 100 All India Rank

✓ 38 in Top 200 All India Rank



IIITprep UGEE Guide 2022 Released on [iiitprep.com](https://iiitprep.com)

Authenticity of Result:  
Community of IIITprep

Click here to Order IIITprep UGEE Guide 2022 Combo Pack only at 1099/-  
Pack of 3 Books + 1 Free Interview Kit (in digital form)

## IIITprep UGEE 2021 Results

RESULTS SPEAKS FOR ITSELF.

99/150  ISHAN SINGH 2021 BATCH	98.5/150  ISHA NAYAR 2021 BATCH	98/150  MANRAJ SINGH CHAHAL 2021 BATCH	97.5/150  JINAM JAIN 2021 BATCH	97/150  ARYAN BANSAL 2021 BATCH	96.5/150  ADITYA KHADELWAL 2021 BATCH
96.5/150  RIKHIL GUPTA 2021 BATCH	96/150  SOHAL MALVIYA 2021 BATCH	95.5/150  REWANTH TALASILA 2021 BATCH	95.5/150  HARDIK MITTAL 2021 BATCH	95.5/150  ADITYA GUPTA 2021 BATCH	94.5/150  KOLSANI AMIT VISHNU 2021 BATCH
94/150  VEDANSH AGRAWAL 2021 BATCH	93.5/150  ROHAN MISHRA 2021 BATCH	93/150  PIYUSH D. HAMBARDE 2021 BATCH	92.5/150  ANANYA CHINMAYAV 2021 BATCH	92/150  KORVIR R. PRADYUMNA 2021 BATCH	91.5/150  SIDHANT K. AGRAWAL 2021 BATCH

6 in Top 50 AIR

4 in Top 20 All India Rank.

10 in Top 20 AIR


## ----- Answers -----

1	A	2	C	3	D	4	B	5	A
6	C	7	E	8	E	9	C	10	A
11	C	12	B	13	B	14	C	15	B

## ----- Solutions -----

- Difference (Next term – Previous term) between two consecutive No. is in AP, i.e., Difference between No is 5, 7, 9, 11, 13.  
So,  $23+11=34$ .
- Direct Statement From NCERT.  
The solubility of  $\text{CaCO}_3$  in water is pH dependent and is enhanced by acidic atmospheric gases.  
Hence,  $\text{CaCO}_3$  may be leached into water during weathering.
- To Balance the Forces, it is clear that Q1, Q2 must have same sign of charges by which Both will Attract or Both will Repel to Balance the forces.  
As the Distance of the positive charge placed between Q1 and Q2 is not same from Q1 and Q2, So the Magnitude of electric force on positive charge by Q1 and Q2 will be different.  $F = kq_1q_2/d$  as  $F \sim 1/d$  (Inversely Proportion) so in between Q2 & P as d is Less Hence F is more to Balance it so, Q2 must be more.
- You must know and Remember that No. of Significant Digit before decimal = [ (Characteristic)<sub>base 10</sub> + 1]  
To find (Characteristic)<sub>base 10</sub>,  
Revise Topics Mentioned in UGEE SUPR Guide Available on IIITprep.com  
 $\log(648)^5 = 5(\log 648) = 5(\log 2^3 \cdot 3^4) = 5[3 \cdot \log 2 + 4 \cdot \log 3]$   
 $= 5[3(0.301) + 4(0.4771)]$   
(Characteristic)<sub>base 10</sub> = 14  
So, the no. Of significant digits before decimal is  $14+1 = 15$ .
- Buffer Solution is a Solution which Resist change in pH when acid or base is added to it.  
For a Buffer Solution: Existence of both weak part & its Conjugate is Required.  
 $\text{NaOH} + \text{CH}_3\text{COOH} \rightarrow \text{CH}_3\text{COONa} + \text{H}_2\text{O}$   
In (A) As NaOH is more than  $\text{CH}_3\text{COOH}$  so,  $\text{CH}_3\text{COOH}$  will be the LR (Limiting Reagent) and will be finished & NaOH will remain in solution and no conjugate will be formed.
- Revise Topics from UGEE SUPR Guide Available on IIITprep.com  
Say Total Distance be d  
Speed = distance / time (convert 1 hour 24 minutes to hour)  
 $(2d/3)/4 + (d/3)/5 = 1 + 24/60$   
So, get d = 6 Km  
Extra: - To convert from km/h to m/s multiply km/h with 5/18.
- Que Directly from NCERT Exemplar Available on IIITprep.com SUPR Book  
Mainly 2 types of forces are Considered here
  - Gravitational Force
  - Spring Force

The Spring force is  $-kx^2$  where x is Elongation. Now take the Proper Direction of Forces. Resolve its Component along x axis & y axis i.e.  $-2\hat{i} + \hat{j}$  so,  $a = -2$  &  $b = 1$





8. Say If He got x Sums right  
So, He gets 3x sums Wrong. So,  $60 = x + 3x$ .  
So,  $x = 15$
9. A. True, Translational, Rotational, Vibrational are types of Motion.  
B. True, Rotational Degree = 3 as per KTG  
C. False, Translational Degree = 2 as per KTG  
D. True, Vibrational Degree = 3 as per KTG  
E. True, In Isolation, Conservation of Energy & Angular Momentum is valid.
10. First Understand How to Solve this type of Work Problem Revise **Time & Work Section** from SUPR & REAP Guide Book from IIITprep.com.  
Say Pipe A can do a piece of work in 1 hr  
Say Pipe B can do b piece of work in 1 hr  
Say Pipe C can do c piece of work in 1 hr  
So,  $(a+b+c)6 = 1$  ----- 1<sup>st</sup> Condition  
 $(a+b+c)2 + (a+b)7 = 1$  -----  $2(1/6) + (a+b)7 = 1$   
So,  $a+b = 2/21$  ----- Eqn 1  
So,  $c = 1/6 - 2/21 = 1/14$   
Now C can do 1/14 piece of work Hence, 1 piece of work can be done by C in 14 days.
11. A. True, EMF will be induced by **Motional EMF**  
B. True, Conservation of Work & Energy. Coz, Work done by Magnetic Field is zero.  
C. False, always work done by Magnetic Field is Zero because, Direction of Force and Displacement are Perpendicular so, Dot Product is Zero always.  
D. True,  $E = [V \times B \cdot dl]$  where, V = Velocity and E = EMF  
E. True,  $E = (V \times B) \cdot dl$  where B = Magnetic Field and E = EMF
12. Revise Main Topics from IIITprep SUPR BOOK @ IIITprep.com  
You must Know: Total Pressure  $P_T = P_A + P_B$  Where  $P_A$  is Partial Pressure  
And  $P_A = P_A^0 X_A$  where  $P_A^0$  = Vapor Pressure and  $X_A$  = Mole Fraction of A  
Similarly, for  $P_B = P_B^0 X_B$   
We Know  $X_A + X_B = 1$  ----- Sum of Mole Fractions  
Given:  $P_T = 3 P_A = P_A + P_B$   
 $= 3 P_A^0 X_A$  ----- 3  
So,  $2P_A = P_B$   
 $2P_A^0 X_A = P_B^0 X_B$  ----- 1  
 $X_A + X_B = 1$  ----- 2  
From 1 & 2 we get  $X_A = P_B^0 / (2P_A^0 + P_B^0)$  Put  $X_A$  in 3 We Get Ans as  
 $P_T = 3P_A^0 P_B^0 / (2P_A^0 + P_B^0)$
13. Revise Main Topics from IIITprep SUPR BOOK @ IIITprep.com  
 $P_{SA} = P_A^0 X_A$  General Formula to Be Remembered. Direct Que From NCERT.  
Acc. To rault's law  
Po-PS whole divided by Po is equal to the mole fraction of solute which is  $X_s$   
 $X_s + X_o = 1$
14. Direct from NCERT But Approximate Value can be Calculated  
By,  $V_{rms} = \sqrt{(3RT/M)}$  Formula  
Nitrogen molecule contains 28 nucleons and nitrogen atom contains 14 nucleons.

## 15. Method (1)

$$KE \propto mv^2 \quad \text{Velocity} \propto \sqrt{T/M} \quad \text{as } V_{\text{rms}} = \sqrt{(3RT/M)}$$

$$KE \propto MT/M \quad \text{Velocity}^2 \propto (T/M)$$

$$KE \propto \text{Temp}$$

So, as Temp is Constant, KE will Remain Constant so, it is Independent of Masses.

## Method (2)

As the average Kinetic energy of a particle in an ideal gas equation is: -

$$KE = \frac{3}{2}kT, \text{ where } k \text{ is Boltzmann's constant and } T \text{ is temperature}$$

By this formula we can see that at a constant temperature, average kinetic energy remains constant and is independent of mass.

**JEE is not the only way so, always have a plan B ready so,**


apply for

**IIIT Hyderabad UGEE**


Exam and start your preparation with

**IIITprep**





+



FREE

COMBO @ Rs 1099

**GET \*Free UGEE Interview Preparation Kit with any one of our UGEE Books.**

Buy any UGEE books and you will be eligible for a FREE Interview Kit.

\*Only to those who will qualify UGEE Exam and will be provided to each after Announcement of UGEE Results in Digital Form like PDF and Google Drive Link for CD

**SPECIAL OFFER**

**BUY COMPLETE UGEE PACKAGE 3 BOOKS**

AT JUST

**₹1099/-**





**SPECIAL OFFER**

# BUY COMPLETE UGEE PACKAGE 3 BOOKS

AT JUST

**₹1099/-**



**IIITprep**

## Launching UGEE Interview Preparation Kit

Free\* with purchase of IIITprep UGEE Book  
Visual (CD) + Reading Material

Our students have secured

**UGEE AIR 4, 19, 20, 29, 43, 51, 60, 80, 100, 133, 157**

in UGEE 2021 Exam.


**Get Now**

\*Only to those who will qualify UGEE Exam and will be provided to each after Announcement of UGEE Results in Digital Form like PDF and Google Drive Link for CD

**All your friends have started so, don't get behind !**

**Start your UGEE prep with IIITprep**

**Click Here to Order UGEE 2022 Guide at 30% off on [iiitprep.com](https://www.iiitprep.com)**



**UGEE SUPR Guide 2022**

IIITprep | [amazon.in](https://amazon.in)

**₹ 349**

including delivery charges

Amazon Ratings : 4/5 ★★★★★

[Book Now](#)



**UGEE Previous Year Paper 2022 Edition**

IIITprep | [amazon.in](https://amazon.in)

**₹ 449**

including delivery charges

Amazon Ratings : 4.7/5 ★★★★★

[Book Now](#)



**UGEE REAP Guide 2022**

IIITprep | [amazon.in](https://amazon.in)

**₹ 399**

including delivery charges

Amazon Ratings : 4.4/5 ★★★★★

[Book Now](#)

**Combo pack of 1,399 at just 1,099/- with Free delivery only at [iiitprep.com](https://www.iiitprep.com)**



# IIITprep UGEE 2021 Results



**NISHITA SINGH** AIR 4 Qualified

“IIITprep is a great resource for UGEE preparation. Their mock tests are the most reliable mock tests available on the internet in all terms like difficulty level, reach of questions etc and I'd like to make a full contribution by sharing my entire Interview experience since I don't mind sharing my name and rank. Besides, IIITprep has been a great help for me throughout the UGEE journey”

**HARSHVARDHAN** AIR 4 Qualified

“Thanks iiitprep for providing me with the best ugee reap guide”



**Sai Madhusudan** AIR 19 Qualified

“Nice”

**Bhav Beri** AIR 20 Qualified

“Thanks to the wonderful team of IIITPrep for the wonderful books and super helping resources which they provided us, even in this pandemic time. These resources, including mock tests, superb books, and ever lasting support, helped me a lot in clearing this crucial exam.”



**Khushi Wadhwa** AIR 29 Qualified

“Thanks to IIIT prep team for providing guidance to many students like me in achieving their dream college”

**Balabhadra Saketh** AIR 43 Qualified

“IIIT prep mock tests has helped me a lot in getting idea on how UGEE paper model is, also REAP questions in mock test has helped for clearing the exam”

