```
0xa31
if (msg.value) goto 0x0
$s2 = ad mask & c[0x4]
$s3 = 0x\overline{0}
m[0x20 + \$m] = 0x0
m[0x4 + $m] = msg.sender
m[0x24 + $m] = s[0x1]
\$s7 = ad_mask \& s[0x0]
if (0 == extcodesize($s7)) goto 0x0
if (0 == call((msg.gas - 0x32), $s7, 0x0, $m, 0x44, $m, 0x20)) goto 0x0
if (0 == m[\$m]) goto 0x10a2
                      0x1c53
                      if (0 == (ad_mask \& s[0x5])) goto 0x1c6b
                             0x1c6b
                             if (ad mask & $s2) goto 0x1c83
                                 0x1c7c
                                                               0x1c83
                                 $s3 = 0x0
                                                               if (ad_mask & s[0x4]) goto 0x1cb8
                                 goto 0x10a2
                                     0x1c96
                      0x1c64
                                     $s3 = 0x0
                                     $s3 = 0x1
                      goto 0x10a2
                                     goto 0x10a2
                                                              0x1cb8
                                                              $s7 = ad mask \& $s2
                              0x10a2
                                                              s[0x6] = block.timestamp
                              $s1 = $s3
                                                              m[\$m] = \$s7
                              goto 0x31d
                                                              log1($m, 0x20, 0xaf574319215a31df9b528258f1bdeef2b12b169dc85ff443a49373248c77493a)
                                                              $s1 = 0x1
                                                              goto 0x31d
                                                           0x31d
                                                           m[\$m] = \$s1
                                                           return($m, 0x20)
```