Exploring AI Text Generation, Retrieval-Augmented Generation, and Detection Technologies: a Comprehensive Overview

Fnu Neha[1], Deepshikha Bhati[1], Deepak Kumar Shukla[2], Angela Guercio[1], Ben Ward[1]
[1]Kent State University, Kent, Ohio, USA
{neha, dbhati, aguercio, bward29}@kent.edu
[2]Rutgers University, Newark, NJ, USA
ds1640@scarletmail.rutgers.edu

2025 IEEE 15th Annual Computing and Communication Workshop and Conference (CCWC) | 979-8-3315-0769-5/25/$31.00 ©2025 IEEE | DOI: 10.1109/CCWC62904.2025.10903902

***Abstract*—The rapid development of Artificial Intelligence (AI) has led to the creation of powerful text generation models, such as large language models (LLMs), which are widely used for diverse applications. However, concerns surrounding AI-generated content, including issues of originality, bias, misinformation, and accountability, have become increasingly prominent. This paper offers a comprehensive overview of AI text generators (AITGs), focusing on their evolution, capabilities, and ethical implications. This paper also introduces Retrieval-Augmented Generation (RAG), a recent approach that improves the contextual relevance and accuracy of text generation by integrating dynamic information retrieval. RAG addresses key limitations of traditional models, including their reliance on static knowledge and potential inaccuracies in handling real-world data. Additionally, the paper reviews detection tools that help differentiate AI-generated text from human-written content and discusses the ethical challenges these technologies pose. The paper explores future directions for improving detection accuracy, supporting ethical AI development, and increasing accessibility. The paper contributes to a more responsible and reliable use of AI in content creation through these discussions.**

***Index Terms*—Artificial Intelligence, Natural Language Understanding, Large Language Models (LLMs), Text Generator, Retrieval-Augmented Generation (RAG), Text Detector**

I. Introduction

Large Language Models (LLMs) represent a significant breakthrough in artificial intelligence (AI), enabling machines to generate and comprehend text in ways that resemble human communication. These models, powered by deep learning (DL) techniques and trained on extensive datasets, have demonstrated abilities to generate coherent and contextually relevant content across diverse applications [1]. As a result, LLMs have become essential tools in natural language processing, machine translation, content creation, and customer engagement.

In natural language processing, LLMs assist in tasks like information classification, data extraction, and content summarization, enabling the efficient analysis of large datasets [2]. In machine translation, LLMs provide fluent, context-sensitive translations that break down language barriers and encourage global communication [3]. They have also advanced question-answering systems, improving user experiences by generating highly relevant responses [4]. Furthermore, in creative and professional contexts, LLMs facilitate the generation of poetry, stories, code, and customer service dialogues, while enhancing accessibility through applications like speech-to-text tools [5], [6].

While LLMs have revolutionized text generation, they face challenges such as producing unoriginal or misleading content and raising ethical concerns like plagiarism and misinformation. Their lack of understanding, reliance on static knowledge, and potential biases can result in inaccuracies and outdated information [7], [8]. Furthermore, the high computational demands of LLMs pose environmental and financial concerns [9], [10].

One promising solution to the challenges of traditional text generation is Retrieval-Augmented Generation (RAG), a method to enhance the accuracy and contextual relevance of LLM-generated text by incorporating real-time information retrieval. RAG mitigates issues like static knowledge dependency and potential inaccuracies by retrieving relevant data from external sources and integrating it into the generation process. This approach is particularly useful for dynamic, knowledge-intensive tasks such as customer service, technical support, and question-answering systems. Advanced AI text detectors and ethical guidelines are also being developed to promote accountability, uphold originality, and ensure responsible AI use across various sectors.

This paper provides an in-depth overview of AI text generation and detection technologies, with a focus on RAG. The major contributions of this paper include:

- **Analysis and Comparison:** A detailed comparison of popular AI text generators and detectors, emphasizing strengths, weaknesses, and use cases, especially with RAG integration.
- **Ethical Discussion:** An exploration of ethical considerations, such as bias, misinformation, and accountability in AI text generation and detection.
- **Current Limitations and future directions:** A review of limitations in current models and recommendations for enhancing accuracy, developing ethical frameworks, and exploring multimodal AI text applications.

979-8-3315-0769-5/25/$31.00 ©2025 IEEE

Authorized licensed use limited to: BIRLA INSTITUTE OF TECHNOLOGY AND SCIENCE. Downloaded on October 26,2025 at 15:39:13 UTC from IEEE Xplore. Restrictions apply.

The paper is structured as follows: Section II covers AI text generators; Section III discusses RAG; Section IV covers tools and methods for RAG; Section V discusses AI text detectors; Section VI addresses ethical considerations; Section VII examines current limitations; and Section VIII provides the conclusion with future directions.

II. AI Text Generators (AITG)

AITG are advanced systems to automatically generate human-like text, based on a given prompt or set of instructions [11]. AITG has transformed content creation across industries like journalism, marketing, customer service, education, and entertainment, generating text for tasks ranging from drafting emails to composing complex narratives. This section explores AITG up to 2023, covering their evolution, underlying technologies, and applications. Table I provides a comparative overview of popular AITGs, highlighting their primary focus, advantages, limitations, and common use cases.

A. Evolution of AITG

1) Early Beginnings: AITG began with rule-based systems and statistical models like n-grams, which were limited in handling language complexity and context.

2) Neural Networks: The advent of Recurrent Neural Networks (RNNs), followed by Long Short-Term Memory (LSTM) networks and Gated Recurrent Units (GRUs), preserved information over longer sequences [12], [13].

3) Transformers: In 2017, Transformer models transformed text generation with self-attention mechanisms, enabling parallel processing and more accurate context understanding [14].

B. Prominent AITG

1) OpenAI's GPT Series: OpenAI's Generative Pre-trained Transformer (GPT) series advanced AI text generation, with GPT-4 in 2023 introducing 500 billion parameters, multimodal capabilities, and enhanced reasoning [15], [16].

2) Google's Language Models: Google's models, including Bidirectional Encoder Representations from Transformers (BERT) [17] and Language Model for Dialogue Applications (LaMDA) [18], have influenced AI text generation, focusing on context understanding and open-ended conversation.

3) Other Notable Models: Models like NVIDIA's Megatron-Turing Natural Language Generation (NLG) [19] and Meta's Open Pretrained Transformer (OPT) [20] set new standards for scalability and accessibility, with initiatives like BigScience Large Open-science Open-access Multilingual Language Model (BLOOM) promoting open-source development [21].

C. Commercial AITG

Several platforms specialize in various content creation needs:

- **ChatGPT** (2022) – excels in conversational applications.
- **Jasper** (2021) – assists marketers with content creation [22].
- **Writesonic** (2020) – offers templates for quick marketing copy [23].
- **Grammarly** (2009) – enhances text quality with grammar and style checks [24].

Other platforms, like *Copy AI* (2020) [25], *Rytr* (2021) [26], and *Scalenut* (2021) [27], provide targeted tools for diverse content generation needs, supporting businesses in leveraging AI to streamline content production across industries.

III. Retrieval-Augmented Generation (RAG)

RAG is an important advancement in AI text generation that overcomes many limitations of traditional models [32]. Unlike conventional language models that rely only on pre-trained data, RAG combines these models with retrieval mechanisms. This allows RAG to access relevant information from external sources like databases or the internet during text generation, improving the accuracy and relevance of the output, especially for up-to-date or specialized information.

Traditional text generation systems create responses based solely on the information stored in the model. In contrast, RAG adds a retrieval step, actively searching for and using external information. This results in more accurate and contextually appropriate responses. By integrating retrieved knowledge, RAG can handle tasks that require real-time information or specific knowledge not included in the model's training data.

A. RAG components

RAG has three main components: (1) retrieval model; (2) embedding model; and (3) generative model. Each component plays a crucial role in producing text that is both accurate and relevant to the user's query. Table II provides a summary of these.

1) Retrieval Model: The retrieval model is responsible for identifying and retrieving relevant documents or data from an external knowledge source. Using techniques like nearest neighbor search, based on pre-encoded document embeddings, the retrieval model efficiently locates pertinent information. For instance, in a customer service scenario, it may retrieve the latest product manual or troubleshooting guide in response to a user query.

2) Embedding Model: The embedding model converts both the input query and the retrieved documents into vector representations, or embeddings, to capture their semantic meaning. This step enables the system to match the query with documents that are contextually relevant, beyond simple keyword matching, by understanding the underlying meaning of the text.

3) Generative Model: The generative model produces the final output text. After relevant documents are retrieved and embedded, the generative model synthesizes this information to create a coherent, contextually appropriate response. Pre-trained transformers, such as GPT or Text-to-Text Transfer Transformers (T5), are typically used to generate human-like text that integrates both the input query and the retrieved knowledge.

The RAG workflow (Figure 1) involves five stages: (1) chunking divides the dataset into segments; (2) embedding transforms each segment into a vector; (3) vector Database

Authorized licensed use limited to: BIRLA INSTITUTE OF TECHNOLOGY AND SCIENCE. Downloaded on October 26,2025 at 15:39:13 UTC from IEEE Xplore. Restrictions apply.

TABLE I
COMPARISON OF POPULAR AITGS

AITG	Primary Focus	Advantages	Limitations	Use Cases
Grammarly	Writing and grammar assistance	Advanced grammar checking; style and tone suggestions; plagiarism detection; real-time feedback	Not a content generator; premium features need subscription	Writing improvement; proofreading; academic writing; professional communication
Copy AI	Creative marketing content	Brainstorms innovative ideas; easy to use; saves time on content ideation	Can produce generic content; requires refinement; focuses mainly on marketing	Marketing campaigns; email copy; brainstorming sessions; taglines and slogans
Writesonic	Marketing content	Quick content creation; supports various content types; includes AI-driven editing tools	Quality varies; limited customization; needs editing to match brand voice	Ad copy; product descriptions; social media posts; landing pages
Hypotenuse AI (2020) [28]	E-commerce content	Generates SEO-friendly content; bulk content creation; industry-specific vocabulary	Focused on e-commerce; limited utility outside that domain; subscription costs	Product descriptions; online ads; catalog content; SEO optimization
Anyword (2020) [29]	Diverse content needs	Predictive performance scoring; A/B testing suggestions; adapts to different platforms	Complex for beginners; higher cost; requires expertise for optimal use	Ad copy; landing pages; social media content; email marketing
Writer (2020) [30]	Professional writing aid	Ensures tone and style consistency; integrates with existing tools; supports team collaboration	Enterprise-focused pricing; costly for individuals; setup requires support	Brand management; corporate communications; policy documentation; collaborative writing
Jasper	Content for blogs and marketing	Provides templates; integrates with SEO tools; supports multiple languages; user-friendly interface	Subscription-based; requires human editing for tone and accuracy; limited creative writing capabilities	Content marketing; blog posts; social media content; email writing
Rytr	Quick content creation	Affordable; supports multiple languages; allows tone customization; fast output	Limited advanced features; content lacks depth; quality varies depending on context	Emails; blog posts; social media updates; product descriptions
Scalenut	SEO-optimized content	Integrates SEO insights; keyword suggestions; content planning tools	Learning curve for new users; subscription-based; needs manual adjustments	Blog writing; SEO content creation; content strategy development; competitor analysis
ChatGPT	Conversational AI	Maintains context over extended interactions; versatile; high-quality, coherent responses	Produces incorrect or nonsensical answers; lacks real-time data access; potential for biased outputs	Customer service chatbots; virtual assistants; educational tools; content drafting
Claude (2023) [31]	General writing assistance	Flexible; can handle large inputs; emphasizes safety and reliability in responses	Lacks specialization; availability is limited; less widespread adoption	Creative writing; professional correspondence; content drafting; research assistance

(VectorDB) stores these vectors; (4) retrieval uses VectorDB to find relevant chunks, and (5) response Generation synthesizes these chunks into a coherent answer using an LLM.

IV. TOOLS AND METHODS FOR RAG

RAG combines the power of information retrieval with the ability of generative models to create contextually relevant text. The effectiveness of RAG largely depends on the integration of retrieval mechanisms, the quality of external knowledge sources, and the generative model. Below, we discuss the key components and tools used in RAG.

A. Retrieval Mechanisms

The retrieval component fetches relevant information or documents that the generative model can use to produce more informed text. Common retrieval methods include:

- **Traditional Search**: Methods such as Term Frequency-Inverse Document Frequency (TF-IDF) and Best Matching 25 (BM25) are used for simpler applications, but they are limited in their ability to understand complex contexts.
- **Embedding-Based Retrieval**: Modern RAG systems rely on embedding-based approaches, where the query and documents are represented as vectors in a high-dimensional space. Techniques like dense retrieval using

Authorized licensed use limited to: BIRLA INSTITUTE OF TECHNOLOGY AND SCIENCE. Downloaded on October 26,2025 at 15:39:13 UTC from IEEE Xplore. Restrictions apply.



Fig. 1. RAG architecture

TABLE II
COMPONENTS OF RAG

Component	Function	Example Use Case
Retrieval Model	Retrieves relevant documents or data from an external knowledge base.	Customer service: Retrieves product manuals or FAQs.
Embedding Model	Converts input queries and retrieved documents into vector representations for semantic matching.	Question answering: Matches query with related documents.
Generative Model	Generates the final response by combining the input and retrieved knowledge.	Content creation: Generates articles based on user input and external sources.

pre-trained models like BERT and Sentence-BERT are commonly employed.

- **Advanced Search Engines**: Tools like FAISS, Annoy, and Elasticsearch optimize the retrieval process, allowing for efficient search and ranking of large document collections.

B. Generative Models

The generative component is responsible for creating human-like text based on the retrieved information. Key models used in RAG include:

- **GPT-3/4**: These are powerful autoregressive models that generate coherent text by conditioning on retrieved documents.
- **Bidirectional and Auto-Regressive Transformers (BART)**: A transformer-based sequence-to-sequence model that excels in tasks like summarization and question answering, often used in conjunction with retrieval methods.
- **T5**: A flexible model that can be fine-tuned for various text generation tasks, often integrated with retrieval systems for improved generation.

C. Knowledge Bases

The quality of retrieved documents heavily depends on the knowledge sources available. Commonly used knowledge bases include:

- **Wikipedia**: Provides general knowledge and is frequently used in RAG models for various tasks, from question answering to content creation.
- **Domain-Specific Knowledge Bases**: Custom knowledge bases containing specialized information, such as technical manuals, product specifications, or medical data.
- **Real-Time Web APIs**: Services like Google Search API can fetch up-to-date content from the web, providing dynamic knowledge for a generation.

D. Evaluation Metrics

Evaluation of RAG is crucial to ensure both the relevance of the retrieved documents and the quality of the generated text. Metrics like Recall-Oriented Understudy for Gisting Evaluation (ROUGE), Bilingual Evaluation Understudy (BLEU), and F1 Score are used to assess text generation quality, while other domain-specific metrics can be employed for tasks such as factual accuracy.

Table III gives a summary of these.

V. AI TEXT DETECTORS (AITD)

AITD are software tools or algorithms designed to analyze written content to assess the likelihood that it was generated by AI rather than a human [33]. These use computational techniques to identify patterns, statistical anomalies, or stylistic features typical of AI-generated text. Motivations for AITD include:

Authorized licensed use limited to: BIRLA INSTITUTE OF TECHNOLOGY AND SCIENCE. Downloaded on October 26,2025 at 15:39:13 UTC from IEEE Xplore. Restrictions apply.

TABLE III
TOOLS AND METHODS FOR RAG

Component	Methods/Tools	Description
Retrieval Mechanisms	TF-IDF, BM25, Dense Retrieval, FAISS, Annoy, Elasticsearch	Retrieval methods to fetch relevant documents based on the input query. Dense retrieval uses embedding models like BERT for better accuracy.
Generative Models	GPT-3/4, BART, T5	Text generation models that create contextually relevant and coherent output conditioned on retrieved documents.
Knowledge Bases	Wikipedia, Custom Knowledge Bases, Real-Time Web APIs (e.g., Google Search API)	External knowledge sources used to provide relevant context or real-time data for generating text.
Evaluation Metrics	BLEU, ROUGE, F1 Score	Metrics for evaluating the quality of the generated text, such as accuracy, fluency, and relevance to the input.

- **Academic Integrity**: Preventing plagiarism and ensuring the authenticity of student submissions.
- **Content Moderation**: Detecting automated spam, fake reviews, or disinformation campaigns.
- **Intellectual Property**: Protecting authors and creators from unauthorized use of their work.
- **Security**: Identifying automated phishing attempts or social engineering attacks.

This section explores AITD tools up to 2023, providing their evolution, applications, and limitations, with a focus on the latest advancements and emerging challenges in the field.

- **GPTZero**: GPTZero, developed by Edward Tian in 2023, detects AI-generated text by analyzing perplexity and burstiness, reflecting variability typical of human writing [34].
- **Turnitin**: Turnitin, a popular plagiarism detector, integrated AI detection in 2023 to analyze linguistic patterns for authenticity, though it sometimes produces false positives [35].
- **ZeroGPT**: ZeroGPT, a free online tool launched in 2023, identifies patterns like repetitive phrasing but has lower accuracy for nuanced texts [36].
- **GLTR**: The Giant Language Model Test Room (GLTR) uses statistical likelihood to visualize word predictability, helpful in analyzing AI-generated text patterns [37].
- **Copyleaks**: Copyleaks, introduced in 2023, uses deep learning to detect AI content across multiple languages but is subscription-based [38].
- **Crossplag**: Crossplag, launched in 2023, detects AI-assisted plagiarism through machine learning, with limitations on underrepresented languages [39].
- **Hive AI**: Hive AI, launched in 2023, detects AI-generated text and manipulated media, particularly useful for security and media authenticity [40].
- **Scribbr AI Checker**: Scribbr, introduced in 2023, focuses on academic AI plagiarism detection, though with limited language support [41].
- **AI Writing Check**: AI Writing Check is a straightforward, fast tool for detecting AI content in blogs and articles but is less reliable for complex writing [42].

Table IV provides a comparison of popular AITD tools.

VI. ETHICAL CONSIDERATIONS

This section discusses potential ethical considerations across AITG, RAG, and AITD, as Figure 2 highlights these considerations.

A. Bias and Fairness

For AITG, RAG, and AITD models, bias can arise from training data, retrieval sources, or detection criteria, potentially leading to skewed or discriminatory outputs. AITG and RAG models inadvertently reinforce stereotypes in generated responses, while AITDs unfairly flag certain writing styles or demographics. Mitigating these biases requires diversifying datasets, refining retrieval sources, and applying bias detection and fairness audits.

B. Misinformation

AITG and RAG models risk generating or retrieving false information, which could lead to misinformation. Ensuring source reliability, integrating fact-checking, and embedding safeguards in the generation process is key. While AITDs can help detect AI-generated misinformation, they should be complemented with human oversight to reduce false positives and maintain credibility.

C. Privacy Concerns

Privacy is a concern across all three technologies. AITG and RAG models could unintentionally generate sensitive information present in their training or retrieval sources, while AITDs process user data during detection. Complying with data protection standards, anonymizing data where possible, and securing data handling processes are necessary to respect user privacy and legal requirements.

D. Intellectual Property

AITG and RAG models must be cautious about inadvertently replicating copyrighted materials in retrieved or generated text, which raises issues of unlicensed use. AITDs also need to handle copyrighted content sensitively to avoid unauthorized detection. Clear copyright compliance, filtering licensed sources, and monitoring outputs can help address these intellectual property risks.

Authorized licensed use limited to: BIRLA INSTITUTE OF TECHNOLOGY AND SCIENCE. Downloaded on October 26,2025 at 15:39:13 UTC from IEEE Xplore. Restrictions apply.

TABLE IV
COMPARISON OF POPULAR AITD TOOLS

Platform	Learning Type	Primary Focus	Advantages	Limitations	Use Cases
GLTR [37]	Statistical Visualization	Assisting analysis of text predictability	Offers visual insights; educational tool	Requires interpretation; not definitive	Research, education on AI text patterns
GPTZero [34]	Statistical Analysis	Detecting AI-generated essays and assignments	Popular among educators; analyzes text randomness	Inconsistent performance; potential false results	Education sector for academic honesty
Turnitin [35]	Proprietary Algorithms	Integrating AI detection in plagiarism checking	Widely used; seamless integration	Reports of false positives; privacy concerns	Monitoring AI-assisted plagiarism in academia
ZeroGPT [36]	Pattern Recognition	Providing free AI text detection online	Accessible; easy to use	Less accurate; misclassifies text	General content verification
Copyleaks [38]	Deep Learning	Multilingual AI text detection	Supports multiple languages; platform integration	Subscription-based; challenges with edited AI text	Education, publishing, business content verification
Crossplag [39]	Machine Learning	Detecting AI-assisted plagiarism	User-friendly reports; multi-language support	Struggles with hybrid texts; language limitations	Academic integrity in educational institutions
Hive AI [40]	Supervised Learning	Detecting AI-generated and manipulated media	Focuses on text and multimedia; robust detection capabilities	Expensive for small-scale users; limited availability of features in free version	Journalism, media authenticity, security analysis
Scribbr AI Checker [41]	Machine Learning	AI plagiarism detection in academic writing	Detailed reports with sources; strong academic focus	Limited language support; misses subtle AI-generated content	Academic writing, thesis and dissertation analysis
AI Writing Check [42]	Statistical Analysis	Checking text originality and AI authorship	Simple interface; fast detection	Not as reliable for complex or creative AI writing	Content verification for blogs, articles, and news



Fig. 2. Ethical Considerations

E. Accountability

Establishing accountability is crucial for tracing and managing errors in these systems. For AITGs and RAGs, transparent tracking of retrieved sources and generation processes is essential to ensure that outputs can be evaluated and errors corrected. For AITDs, protocols are needed for managing false positives, especially when human-authored content is mistakenly labeled as AI-generated, to maintain fairness and accuracy.

VII. LIMITATIONS

A. Lack of Understanding

While AITGs and RAG models produce coherent text, they lack true comprehension. RAG's retrieval adds context but does not give a deeper understanding, often resulting in responses that appear relevant but can be shallow or occasionally incorrect, especially if the data is outdated. Similarly, AITDs misclassify text as they cannot fully grasp content distinctions, particularly as AI-generated text grows more complex.

B. Hallucinations

Both AITGs and RAG models are prone to hallucinations—producing factually incorrect or invented information. Although RAG models retrieve real-time data, they still reflect biases or inaccuracies from the sources. AITDs face challenges in identifying such hallucinations, struggling to distinguish between AI-generated fabrications and genuine creative work.

C. Dependency on Data Quality

The effectiveness of AITGs, RAG models, and AITDs heavily depends on data quality. RAG's reliance on external sources means it can amplify inaccuracies from biased or outdated data. AITDs also require comprehensive datasets to avoid missed detections across diverse writing styles, making data quality a critical factor for reliable performance.

D. Resource Intensive

RAG models demand significant computational resources for both retrieval and generation, making them more resource-intensive than standard AITGs. AITDs also require extensive processing to detect AI-generated text accurately. This high resource demand raises concerns around scalability and environmental impact, highlighting the need for optimization in both generative and detection models.

VIII. FUTURE WORK AND CONCLUSION

AI text generation and detection technologies, including advanced models such as RAG, offer transformative possibilities across sectors such as education, marketing, and customer support. AITGs have enhanced productivity but also raise concerns around bias, privacy, and content authenticity. RAG improves on traditional models by adding contextual relevance

Authorized licensed use limited to: BIRLA INSTITUTE OF TECHNOLOGY AND SCIENCE. Downloaded on October 26,2025 at 15:39:13 UTC from IEEE Xplore. Restrictions apply.

through real-time data retrieval, yet it still faces challenges like data quality dependency and potential hallucinations.

Detection tools play a vital role in mitigating these challenges, although they too struggle as AI-generated content grows more sophisticated. RAG's integration of external knowledge presents both opportunities and new hurdles, emphasizing the need for advances in generative and detection models alike.

Future research should focus on refining both generative and detection technologies, especially RAG, while addressing ethical concerns. Balancing innovation with safeguards will be key to using these tools responsibly and equitably, ensuring that AI remains a force for positive, accountable progress in digital communication, productivity, and creativity.

REFERENCES

[1] T. Alqahtani, H. A. Badreldin, M. Alrashed, A. I. Alshaya, S. S. Alghamdi, K. bin Saleh, S. A. Alowais, O. A. Alshaya, I. Rahman, M. S. Al Yami *et al.*, "The emergent role of artificial intelligence, natural learning processing, and large language models in higher education and research," *Research in Social and Administrative Pharmacy*, vol. 19, no. 8, pp. 1236–1242, 2023.

[2] E. A. Olivetti, J. M. Cole, E. Kim, O. Kononova, G. Ceder, T. Y.-J. Han, and A. M. Hiszpanski, "Data-driven materials research enabled by natural language processing and information extraction," *Applied Physics Reviews*, vol. 7, no. 4, 2020.

[3] I. Chen and A. Lee, "Breaking language barriers: The role of ai in modern machine translation," *Eastern European Journal for Multidisciplinary Research*, vol. 1, no. 2, pp. 53–58, 2024.

[4] P. Upadhyay, R. Agarwal, S. Dhiman, A. Sarkar, and S. Chaturvedi, "A comprehensive survey on answer generation methods using nlp," *Natural Language Processing Journal*, vol. 8, p. 100088, 2024.

[5] T. Chakrabarty, V. Padmakumar, F. Brahman, and S. Muresan, "Creativity support in the age of large language models: An empirical study involving emerging writers," *arXiv preprint arXiv:2309.12570*, 2023.

[6] A. Gobinath, P. Prakash, M. Anandan, A. Srinivasan *et al.*, "Voice assistant with ai chat integration using openai," in *2024 Third International Conference on Intelligent Techniques in Control, Optimization and Signal Processing (INCOS)*. IEEE, 2024, pp. 1–6.

[7] M. L. Smith, "Language models, plagiarism, and legal writing," *The University of New Hampshire Law Review*, vol. 22, no. 2, p. 9, 2024.

[8] L. Tjuatja, V. Chen, T. Wu, A. Talwalkwar, and G. Neubig, "Do llms exhibit human-like response biases? a case study in survey design," *Transactions of the Association for Computational Linguistics*, vol. 12, pp. 1011–1026, 2024.

[9] A. Kucharavy, "Fundamental limitations of generative llms," in *Large Language Models in Cybersecurity: Threats, Exposure and Mitigation*. Springer Nature Switzerland Cham, 2024, pp. 55–64.

[10] A. Strasser, "Pitfalls (and advantages) of sophisticated large language models," in *Ethics in Online AI-based Systems*. Elsevier, 2024, pp. 195–210.

[11] B. J. Holland, "Chatgpt 3.5 and 4: Its ramifications on librarianship, academia, education, publishing, and the workplace," in *Handbook of Research on Advancements of Contactless Technology and Service Innovation in Library and Information Science*. IGI Global, 2023, pp. 316–340.

[12] S. Grossberg, "Recurrent neural networks," *Scholarpedia*, vol. 8, no. 2, p. 1888, 2013.

[13] S. Egan, W. Fedorko, A. Lister, J. Pearkes, and C. Gay, "Long short-term memory (lstm) networks with jet constituents for boosted top tagging at the lhc," *arXiv preprint arXiv:1711.09059*, 2017.

[14] A. Vaswani, "Attention is all you need," *Advances in Neural Information Processing Systems*, 2017.

[15] X. Liu, Y. Zheng, Z. Du, M. Ding, Y. Qian, Z. Yang, and J. Tang, "Gpt understands, too," *AI Open*, 2023.

[16] F. Neha, D. Bhati, D. K. Shukla, and M. Amiruzzaman, "Chatgpt: Transforming healthcare with ai," *Preprints*, October 2024. [Online]. Available: https://doi.org/10.20944/preprints202410.0686.v1

[17] J. Devlin, "Bert: Pre-training of deep bidirectional transformers for language understanding," *arXiv preprint arXiv:1810.04805*, 2018.

[18] R. Thoppilan, D. De Freitas, J. Hall, N. Shazeer, A. Kulshreshtha, H.-T. Cheng, A. Jin, T. Bos, L. Baker, Y. Du *et al.*, "Lamda: Language models for dialog applications," *arXiv preprint arXiv:2201.08239*, 2022.

[19] S. Smith, M. Patwary, B. Norick, P. LeGresley, S. Rajbhandari, J. Casper, Z. Liu, S. Prabhumoye, G. Zerveas, V. Korthikanti *et al.*, "Using deepspeed and megatron to train megatron-turing nlg 530b, a large-scale generative language model," *arXiv preprint arXiv:2201.11990*, 2022.

[20] S. Zhang, S. Roller, N. Goyal, M. Artetxe, M. Chen, S. Chen, C. Dewan, M. Diab, X. Li, X. V. Lin *et al.*, "Opt: Open pre-trained transformer language models," *arXiv preprint arXiv:2205.01068*, 2022.

[21] M. AI, "Bigscience large open-science open-access multilingual language model," *BigScience*, 2022.

[22] Jasper, "Jasper ai: Ai content platform," Online, available: https://www.jasper.ai/. [Accessed: Sept. 20, 2024].

[23] Writesonic, "Writesonic: Ai content writer, ai seo toolkit & ai chatbots," Online, accessed: Sept. 21, 2024. [Online]. Available: https://writesonic.com/

[24] Grammarly, "Grammarly: Free ai writing assistance," Online, accessed: Sept. 25, 2024. [Online]. Available: https://www.grammarly.com/

[25] Copyai, "Copy.ai: Ai-powered content generation platform," Online, accessed: Sept. 22, 2024. [Online]. Available: https://www.copy.ai/

[26] Rytr, "Rytr: Ai writing assistant," Online, accessed: Sept. 23, 2024. [Online]. Available: https://rytr.me/

[27] Scalenut, "Scalenut: Ai-powered seo and content marketing platform," Online, accessed: Sept. 26, 2024. [Online]. Available: https://www.scalenut.com/

[28] HypotenuseAI, "Hypotenuse ai: Ecommerce ai writer & ai writing assistant," Online, accessed: Sept. 24, 2024. [Online]. Available: https://www.hypotenuse.ai/

[29] Anyword, "Anyword: Ai copywriting platform," Online, accessed: Sept. 27, 2024. [Online]. Available: https://www.anyword.com/

[30] Writer, "Writer: Ai writing assistant for teams," Online, accessed: Sept. 29, 2024. [Online]. Available: https://www.writer.com/

[31] C. AI, "Claude ai: Conversational ai by anthropic," Online, accessed: Sept. 30, 2024. [Online]. Available: https://www.anthropic.com/claude

[32] P. Lewis, E. Perez, A. Piktus, F. Petroni, V. Karpukhin, N. Goyal, H. Küttler, M. Lewis, W.-t. Yih, T. Rocktäschel *et al.*, "Retrieval-augmented generation for knowledge-intensive nlp tasks," *Advances in Neural Information Processing Systems*, vol. 33, pp. 9459–9474, 2020.

[33] K. C. Fraser, H. Dawkins, and S. Kiritchenko, "Detecting ai-generated text: Factors influencing detectability with current methods," *arXiv preprint arXiv:2406.15583*, 2024.

[34] GPTZero, "Gptzero: Ai detector for chatgpt and more," Online, accessed: Oct. 1, 2024. [Online]. Available: https://gptzero.me/

[35] Turnitin, "Turnitin: Plagiarism prevention and detection," Online, accessed: Oct. 2, 2024. [Online]. Available: https://www.turnitin.com/

[36] ZeroGPT, "Zerogpt: Trusted ai checker for chatgpt, gpt4 & gemini," Online, accessed: Oct. 3, 2024. [Online]. Available: https://www.zerogpt.com/

[37] G. L. M. T. R. (GLTR), "Gltr: Giant language model test room for detecting machine-generated text," Online, accessed: Oct. 7, 2024. [Online]. Available: https://gltr.io/

[38] Copyleaks, "Copyleaks: Ai-based plagiarism & ai content detection," Online, accessed: Oct. 8, 2024. [Online]. Available: https://copyleaks.com/

[39] Crossplag, "Crossplag: Plagiarism detection and ai content verification tool," Online, accessed: Oct. 15, 2024. [Online]. Available: https://www.crossplag.com/

[40] H. AI, "Hive ai: Ai-generated text and multimedia detection platform," 2024. [Online]. Available: https://www.hive.ai

[41] Scribbr, "Scribbr ai checker: Ai-powered plagiarism detection tool," 2023. [Online]. Available: https://www.scribbr.com

[42] I. W. Check, "I writing check: Tool for detecting ai-generated text," 2024. [Online]. Available: https://www.aiwritingcheck.com

Authorized licensed use limited to: BIRLA INSTITUTE OF TECHNOLOGY AND SCIENCE. Downloaded on October 26,2025 at 15:39:13 UTC from IEEE Xplore. Restrictions apply.