

Live SQL

[Feedback](#) [Help](#) [lindugu@gitam.in](#)

# My Session

[Actions](#)[Reset Session](#)[Save](#)

Sort

most recent first

View

Statements and Results

Statement 154

select \* from semitable



COURSECODE	COURSENAMES	MARKS	GRADE
CHEM1001	Chemistry	98	O
CLAD1001	EI and RS	91	O
CSEN1001	IT Tools	69	S
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+
MATH1001	Single variables	99	O
CHEM1001	Several variables	99	O
MECH1021	Workshop	98	O
VEDC1001	Venture Development	86	A+
CHEM1001	Chemistry	98	O
CLAD1001	EI and RS	91	O
CSEN1001	IT Tools	69	S
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+
MATH1001	Single variables	99	O
CHEM1001	Several variables	99	O

# My Session (i)

[Actions](#) ▾[Reset Session](#)[Save](#)

' ,86, 'A+' )



```
--select * from sem1
```

1 row(s) inserted.

Statement 152



```
insert into semitable values('MECH1021','Workshop',98,'0')
```

1 row(s) inserted.

Statement 151



```
insert into semitable values('CHEM1001','Several variables',99,'0')
```

1 row(s) inserted.

Statement 150



```
insert into semitable values('MATH1001','Single variables',99,'0')
```

1 row(s) inserted.

Statement 149



```
insert into semitable values('LANG1011','English',86,'B+')
```

1 row(s) inserted.

# My Session

[Actions](#)[Reset Session](#)[Save](#)

Statement 147

```
insert into semitable values('CSEN1001','IT Tools',69,'S')
```



1 row(s) inserted.

Statement 146

```
insert into semitable values('CLAD1001','EI and RS',91,'O')
```



1 row(s) inserted.

Statement 145

```
insert into semitable values('CHEM1001','Chemistry',98,'O')
```



1 row(s) inserted.

Statement 144

```
create table semitable (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),Grade varchar(3))
```



ORA-00955: name is already used by an existing object

Statement 143

```
create table sem-1 (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),Grade varchar(3))
```



Live SQL

[Feedback](#)[Help](#)

lindugu@gitam.in

# My Session (i)

[Actions](#) ▼[Reset Session](#)[Save](#)

COURSECODE	COURSENAMES	MARKS	GRADE
CHEM1001	Chemistry	98	O
CLAD1001	EI and RS	91	O
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+
CHEM1001	Several variables	99	O
MECH1021	Workshop	98	O
VEDC1001	Venture Development	86	A+
CSEN1001	IT Tools	69	S
LANG1011	English	86	B+
CHEM1001	Chemistry	98	O
CLAD1001	EI and RS	91	O
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+
CHEM1001	Several variables	99	O
MECH1021	Workshop	98	O
VEDC1001	Venture Development	86	A+
CSEN1001	IT Tools	69	S
LANG1011	English	86	B+

[Download CSV](#)

18 rows selected.

Statement **141**

create \* from sem1

## Live SQL

[Feedback](#) [Help](#) [lindugu@gitam.in](#)

# My Session

Actions ▾

Reset Session

Save



1 row(s) inserted.

Statement 139



```
insert into sem1 values('CSEN1001','IT Tools',69,'S')
```

1 row(s) inserted.

Statement 138



```
insert into sem1 values('VEDC1001','Venture Development',86,'A+')
```

1 row(s) inserted.

Statement 137



```
insert into sem1 values('MECH1021','Workshop',98,'O')
```

1 row(s) inserted.

Statement 136



```
insert into sem1 values('CHEM1001','Several variables',99,'O')
```

1 row(s) inserted.

## Live SQL

[Feedback](#) [Help](#) [lindugu@gitam.in](#)

# My Session

Actions ▾

Reset Session

Save

Statement 134



```
insert into sem1 values('LANG1011','English',86,'B+')
```

1 row(s) inserted.

Statement 133



```
insert into sem1 values('CSEN1011','C-Programming',77,'A')
```

1 row(s) inserted.

Statement 132



```
insert into semr1 values('CSEN1001','IT Tools',69,'S')
```

ORA-00942: table or view does not exist

Statement 131



```
insert into sem1 values('CLAD1001','EI and RS',91,'O')
```

1 row(s) inserted.

Statement 130



```
insert into sem1 values('CHEM1001','Chemistry',98,'O')
```

Live SQL

[Feedback](#) [Help](#) [lindugu@gitam.in](#)

# My Session (i)

[Actions](#) ▾[Reset Session](#)[Save](#)

COURSECODE	COURSENAMES	MARKS	GRADE
CHEM1001	Chemistry	98	O
CLAD1001	EI and RS	91	O
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+
CHEM1001	Several variables	99	O
MECH1021	Workshop	98	O
VEDC1001	Venture Development	86	A+
CSEN1001	IT Tools	69	S
LANG1011	English	86	B+

[Download CSV](#)

9 rows selected.

Statement 128



```
create * from sem1
```

ORA-00901: invalid CREATE command

Statement 127



```
insert into semester1 values('VEDC1001','Venture Development',86,'A+')
```

1 row(s) inserted.

# My Session (i)

[Actions](#) ▾[Reset Session](#)[Save](#)

Statement 125



```
insert into semester1 values('CHEM1001','Several variables',99,'0')
```

1 row(s) inserted.

Statement 124



```
insert into semester1 values('MATH1001','Single variables',99,'0')
```

1 row(s) inserted.

Statement 123



```
insert into semester1 values('LANG1011','English',86,'B+')
```

1 row(s) inserted.

Statement 122



```
insert into semester1 values('CSEN1011','C-Programming',77,'A')
```

1 row(s) inserted.

Statement 121



```
insert into semester1 values('CSEN1001','IT Tools',69,'S')
```

1 row(s) inserted.

# My Session

[Actions](#)[Reset Session](#)[Save](#)

Statement 119

```
insert into semester1 values('CHEM1001','Chemistry',98,'0')
```



1 row(s) inserted.

Statement 118

```
create table sem1 (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),Grade varchar(3))
```



ORA-00955: name is already used by an existing object

Statement 117

```
create table sem1 (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),Grade varchar(3))
```



ORA-00955: name is already used by an existing object

Statement 116

```
create table semester1 (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),Grade varchar(3))
```



ORA-00955: name is already used by an existing object

Live SQL

[Feedback](#) [Help](#) [lindugu@gitam.in](#)

# My Session i

[Actions](#) ▾[Reset Session](#)[Save](#)

CSEN1001	IT Tools	69	S
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+
MATH1001	Single variables	99	O
CHEM1001	Several variables	99	O
MECH1021	Workshop	98	O
VEDC1001	Venture Development	86	A+
CHEM1001	Chemistry	98	O
CLAD1001	EI and RS	91	O
CSEN1001	IT Tools	69	S
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+
MATH1001	Single variables	99	O
CHEM1001	Several variables	99	O
MECH1021	Workshop	98	O
VEDC1001	Venture Development	86	A+
CHEM1001	Chemistry	98	O
CLAD1001	EI and RS	91	O
CSEN1001	IT Tools	69	S
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+
MATH1001	Single variables	99	O
CHEM1001	Several variables	99	O
MECH1021	Workshop	98	O

Live SQL

Feedback

Help

lindugu@gitam.in

# My Session

Actions

Reset Session

Save

' ,86, 'A+' )

1 row(s) inserted.

Statement 113

```
insert into semester1 values('MECH1021','Workshop',98,'0')
```



1 row(s) inserted.

Statement 112

```
insert into semester1 values('CHEM1001','Several variables',99,'0')
```



1 row(s) inserted.

Statement 111

```
insert into semester1 values('MATH1001','Single variables',99,'0')
```



1 row(s) inserted.

Statement 110

```
insert into semester1 values('LANG1011','English',86,'B+')
```



1 row(s) inserted.

# My Session

Actions ▾

Reset Session

Save



```
insert into semester1 values('CSEN1001','IT Tools',69,'S')
```

1 row(s) inserted.

Statement 107



```
insert into semester1 values('CLAD1001','EI and RS',91,'O')
```

1 row(s) inserted.

Statement 106



```
insert into semester1 values('CHEM1001','Chemistry',98,'O')
```

1 row(s) inserted.

Statement 105



```
create table semester1 (Coursecode varchar(20),Coursesnames varchar(30),Marks number(2),Grade varchar(3))
```

ORA-00955: name is already used by an existing object

Statement 104



```
create table semester1 (Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(3))
```

# My Session (i)

[Actions](#) ▾[Reset Session](#)[Save](#)

varchar(20),Marks number(2),Grade varchar(3)

ORA-00907: missing right parenthesis

Statement 102



create table semester1 (Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(3))

ORA-00907: missing right parenthesis

Statement 101



create table semester1(Course code varchar(20),Course names char(20),Marks number(2),Grade varchar(2))

ORA-00907: missing right parenthesis

Statement 100



create table semester1(Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(2))

ORA-00907: missing right parenthesis

Statement 99



create table semester1(Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(2))

## Live SQL

[Feedback](#) [Help](#) [lindugu@gitam.in](#)

# My Session

Actions ▾

Reset Session

Save

Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(2))

ORA-00922: missing or invalid option

Statement 97

create table sem-1(Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(2))



ORA-00922: missing or invalid option

Statement 96

create table(Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(2))



ORA-00903: invalid table name

Statement 95

select \* from stars  
where age<22

NAMES	AGE
Shradha	15
Ranbir	18
Alia	20

# My Session (i)

[Actions](#) ▾[Reset Session](#)[Save](#)

NAMES	AGE
Kiara	22
Varun	24
Alia	20

[Download CSV](#)

3 rows selected.

Statement 93



```
select * from stars  
where age=20
```

NAMES	AGE
Alia	20

[Download CSV](#)

Statement 92



```
select * from stars  
where Names='Ranbir'
```

NAMES	AGE
Ranbir	18

[Download CSV](#)

## Live SQL

[Feedback](#) [Help](#) [lindugu@gitam.in](#)

# My Session

Actions ▾

Reset Session

Save

Statement 90

```
select * from stars  
where Names='Ranbir'
```

NAMES	AGE
Ranbir	18

[Download CSV](#)

Statement 89

```
select * from stars
```

NAMES	AGE
Shradha	15
Ranbir	18
Kiara	22
Varun	24
Alia	20

[Download CSV](#)

5 rows selected.

Statement 88

```
insert into stars values ('Alia',20)
```

ORA-00001: unique constraint (SQL\_JEBIRBXJEUZGYIGVNLHVJHZFF.SYS\_C0091312833) violated ORA-06512: at "SYS.DBMS\_SQL", line 1721

## Live SQL

[Feedback](#) [Help](#) [lindugu@gitam.in](#)

# My Session

[Actions](#)[Reset Session](#)[Save](#)

/S\_C0091312833) violated ORA-06512: at "SYS.DBMS\_SQL", line 1721

Statement 86

```
insert into stars values ('Kiara',22)
```



ORA-00001: unique constraint (SQL\_JEBIRBXJEUZGYIGVNLHVJHZFF.SYS\_C0091312833) violated ORA-06512: at "SYS.DBMS\_SQL", line 1721

Statement 85

```
insert into stars values ('Alia',20)
```



1 row(s) inserted.

Statement 84

```
insert into stars values ('Ranbir',18)
```



ORA-00001: unique constraint (SQL\_JEBIRBXJEUZGYIGVNLHVJHZFF.SYS\_C0091312833) violated ORA-06512: at "SYS.DBMS\_SQL", line 1721

Statement 83

```
insert into stars values ('Shradha',15)
```



ORA-00001: unique constraint (SQL\_JEBIRBXJEUZGYIGVNLHVJHZFF.SYS\_C0091312833) violated ORA-06512: at "SYS.DBMS\_SQL", line 1721

# My Session (i)

[Actions](#) ▾[Reset Session](#)[Save](#)

Statement 81

```
insert into stars values ('Kiara',22)
```



1 row(s) inserted.

Statement 80

```
insert into stars values ('Ranbir',20)
```



ORA-00001: unique constraint (SQL\_JEBIRBXJEUZGYIGVNLHVJHZFF.SYS\_C0091312833) violated ORA-06512: at "SYS.DBMS\_SQL", line 1721



Statement 79

```
insert into stars values ('Ranbir',18)
```



1 row(s) inserted.

Statement 78

```
insert into stars values ('Shradha',15)
```



1 row(s) inserted.

# My Session (i)

[Actions](#) ▾[Reset Session](#)[Save](#)

ORA-00905: missing keyword

Statement 76

```
select * from stars
```



no data found

Statement 75

```
select * from student
```



NAMES	AGE	GENDER	PHONE	ADDRESS	EMAIL
Yang	20	M	9876543210	Shanghai	yang@mail.com
Lin	19	M	3456789234	Mumbai	lin@mail.com
Xiong	24	F	2345678923	Shenzen	xiong@mail.com
Yanke	22	M	5467893453	Busan	yanke@mail.com
Fang	26	M	4567568934	Hyderabad	fang@mail.com

[Download CSV](#)

5 rows selected.

Statement 74

```
create table stars (Names char(25) primary key,age number(2))
```



Table created.

Live SQL

[Feedback](#) [Help](#) [lindugu@gitam.in](#)

# My Session

[Actions](#)[Reset Session](#)[Save](#)

F
M

[Download CSV](#)

2 rows selected.

Statement 72

```
select * from student
```



NAMES	AGE	GENDER	PHONE	ADDRESS	EMAIL
Yang	20	M	9876543210	Shanghai	yang@mail.com
Lin	19	M	3456789234	Mumbai	lin@mail.com
Xiong	24	F	2345678923	Shenzen	xiong@mail.com
Yanke	22	M	5467893453	Busan	yanke@mail.com
Fang	26	M	4567568934	Hyderabad	fang@mail.com

[Download CSV](#)

5 rows selected.

Statement 71

```
update student set Phone=2345678923 where Names='Xiong'
```



1 row(s) updated.

Statement 70

```
select Names,Address from student
```



# My Session

[Actions](#)[Reset Session](#)[Save](#)

Fang	Hyderabad
------	-----------

[Download CSV](#)

5 rows selected.

Statement 69

```
select * from student
```



NAMES	AGE	GENDER	PHONE	ADDRESS	EMAIL
Yang	20	M	9876543210	Shanghai	yang@mail.com
Lin	19	M	3456789234	Mumbai	lin@mail.com
Xiong	24	F	4567892345	Shenzen	xiong@mail.com
Yanke	22	M	5467893453	Busan	yanke@mail.com
Fang	26	M	4567568934	Hyderabad	fang@mail.com

[Download CSV](#)

5 rows selected.

Statement 68

```
insert into student values ('Fang',26,'M',4567568934,'Hyderabad','fang@mail.com')
```



1 row(s) inserted.

Statement 67

```
insert into student values ('Yanke',22,'M',5467893453,'Busan','yanke@mail.com')
```



1 row(s) inserted.

# My Session

[Actions](#)[Reset Session](#)[Save](#)

Statement 65

```
insert into student values ('Lin',19,'M',3456789234,'Mumbai','lin@mail.com')
```



1 row(s) inserted.

Statement 64

```
insert into student values ('Yang',20,'M',9876543210,'Shanghai','yang@mail.com')
```



1 row(s) inserted.

Statement 63

```
select * from student
```



no data found

Statement 62

```
select star from student
```



ORA-00904: "STAR": invalid identifier

Statement 61

```
create table student (Names char(25),Age number(2),Gender char(2),Phone number(13),Address varchar2(50),Email varchar2(30))
```



## Live SQL

[Feedback](#) [Help](#) [lindugu@gitam.in](#)

# My Session

Actions ▾

Reset Session

Save

:(2),Phone number(13),Address varchar2(50),Email varchar2(30))

ORA-00902: invalid datatype

Statement 59



select \* from sem1table

COURSECODE	COURSENAMES	MARKS	GRADE
CHEM1001	Chemistry	98	O
CLAD1001	EI and RS	91	O
CSEN1001	IT Tools	69	S
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+
MATH1001	Single variables	99	O
CHEM1001	Several variables	99	O
MECH1021	Workshop	98	O
VEDC1001	Venture Development	86	A+

[Download CSV](#)

9 rows selected.

Statement 58

insert into sem1table values('VEDC1001','Venture Development',86,'A+')  
--select \* from sem1

1 row(s) inserted.

# My Session i

[Actions](#) ▾[Reset Session](#)[Save](#)

```
insert into sem1table values('CHEM1001','Several variables',99,'0')
```

1 row(s) inserted.

Statement 55



```
insert into sem1table values('MATH1001','Single variables',99,'0')
```

1 row(s) inserted.

Statement 54



```
insert into sem1table values('LANG1011','English',86,'B+')
```

1 row(s) inserted.

Statement 53



```
insert into sem1table values('CSEN1011','C-Programming',77,'A')
```

1 row(s) inserted.

Statement 52



```
insert into sem1table values('CSEN1001','IT Tools',69,'S')
```

1 row(s) inserted.

# My Session

[Actions](#)[Reset Session](#)[Save](#)

Statement 50

```
insert into sem1table values('CHEM1001','Chemistry',98,'O')
```



1 row(s) inserted.

Statement 49

```
create table sem1table (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),Grade varchar(3))
```



Table created.

Statement 48

```
create table sem-1 (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),Grade varchar(3))
```



ORA-00922: missing or invalid option

Statement 47

```
select * from sem1
```



COURSECODE	COURSENAMES	MARKS	GRADE
CHEM1001	Chemistry	98	O
CLAD1001	EI and RS	91	O
CSEN1011	C-Programming	77	A

# My Session

[Actions](#)[Reset Session](#)[Save](#)[LANG1011](#) [English](#) [86](#) [B+](#)[Download CSV](#)

9 rows selected.

Statement 46

```
create * from sem1
```



ORA-00901: invalid CREATE command

Statement 45

```
insert into sem1 values('LANG1011','English',86,'B+')
```



1 row(s) inserted.

Statement 44

```
insert into sem1 values('CSEN1001','IT Tools',69,'S')
```



1 row(s) inserted.

Statement 43

```
insert into sem1 values('VEDC1001','Venture Development',86,'A+')
```



1 row(s) inserted.

# My Session (i)

[Actions](#) ▾[Reset Session](#)[Save](#)

Statement 41



```
insert into sem1 values('CHEM1001','Several variables',99,'0')
```

1 row(s) inserted.

Statement 40



```
insert into semr1 values('MATH1001','Single variables',99,'0')
```

ORA-00942: table or view does not exist

Statement 39



```
insert into sem1 values('LANG1011','English',86,'B+')
```

1 row(s) inserted.

Statement 38



```
insert into sem1 values('CSEN1011','C-Programming',77,'A')
```

1 row(s) inserted.

Statement 37



```
insert into semr1 values('CSEN1001','IT Tools',69,'S')
```

# My Session

[Actions](#)[Reset Session](#)[Save](#)

1 row(s) inserted.

Statement 35



```
insert into sem1 values('CHEM1001','Chemistry',98,'O')
```

1 row(s) inserted.

Statement 34



```
select * from sem1
```

no data found

Statement 33



```
create * from sem1
```

ORA-00901: invalid CREATE command

Statement 32



```
insert into semester1 values('VEDC1001','Venture Development',86,'A+')
```

1 row(s) inserted.

# My Session

[Actions](#)[Reset Session](#)[Save](#)

Statement 30

```
insert into semester1 values('CHEM1001','Several variables',99,'O')
```



1 row(s) inserted.

Statement 29

```
insert into semester1 values('MATH1001','Single variables',99,'O')
```



1 row(s) inserted.

Statement 28

```
insert into semester1 values('LANG1011','English',86,'B+')
```



1 row(s) inserted.

Statement 27

```
insert into semester1 values('CSEN1011','C-Programming',77,'A')
```



1 row(s) inserted.

Statement 26

```
insert into semester1 values('CSEN1001','IT Tools',69,'S')
```



# My Session (i)

Actions ▾

Reset Session

Save

1 row(s) inserted.

Statement 24



insert into semester1 values('CHEM1001','Chemistry',98,'O')

1 row(s) inserted.

Statement 23



create table sem1 (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),Grade varchar(3))

ORA-00955: name is already used by an existing object

Statement 22



create table sem1 (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),Grade varchar(3))

Table created.

Statement 21



create table semester1 (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),Grade varchar(3))

ORA-00955: name is already used by an existing object

# My Session (i)

[Actions](#) ▾[Reset Session](#)[Save](#)

CLAD1001	EI and RS	91	0
CSEN1001	IT Tools	69	S
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+
MATH1001	Single variables	99	0
CHEM1001	Several variables	99	0
MECH1021	Workshop	98	0
VEDC1001	Venture Development	86	A+

[Download CSV](#)

9 rows selected.

Statement **19**

```
insert into semester1 values('VEDC1001','Venture Development',86,'A+')
```

1 row(s) inserted.

Statement **18**

```
insert into semester1 values('MECH1021','Workshop',98,'0')
```

1 row(s) inserted.

Statement **17**

```
insert into semester1 values('CHEM1001','Several variables',99,'0')
```

1 row(s) inserted.

,'O')

# My Session

Actions ▾

Reset Session

Save

Statement 15



```
insert into semester1 values('LANG1011','English',86,'B+')
```

1 row(s) inserted.

Statement 14



```
insert into semester1 values('CSEN1011','C-Programming',77,'A')
```

1 row(s) inserted.

Statement 13



```
insert into semester1 values('CSEN1001','IT Tools',69,'S')
```

1 row(s) inserted.

Statement 12



```
insert into semester1 values('CLAD1001','EI and RS',91,'O')
```

1 row(s) inserted.

Statement 11



```
insert into semester1 values('CHEM1001','Chemistry',98,'O')
```

# My Session

[Actions](#)[Reset Session](#)[Save](#)

Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(3))

Table created.

Statement 9

```
create table semester1 (Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(3))
```



ORA-00907: missing right parenthesis

Statement 8

```
create table semester1 (Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(3))
```



ORA-00907: missing right parenthesis

Statement 7

```
create table semester1 (Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(3))
```



ORA-00907: missing right parenthesis

Statement 6

```
create table semester1(Course code varchar(20),Course names char(20),Marks number(2),Grade varchar(2))
```



# My Session

[Actions](#)[Reset Session](#)[Save](#)

Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(2))

ORA-00907: missing right parenthesis

Statement 4



create table semester1(Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(2))

ORA-00907: missing right parenthesis

Statement 3



create table sem-1(Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(2))

ORA-00922: missing or invalid option

Statement 2



create table sem-1(Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(2))

ORA-00922: missing or invalid option

Statement 1



create table(Course code varchar(20),Course names varchar(20),Marks number(2),Grade varchar(2))

[Live SQL](#)[Feedback](#)[Help](#)[lindugu@gitam.in](#)

# My Session i

[Actions](#)[Reset Session](#)[Save](#)© 2022 Oracle. All rights reserved. Oracle Database 19c Enterprise Edition - 19.14.0.0.0 · Database Documentation · Ask Tom · Dev GymBuilt with ❤️ using [Oracle APEX](#) · [Privacy](#) · [Terms of Use](#)