

Live SQL



My Session \ Previous Sessions \ **Previous Session**

Delete

Re-Run

Save this Session

- Created 2 weeks ago by lindugu@gitam.in
- Status Temporarily Archived, this script will be automatically deleted

Sort

most recent last

View

Statements and Results

Statement 1



```
create table(Course code varchar(20),Course names varchar(20),Marks number(2),Grade varch
```

ORA-00903: invalid table name

Statement 2



```
create table sem-1(Course code varchar(20),Course names varchar(20),Marks number(2),Grade
```

ORA-00922: missing or invalid option

Statement 3



```
create table sem-1(Course code varchar(20),Course names varchar(20),Marks number(2),Grade
```

ORA-00922: missing or invalid option

Statement 4



```
create table semester1(Course code varchar(20),Course names varchar(20),Marks number(2),G
```

ORA-00907: missing right parenthesis

Live SQL



Statement 5



```
create table semester1(Course code varchar(20),Course names varchar(20),Marks number(2),G
```

ORA-00907: missing right parenthesis

Statement 6



```
create table semester1(Course code varchar(20),Course names char(20),Marks number(2),Grad
```

ORA-00907: missing right parenthesis

Statement 7



```
create table semester1 (Course code varchar(20),Course names varchar(20),Marks number(2),
```

ORA-00907: missing right parenthesis

Statement 8



```
create table semester1 (Course code varchar(20),Course names varchar(20),Marks number(2),
```

ORA-00907: missing right parenthesis

Statement 9



```
create table semester1 (Course code varchar(20),Course names varchar(20),Marks number(2),
```

ORA-00907: missing right parenthesis

Statement 10



```
create table semester1 (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),G
```

Table created.

Statement 11



```
insert into semester1 values('CHEM1001','Chemistry',98,'0')
```

Live SQL

<div>Statement 12</div> <div></div>	<div>insert into semester1 values('CLAD1001','EI and RS',91,'O')</div> <div>1 row(s) inserted.</div>
<div>Statement 13</div> <div></div>	<div>insert into semester1 values('CSEN1001','IT Tools',69,'S')</div> <div>1 row(s) inserted.</div>
<div>Statement 14</div> <div></div>	<div>insert into semester1 values('CSEN1011','C-Programming',77,'A')</div> <div>1 row(s) inserted.</div>
<div>Statement 15</div> <div></div>	<div>insert into semester1 values('LANG1011','English',86,'B+')</div> <div>1 row(s) inserted.</div>
<div>Statement 16</div> <div></div>	<div>insert into semester1 values('MATH1001','Single variables',99,'O')</div> <div>1 row(s) inserted.</div>
<div>Statement 17</div> <div></div>	<div>insert into semester1 values('CHEM1001','Several variables',99,'O')</div> <div>1 row(s) inserted.</div>
<div>Statement 18</div> <div></div>	<div>insert into semester1 values('MECH1021','Workshop',98,'O')</div> <div>1 row(s) inserted.</div>
<div>Statement 19</div>	

Live SQL



1 row(s) inserted.

Statement 20



select * from semester1

COURSECODE	COURSENAMES	MARKS	GRADE
MECH1021	Workshop	98	0
VEDC1001	Venture Development	86	A+
CHEM1001	Chemistry	98	0
CLAD1001	EI and RS	91	0
CSEN1001	IT Tools	69	S
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+
MECH1021	Workshop	98	0
VEDC1001	Venture Development	86	A+
CHEM1001	Chemistry	98	0
CLAD1001	EI and RS	91	0
MATH1001	Single variables	99	0
CHEM1001	Several variables	99	0
MECH1021	Workshop	98	0
VEDC1001	Venture Development	86	A+
MATH1001	Single variables	99	0
CHEM1001	Several variables	99	0
MECH1021	Workshop	98	0
VEDC1001	Venture Development	86	A+
MATH1001	Single variables	99	0
CHEM1001	Several variables	99	0
MECH1021	Workshop	98	0
VEDC1001	Venture Development	86	A+
MATH1001	Single variables	99	0
CHEM1001	Several variables	99	0
MECH1021	Workshop	98	0
CHEM1001	Chemistry	98	0
CLAD1001	EI and RS	91	0
CSEN1001	IT Tools	69	S
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+

Live SQL



CSEN1001	IT Tools	69	S
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+

35 rows selected.

Statement 21



```
create table semester1 (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),G
```

ORA-00955: name is already used by an existing object

Statement 22



```
create table sem1 (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),Grade
```

Table created.

Statement 23



```
create table sem1 (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),Grade
```

ORA-00955: name is already used by an existing object

Statement 24



```
insert into semester1 values('CHEM1001','Chemistry',98,'O')
```

1 row(s) inserted.

Statement 25



```
insert into semester1 values('CLAD1001','EI and RS',91,'O')
```

1 row(s) inserted.

Statement 26



```
insert into semester1 values('CSEN1001','IT Tools',69,'S')
```

1 row(s) inserted.

	1 row(s) inserted.
<div>Statement 28</div> <div>▶</div>	<div>insert into semester1 values('LANG1011','English',86,'B+')</div> <div>1 row(s) inserted.</div>
<div>Statement 29</div> <div>▶</div>	<div>insert into semester1 values('MATH1001','Single variables',99,'0')</div> <div>1 row(s) inserted.</div>
<div>Statement 30</div> <div>▶</div>	<div>insert into semester1 values('CHEM1001','Several variables',99,'0')</div> <div>1 row(s) inserted.</div>
<div>Statement 31</div> <div>▶</div>	<div>insert into semester1 values('MECH1021','Workshop',98,'0')</div> <div>1 row(s) inserted.</div>
<div>Statement 32</div> <div>▶</div>	<div>insert into semester1 values('VEDC1001','Venture Development',86,'A+')</div> <div>1 row(s) inserted.</div>
<div>Statement 33</div> <div>▶</div>	<div>create * from sem1</div> <div>ORA-00901: invalid CREATE command</div>
<div>Statement 34</div> <div>▶</div>	<div>select * from sem1</div>

Live SQL



Statement 35



```
insert into sem1 values('CHEM1001','Chemistry',98,'O')
```

```
1 row(s) inserted.
```

Statement 36



```
insert into sem1 values('CLAD1001','EI and RS',91,'O')
```

```
1 row(s) inserted.
```

Statement 37



```
insert into semr1 values('CSEN1001','IT Tools',69,'S')
```

```
ORA-00942: table or view does not exist
```

Statement 38



```
insert into sem1 values('CSEN1011','C-Programming',77,'A')
```

```
1 row(s) inserted.
```

Statement 39



```
insert into sem1 values('LANG1011','English',86,'B+')
```

```
1 row(s) inserted.
```

Statement 40



```
insert into semr1 values('MATH1001','Single variables',99,'O')
```

```
ORA-00942: table or view does not exist
```

Statement 41



```
insert into sem1 values('CHEM1001','Several variables',99,'O')
```

Live SQL

Statement 42



```
insert into sem1 values('MECH1021','Workshop',98,'0')
```

1 row(s) inserted.

Statement 43



```
insert into sem1 values('VEDC1001','Venture Development',86,'A+')
```

1 row(s) inserted.

Statement 44



```
insert into sem1 values('CSEN1001','IT Tools',69,'S')
```

1 row(s) inserted.

Statement 45



```
insert into sem1 values('LANG1011','English',86,'B+')
```

1 row(s) inserted.

Statement 46



```
create * from sem1
```

ORA-00901: invalid CREATE command

Statement 47



```
select * from sem1
```

COURSECODE	COURSENAMES	MARKS	GRADE
CHEM1001	Chemistry	98	0
CLAD1001	EI and RS	91	0
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+
CHEM1001	Several variables	99	0
MECH1021	Workshop	98	0

LANG1011	English	86	B+
----------	---------	----	----

9 rows selected.

Statement 48

▶

create table sem-1 (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),Grade

ORA-00922: missing or invalid option

Statement 49

▶

create table sem1table (Coursecode varchar(20),Coursenames varchar(30),Marks number(2),G

Table created.

Statement 50

▶

insert into sem1table values('CHEM1001','Chemistry',98,'O')

1 row(s) inserted.

Statement 51

▶

insert into sem1table values('CLAD1001','EI and RS',91,'O')

1 row(s) inserted.

Statement 52

▶

insert into sem1table values('CSEN1001','IT Tools',69,'S')

1 row(s) inserted.

Statement 53

▶

insert into sem1table values('CSEN1011','C-Programming',77,'A')

1 row(s) inserted.

Statement 54

▶

insert into sem1table values('LANG1011','English',86,'B+')

Live SQL



Statement 55



```
insert into sem1table values('MATH1001','Single variables',99,'0')
```

1 row(s) inserted.

Statement 56



```
insert into sem1table values('CHEM1001','Several variables',99,'0')
```

1 row(s) inserted.

Statement 57



```
insert into sem1table values('MECH1021','Workshop',98,'0')
```

1 row(s) inserted.

Statement 58



```
insert into sem1table values('VEDC1001','Venture Development',86,'A+')
--select * from sem1
```

1 row(s) inserted.

Statement 59



```
select * from sem1table
```

COURSECODE	COURSENAMES	MARKS	GRADE
CHEM1001	Chemistry	98	0
CLAD1001	EI and RS	91	0
CSEN1001	IT Tools	69	S
CSEN1011	C-Programming	77	A
LANG1011	English	86	B+
MATH1001	Single variables	99	0
CHEM1001	Several variables	99	0
MECH1021	Workshop	98	0
VEDC1001	Venture Development	86	A+

9 rows selected.

Live SQL



© 2022 Oracle · Live SQL 22.1.3, running Oracle Database 19c Enterprise Edition - 19.14.0.0.0 · [Database Documentation](#) · [Ask Tom](#) · [Dev Gym](#)
Built with ❤️ using [Oracle APEX](#) · [Privacy](#) · [Terms of Use](#)

