CHRONIC PAIN MONITORING BATTERY

Patient Form I PHQ-9 + PEG-3 + PDI + ORT-OUD + COMM-16

Patient Name: **Date of Birth:** **Date of Visit:**

Purpose: This form helps monitor mood symptoms, pain impact, daily functioning, medication safety, and opioid-risk factors between visits. Please answer based on your recent experience and return the completed form to staff.

SECTION 1 - PHQ-9 Patient Health Questionnaire-9

Instructions: Over the past 2 weeks, how often have you been bothered by the following problems? Check the best answer.

Over the past 2 weeks, how often have you been bothered by:	Not at all (0)	Several days (1)	More than half the days (2)	Nearly every day (3)
1. Little interest or pleasure in doing things	[ ]	[ ]	[ ]	[ ]
2. Feeling down, depressed, or hopeless	[ ]	[ ]	[ ]	[ ]
3. Trouble falling or staying asleep, or sleeping too much	[ ]	[ ]	[ ]	[ ]
4. Feeling tired or having little energy	[ ]	[ ]	[ ]	[ ]
5. Poor appetite or overeating	[ ]	[ ]	[ ]	[ ]
6. Feeling bad about yourself - or that you are a failure or have let yourself or your family down	[ ]	[ ]	[ ]	[ ]
7. Trouble concentrating on things, such as reading the newspaper or watching television	[ ]	[ ]	[ ]	[ ]
8. Moving or speaking so slowly that other people could have noticed; or being so fidgety/restless that you move around more than usual	[ ]	[ ]	[ ]	[ ]
9. Thoughts that you would be better off dead, or of hurting yourself in some way	[ ]	[ ]	[ ]	[ ]

PHQ-9 Total: ____ /27 Item #9: ____

If item #9 is greater than 0, notify clinical staff before the patient leaves the office.

Additional comments / symptoms / patient concerns:

CHRONIC PAIN MONITORING BATTERY

Patient Form I PEG-3

Patient Name: **Date of Birth:** **Date of Visit:**

SECTION 2 - PEG-3 Pain, Enjoyment, General Activity Scale

Instructions: Circle the one number that best describes your experience in the past week.

Domain	Question	Circle 0-10	Score
P - Pain	What number best describes your pain on average in the past week?	0 1 2 3 4 5 6 7 8 9 10	____
E - Enjoyment	What number best describes how pain has interfered with your enjoyment of life?	0 1 2 3 4 5 6 7 8 9 10	____
G - General Activity	What number best describes how pain has interfered with your general activity?	0 1 2 3 4 5 6 7 8 9 10	____

PEG Average: ____ /10 (Pain + Enjoyment + General Activity) / 3

Notes:

CHRONIC PAIN MONITORING BATTERY

Patient Form I PDI

Patient Name: **Date of Birth:** **Date of Visit:**

SECTION 3 - PDI Pain Disability Index

Instructions: Rate the degree to which pain has disrupted each activity in the past week. 0 = no disability/disruption; 10 = total disability/disruption.

Life Domain	0 = No disability / 10 = Total disability	Score
Family/Home Responsibilities	0 1 2 3 4 5 6 7 8 9 10	____
Recreation	0 1 2 3 4 5 6 7 8 9 10	____
Social Activity	0 1 2 3 4 5 6 7 8 9 10	____
Occupation (work/school/homemaking)	0 1 2 3 4 5 6 7 8 9 10	____
Sexual Behavior	0 1 2 3 4 5 6 7 8 9 10	____
Self-Care	0 1 2 3 4 5 6 7 8 9 10	____
Life-Support Activity (eating, sleeping, breathing)	0 1 2 3 4 5 6 7 8 9 10	____

PDI Total Score: ____ /70 Sum of all 7 domains

Notes:

CHRONIC PAIN MONITORING BATTERY

Patient Form I ORT-OUD

Patient Name: **Date of Birth:** **Date of Visit:**

SECTION 4 - ORT-OUD Revised Opioid Risk Tool

Instructions: Mark Yes or No for each risk factor. Each Yes response = 1 point.

Risk factor	Yes	No	Score
Age 16-45 years	[ ]	[✓]	____
History of depression	[ ]	[✓]	____
History of ADD, OCD, bipolar disorder, or schizophrenia	[ ]	[✓]	____
Personal history of alcohol abuse	[✓]	[ ]	____
Personal history of illegal drug abuse	[✓]	[ ]	____
Personal history of prescription drug abuse	[ ]	[✓]	____
Family history of alcohol abuse	[✓]	[ ]	____
Family history of illegal drug abuse	[✓]	[ ]	____
Family history of prescription drug abuse	[✓]	[ ]	____

ORT-OUD Total: ____ /9 **Risk category: Low 0-2 High >= 3**

CHRONIC PAIN MONITORING BATTERY

Patient Form I COMM-16 Current Opioid Misuse Measure

Patient Name: **Date of Birth:** **Date of Visit:**

SECTION 5 - COMM-16 Current Opioid Misuse Measure

Instructions: Circle the answer that best describes how often each situation has occurred in the past 30 days. 0 = Never, 1 = Rarely, 2 = Sometimes, 3 = Often, 4 = Very Often.

COMM-16 Item	Never (0)	Rarely (1)	Sometimes (2)	Often (3)	Very Often (4)
1. I have taken my pain medication differently than prescribed, such as more often or at a higher dose.	[ ]	[ ]	[ ]	[ ]	[ ]
2. I have used my pain medication to help me sleep, relax, manage stress, anxiety, or emotions.	[ ]	[ ]	[ ]	[ ]	[ ]
3. My pain medication has made it hard to think clearly, stay alert, concentrate, or function safely.	[ ]	[ ]	[ ]	[ ]	[ ]
4. I have borrowed, used someone else's, shared, or otherwise used prescription pain medication in a way not prescribed for me.	[ ]	[ ]	[ ]	[ ]	[ ]
5. A family member, friend, or clinician has expressed concern about my pain medication use.	[ ]	[ ]	[ ]	[ ]	[ ]
6. I have felt a strong urge or craving to use my pain medication.	[ ]	[ ]	[ ]	[ ]	[ ]
7. I have used alcohol, marijuana, sedatives, or other substances to help manage pain or enhance medication effects.	[ ]	[ ]	[ ]	[ ]	[ ]
8. I have run out of pain medication earlier than expected or felt worried about running out.	[ ]	[ ]	[ ]	[ ]	[ ]

CHRONIC PAIN MONITORING BATTERY

Patient Form I COMM-16 Current Opioid Misuse Measure

Patient Name: **Date of Birth:** **Date of Visit:**

SECTION 5 - COMM-16 Current Opioid Misuse Measure (continued)

Continue rating each item based on the past 30 days.

COMM-16 Item	Never (0)	Rarely (1)	Sometimes (2)	Often (3)	Very Often (4)
9. I have requested early refills, replacement medication, or dose increases because my medication was not lasting as expected.	[ ]	[ ]	[ ]	[ ]	[ ]
10. I have taken pain medication because I was upset, angry, sad, bored, or emotionally distressed rather than primarily for pain.	[ ]	[ ]	[ ]	[ ]	[ ]
11. I have had difficulty controlling how much or how often I take my pain medication.	[ ]	[ ]	[ ]	[ ]	[ ]
12. I have hidden, minimized, or not fully disclosed how I was taking my pain medication.	[ ]	[ ]	[ ]	[ ]	[ ]
13. Pain medication use has caused problems with family, work, responsibilities, safety, or daily functioning.	[ ]	[ ]	[ ]	[ ]	[ ]
14. I have sought pain medication from another source, urgent care, emergency department, or another prescriber without first discussing it with my treating clinician.	[ ]	[ ]	[ ]	[ ]	[ ]
15. I have felt impaired, sedated, intoxicated, or unsafe after taking pain medication.	[ ]	[ ]	[ ]	[ ]	[ ]
16. I have continued to take pain medication in a way that caused concern despite being advised to change or stop that behavior.	[ ]	[ ]	[ ]	[ ]	[ ]

COMM-16 Total: ____ /64 Elevated opioid misuse-risk signal: >= 9

Patient Signature: _____ **Date:** _____