Solavita

Light, Stability, Hope for Every Home



Solavita

Web: solavita.com
Email: sunzhanfeng@skyworth.com
WhatsApp: +8618500875025

Global-V1.08-2026EN



Residential Solar System

Reliable Power. Lower Bills. Clean Energy Now.





Solavita

A Leading Global Provider of Smart Home Energy Solutions.

Solavita, the cutting-edge PV brand under SKYWORTH Group. We deliver integrated solar power, battery storage, and smart energy management to build a stable, clean, and cost-effective home energy ecosystem. Our mission is to build a stable, clean, and cost-effective energy future for your home—turning abundant sunshine into a tangible, better life for you and your family.

Global Footprint:

With a strategic layout across 7 overseas regions, we are deeply rooted in core markets including Europe, Southeast Asia, Africa, and South America, with overseas revenue surpassing 30%.

800,000+
Solar Stations Installed Worldwide

29.3GW
Cumulative Installed Capacity


3.4 Billion Dollar REVENUE

2,000+ EMPLOYEES

4,500+ O&M TEAM

200+ R&D EMPLOYEES

5,000+ DISTRIBUTORS



Solavita operates globally,

with **800,000+** solar stations installed worldwide.



























Tired of Power Cuts and High Costs?

Blackouts:
Food spoils;
kids can't study;
security systems fail.

High Bills:
Rising costs increase your burden.

Stuck with a Noisy, Expensive Diesel Generator?

Fuel Drain:
Soaring diesel costs eat your income.

Noise & Smoke:
Deafening noise and toxic fumes.

Constant Repairs:
Always breaking down when needed.

The Solavita Solution

No More Anxiety. Enjoy a Zero-Carbon Life.

24/7 Power Supply
Continuous operation for critical loads like refrigeration and AC.

Instant Savings
Harness free sunlight to slash your diesel and grid bills.

Fume-Free & Quiet
Zero noise, zero fumes. Protect your family's health and sleep.

Control at Your App
With Solavita APP, check your system performance anytime.


Solavita Smart Energy: Make Sunshine Your Worker



Day Mode
During the day, sunlight is converted into electricity by the solar panels and sent directly to your home appliances.

Night Mode
When the sun goes down, the system automatically switches to the energy stored in your battery.

Backup Mode
If the grid fails, the hybrid inverter reacts in milliseconds, switching to battery power without interrupting your home.



TOPCon Module
Higher Efficiency
Highly Anti PID
Lower Irradiance Response
30-Year Warranty



Hybrid Inverter
Intelligent & Compact
Smart Control & Monitoring
Superb Safety & Reliability
Flexible & Adaptable Applications



Storage Battery
Capacity: 5.12 & 16.08kWh
IP 65 Protection
5-Year Warranty




Mounting System
Universal Compatibility:
Fits tin, tile, or concrete roofs.
Rust-Free Durability:
Anti-corrosion coating for coastal and humid areas.



Distribution & Protection System
Comprehensive Electrical Safety:
Full Protection: Equipped with DC/AC surge arresters and breakers to prevent overload and lightning strikes.
Peace of Mind:
Fire-proof and shock-proof design.

Performance Parameters

Solar Panels Parameters



Module Type	QM210THCD-620-66
Dimension	2382×1134×30mm
Junction Box	IP68 / 3 diodes
Weight	32.5kg
Max. Power	620W
Module Efficiency	23.00%
Open Circuit Voltage (Voc)	49.6V
Short Circuit Current (Isc)	15.91A
Max. Power Voltage (Vmp)	41.40V
Max. Power Current (Imp)	14.99A
Operating Temperature	-40℃~+85℃
Max. System Voltage	DC1500V
Max. Series Fuse Rating	25A / 30A
Power Tolerance	0~+5W

Hybrid Inverter Parameters

Single-phase Hybrid Inverter (Wall-Mounted)



Type		SWH3600L-S1-G2	SWH6000L-S1-G2	SWH8000L-S1-G2	SWH010KL-S1-G2	SWH012KL-S1-G2
AC Output (On-grid)	Nominal Output Power	3600 W	6000 W	8000 W	10000 W	12000 W
	Max. AC Active Power to Utility Grid	3960 W	6600 W	8800 W	11000 W	13200 W
	Max. AC Current to Utility Grid	18 A	30 A	40 A	50 A	60 A
AC Output (Backup)	Max. Output Apparent Power	3960 VA	6600 VA	8800 VA	11000 VA	132000 VA
	Max. Output Current	18A	30 A	40 A	50 A	60 A
	Nominal Output Voltage			220 / 230 / 240 V		
PV String Input	Max. Input Power	7200W	12000W	16000W	20000W	24000W
	Max. Input Voltage			600 V		
	MPPT Operating Voltage Range			60~550 V		
	Number of MPP Trackers			2		
	Max. Input Current per MPPT	20 A		32 A / 16 A	32 A / 32 A	
Battery Side	Battery Type			Li-Ion / Lead-acid		
	Nominal Battery Voltage			48 V		
	Max. Continuous Charging/ Discharging Current	90 A / 90 A	140 A / 140 A	160 A / 160 A	200 A / 200 A	240 A / 240 A
	Charging/Discharging Power	3600W/3960W	6000 W/6600W	8000 W/8800W	10000W/11000W	12000 W / 13200 W
Efficiency	Max. Efficiency			97.60%		
	European Efficiency			96.20%		
	MPPT Efficiency			99.90%		
General Data	Ingress Protection Rating			IP66		
	Cooling Method	Natural Convection			Smart Fan Cooling	
	Weight	15.5 kg		27 kg	29.0 kg	
	Dimension (W×H×D)	560×415×204 mm			560×444.5×226 mm	
	Operating Temperature Range			-35 ~ +60 ℃		

Performance Parameters



Hybrid Inverter Parameters

Three-phase Hybrid Inverter (Wall-Mounted)

Type		SWH010KL-T1-G2	SWH015KL-T1-G2	SWH020KL-T1-G2
AC Side	Nominal Power	10000 W	15000 W	20000 W
	Max. Power	11000 W	16500 W	22000 W
	Nominal Voltage		400/380, 3L/N/PE	
	Voltage Range		170 ~ 290 V	
	Max. Current to Grid	19.1 / 20 A	23.9 A / 25 A	31.9 / 33.3
PV Side	Max. Input Power	20 kW	30 kW	40 kW
	Max. Input Voltage		1000 V	
	MPPT Operating Voltage Range		150 ~ 850 V	
	Nominal Input Voltage		620 V	
	Number of MPP Trackers	3	4	4
	Max. MPPT Current	20 / 20 / 20 A	20 / 20 / 20 / 20 A	20 / 20 / 20 / 20 A
Battery Side	Battery Type		LFP / Lead-acid	
	Nominal Battery Voltage		48 V	
	Start-up Voltage		30 V	
	Max. Continuous Charging/ Discharging Current	220 A / 220 A	165 A / 165 A	208 A / 208 A
	Charging/Discharging Power	10000 W / 11000 W	15000 W / 16500 W	22000 W / 22000 W
Back-up Side	Nominal Output Apparent Power	10000 VA	15000 VA	20000 VA
	Max. Output Apparent Power	11000 (20000, 10s)	16500 (30000, 10s)	22000 (40000, 10s)
	Nominal Output Voltage		400 / 380, 3L/N/PE	
Efficiency	Max. Efficiency		97.80%	
	European Efficiency	97.30%	97.30%	97.40%
	MPPT Efficiency		99.90%	
General Data	Operating Temperature Range (℃)		-35 ~ +60	
	Max. Operating Altitude (m)		4000	
	Cooling Method		Smart Fan Cooling	
	Communication		WIFI+LAN+Bluetooth, 4G, RS485, CAN	
	Dimension (W × H × D mm)		756 × 551 × 258	
	Weight (kg)	45.3	49.7	51.2
	Anti-corrosion Class		C4	
	Ingress Protection Rating		IP66	

Intelligent Off-Grid Inverter Parameters

Single-phase Off-Grid Inverter (Wall-Mounted)


Type		SWO6000L-S1-SR	Type		SWO6000L-S1-SR
AC Output	Rated Output Power	6000W	Grid/Generator Input	Rated Input Voltage	220Vac/230Vac
	Rated Output Voltage	230Vac (Settable)		Input Voltage Range	(170Vac~280Vac) ±2%
	Switch Time	10ms (Typical)		Bypass Overload Current	40Aac
Battery	Rated Battery Voltage	48Vdc	Efficiency	MPPT Tracking Efficiency	99.90%
	Max. Discharging Current	135Adc		Max. Efficiency	97.50%
	Battery Type	Lithium-ion / Lead-acid / User-defined	General Data	Protection Degree	IP65
PV Input	No. of MPPT Trackers	2		Parallel Capacity	1~6 Units
	Max. PV Input Power	6000W+6000W		Warranty	5 years
	MPPT Operating Voltage Range	65Vdc~450Vdc / 65Vdc~450Vdc			

Performance Parameters

Storage Battery Parameters



Type	SVR5.12-L1-WW	SVR16.08-L1-WW
Rated Voltage	51.2V	
Rated Capacity	100Ah	314Ah
Rated Energy	5.12kWh	16.08kWh
Standard Charge Voltage	56.8V	
Discharge Cut-Off Voltage	44.8V	
Max. Charging Current	100A	200A
Max. Discharging Current	100A	200A
Dimension (LxWxH)	480 * 600 * 180mm (Excluding Wall-Mounted Brackets)	490 * 840 * 250mm (Excluding Wheels)
Weight	52Kg	128Kg
Charge Temperature	0~55℃	
Discharging Temperature	-20~55℃	
Cycle Life	>8000 Cycles (25℃±2℃, 0.5C, 90%DOD)	≥10000 Cycles (25℃±2℃, 0.35C, 90%DOD)
Installation Method	Wall-Mounted / Floor Standing	
Protection Grade	IP65	
Communication	RS485, RS232, CAN	
Optional	Automatic Heating, Fire Extinguishing Module, WiFi Remote Monitoring	



Find Your Perfect Match

From 3.6kW to 20kW, we have a package for every need —from basic lighting to heavy-duty whole-home power.



General Lighting & Appliances



High-Power Consumption



Power Outage Backup

Type	Package	TOPCon Module	Hybrid Inverter	Storage Battery
5,500–6,000 kWh	Single Phase 3.6kW + 5kWh	7 × 620Wp	3.6kW	5kWh
9,500–10,500 kWh	Single Phase 6kW + 10kWh (incl. off-grid)	12 × 620Wp	6kW (incl. off-grid)	2 × 5kWh
15,000–16,000 kWh	Single Phase 8–12kW + 16kWh	16–20 × 620Wp	8–12kW	16kWh
15,000–16,000 kWh	Three Phase 10kW + 16kWh	19 × 620Wp	10kW	16kWh
22,000–23,000 kWh	Three Phase 15kW + 32kWh	28 × 620Wp	15kW	2 × 16kWh
30,000–32,000 kWh	Three Phase 20kW + 32kWh	38 × 620Wp	20kW	2 × 16kWh

Single-phase: for homes. **Three-phase**: for large residences & small businesses.

*Disclaimer:
Annual generation estimates (3.6kW: ~5,500kWh to 20kW: ~32,000kWh) based on 4–5 peak sun hours.
Actual performance varies with weather and usage.

Worry-Free Future

One-Stop Service

Why Solavita?

We don't just install panels; we restore your peace of mind. Seamless integration, built to last, backed by local experts who care.

24/7 Power Supply

Zero Blackouts:
Keep fridges, AC, and Wi-Fi running 24/7 for family safety.

Instant Backup:
Seamless solar-plus-storage synergy ensures life never skips a beat.

Slash Your Energy Bills

Real Savings:
Prioritize solar usage to drastically cut monthly electricity expenses.

Ditch the Diesel:
Eliminate or reduce fuel costs and enjoy the dividends of clean energy.

Engineered for Endurance

Rugged Durability:
Designed to withstand extreme heat, heavy rain, and corrosion.

Safe & Compliant:
25-year warranty. Smart anti-islanding for total safety.

Smart Control in Your Palm

Full Transparency:
Track real-time data via app. Every kilowatt-hour accounted for.

Smart Scheduling:
Intelligently prioritize critical loads like security systems and AC.

Fast Install, Lifetime Support

Minimize Disruption:
Our professional teams aim for clean, efficient, and timely installation.

Local Presence:
Fast, reliable after-sales support right in your community.

Installation

Installation Process

Free Survey
Check roof,
load & needs

Design & Quote
Customized plan
for your approval

Installation
Panels, inverter,
and battery in 7 days

Commissioning
Test the system
8 Start saving

Support

Smart APP Monitoring

Control your power from your phone.



After-Sales Service

Regular Check-ups
Fast Local Response

FAQ

Will this really save me money?

A

Yes. You'll use less expensive grid power and buy far less diesel for your generator. Most families see their monthly bills drop significantly, making it a smart investment.

How long will the battery last?

A

It's built to last. With a 5-year warranty and 6,000 cycles, this battery can power your home for over 10 years—even with daily use.

What happens when the power goes out?

A

Your lights, fridge, and Wi-Fi stay on. The system automatically switches to battery power instantly, so your family stays comfortable and safe, day or night.

Is it hard to maintain?

A

Not at all. Just keep the panels clean. We monitor your system remotely and have local experts ready to help if you need us.