Spectrum Image Analysis Py

Isobel Bicket

October 19, 2017

1 Revision History

Date	Version	Notes
October 19, 2017	1.0	Initial draft

2 Symbols, Abbreviations and Acronyms

symbol	description
Т	Test

[[]symbols, abbreviations or acronyms – you can reference the SRS tables if needed —SS]

Contents

2	2 Symbols, Abbreviations and Acronyms				
3	General Information				
	3.1	Purpose			
	3.2	Scope			
	3.3	Overview of Document			
Ļ	Pla	n			
	4.1	Software Description			
	4.2	Test Team			
	4.3	Automated Testing Approach			
	4.4	Verification Tools			
	4.5	Non-Testing Based Verification			
5	Sys	tem Test Description			
	5.1	Tests for Functional Requirements			
		5.1.1 Inputs			
		5.1.2 Area of Testing2			
	5.2	Tests for Nonfunctional Requirements			
		5.2.1 Area of Testing1			
		5.2.2 Area of Testing2			
	5.3	Traceability Between Test Cases and Requirements			
3	Uni	t Testing Plan			
7	Apı	pendix			
	7.1	Symbolic Parameters			
	7.2	Usability Survey Questions?			

List of Tables

List of Figures

This document ...

3 General Information

- 3.1 Purpose
- 3.2 Scope
- 3.3 Overview of Document
- 4 Plan
- 4.1 Software Description
- 4.2 Test Team

The test team has one member: Isobel Bicket.

4.3 Automated Testing Approach

Unit testing will be performed on the functions within the code, as an automated task to be done with every update of the code. The running of automated tests also provides regression testing and integration testing of new features and updates. The goal of testing is 100% code coverage.

4.4 Verification Tools

The following verification tools will be used

- Python unittest library: for performing unit tests on the code;
- Python coverage library: to determine the coverage of the tests;
- Deconvo.m: a Richardson-Lucy deconvolution algorithm implementation in Matlab, written by Dr. E.P. Bellido [1];
- Python HypersPy library: a Python-based library for EELS and EDX spectrum processing.

[Thoughts on what tools to use, such as the following: unit testing framework, valgrind, static analyzer, make, continuous integration, test coverage tool, etc. —SS]

4.5 Non-Testing Based Verification

The following non-testing based verification methods will be used to assess the performance of SpectrumImageAnalysisPy

- Code review: a detailed code review will be performed by an external party and feedback provided;
- User survey: a group of qualified users will be asked to process a sample dataset using the software and will be polled on their user experience.

[List any approaches like code inspection, code walkthrough, symbolic execution etc. Enter not applicable if that is the case. —SS]

5 System Test Description

5.1 Tests for Functional Requirements

5.1.1 Inputs

Spectrum Image Input

1. SI Data array

Type: Functional, Dynamic, Manual, Static etc.

Initial State:

Input: 3D data array, present in memory

Output: Spectrum Image stored within SpectrumImageAnalysisPy; the first and second axes should correspond to spatial dimensions, while the third axis should correspond to a spectral dimension.

How test will be performed: Create a 3D data array and attempt to read it with SpectrumImageAnalysisPy. Check that no errors are raised. Display the spectrum image to manually check that the data was read in correctly.

2. SI .dm3 file

Type: Functional, Dynamic, Manual, Static etc.

Initial State:

Input: .dm3 file, containing an acquired spectrum image

Output: Spectrum Image stored within SpectrumImageAnalysisPy, with metadata assigned to appropriate values

How test will be performed: Read in the .dm3 file with SpectrumImageAnalysisPy. Check that no errors are raised. Display the spectrum image to manually check that the data was read in correctly. Check spatial and spectral calibration to verify metadata was assigned correctly.

3. SI .h5 file

Type: Functional, Dynamic, Manual, Static etc.

Initial State:

Input: .h5 file, containing an acquired spectrum image

Output: Spectrum Image stored within SpectrumImageAnalysisPy, with metadata assigned to appropriate values

How test will be performed: Read in the .h5 file with SpectrumIm-ageAnalysisPy. Check that no errors are raised. Display the spectrum image to manually check that the data was read in correctly. Check spatial and spectral calibration to verify metadata was assigned correctly.

Spectrum Input

1. Spectrum Data array

Type: Functional, Dynamic, Manual, Static etc.

Initial State:

Input: 3D data array, present in memory

Output: Spectrum Image stored within SpectrumImageAnalysisPy; the first and second axes should correspond to spatial dimensions, while the third axis should correspond to a spectral dimension.

How test will be performed: Create a 3D data array and attempt to read it with SpectrumImageAnalysisPy. Check that no errors are raised. Display the spectrum image to manually check that the data was read in correctly.

2. Spectrum .csv file

Type: Functional, Dynamic, Manual, Static etc.

Initial State:

Input: .dm3 file, containing an acquired spectrum image

Output: Spectrum Image stored within SpectrumImageAnalysisPy, with metadata assigned to appropriate values

How test will be performed:

5.1.2 Area of Testing2

. . .

5.2 Tests for Nonfunctional Requirements

5.2.1 Area of Testing1

Title for Test

1. test-id1

Type:

Initial State:

Input/Condition:

Output/Result:

How test will be performed:

2. test-id2

Type: Functional, Dynamic, Manual, Static etc.

Initial State:

Input:

Output:

How test will be performed:

5.2.2 Area of Testing2

...

5.3 Traceability Between Test Cases and Requirements

6 Unit Testing Plan

[Unit testing plans for internal functions and, if appropriate, output files —SS]

References

[1] E. P. Bellido, D. Rossouw, and G. A. Botton, "Toward 10 meV Electron Energy-Loss Spectroscopy Resolution for Plasmonics," *Microscopy and Microanalysis*, vol. 20, pp. 767–778, June 2014.

7 Appendix

This is where you can place additional information.

7.1 Symbolic Parameters

The definition of the test cases will call for SYMBOLIC_CONSTANTS. Their values are defined in this section for easy maintenance.

7.2 Usability Survey Questions?

This is a section that would be appropriate for some teams.