Effects of Category Learning Strategies on Recognition Memory

Supplementary Information (SI)

Kevin O'Neill[1], Audrey Liu[1], Siyuan Yin[1,6], Timothy Brady[2], and Felipe De Brigard[1,3,4,5]

1. Center for Cognitive Neuroscience, Duke University
2. Department of Psychology, University of California in San Diego
3. Department of Philosophy, Duke University, Durham
4. Department of Psychology and Neuroscience, Duke University
5. Duke Institute for Brain Sciences, Duke University
6. Department of Marketing, University of Pennsylvania

Correspondence

Kevin O'Neill, Center for Cognitive Neuroscience, Duke University, Durham, NC 27708

Email: kevin.oneill@duke.edu.

Parameter	Median	HDI	pd	ROPE	% in ROPE
Intercept	0.29	[0.15, 0.43]	1	[-0.15, 0.15]	0.01
P	-0.08	[-0.29, 0.13]	0.76	[-0.15, 0.15]	0.76
I	-0.08	[-0.27, 0.12]	0.78	[-0.15, 0.15]	0.79
L	0.33	[0.10, 0.53]	1	[-0.15, 0.15]	0.04
NL	0.18	[-0.03, 0.38]	0.95	[-0.15, 0.15]	0.4
P:I	0.17	[-0.12, 0.46]	0.88	[-0.15, 0.15]	0.44
P:L	0.08	[-0.23, 0.42]	0.68	[-0.15, 0.15]	0.61
I:L	0.05	[-0.26, 0.33]	0.62	[-0.15, 0.15]	0.69
P:NL	-0.07	[-0.37, 0.24]	0.67	[-0.15, 0.15]	0.65
I:NL	0.05	[-0.22, 0.34]	0.64	[-0.15, 0.15]	0.71
L:NL	-0.12	[-0.48, 0.24]	0.75	[-0.15, 0.15]	0.51
P:I:L	-0.18	[-0.62, 0.26]	0.79	[-0.15, 0.15]	0.39
P:I:NL	0.01	[-0.40, 0.43]	0.52	[-0.15, 0.15]	0.55
P:L:NL	-0.17	[-0.74, 0.34]	0.73	[-0.15, 0.15]	0.37
I:L:NL	-0.01	[-0.51, 0.47]	0.51	[-0.15, 0.15]	0.47
P:I:L:NL	0.33	[-0.41, 1.07]	0.82	[-0.15, 0.15]	0.23

Table S1: Posterior medians, 95% HDIs, *pd*s, ROPEs, and % in ROPE for hits.



Table S2: Fitted posterior medians and 95% HDIs for hits.

Parameter	Median	HDI	pd	ROPE	% in ROPE
Intercept	-0.15	[-0.28, -0.02]	0.99	[-0.15, 0.15]	0.53
P	-0.03	[-0.23, 0.16]	0.62	[-0.15, 0.15]	0.89
I	0.11	[-0.07, 0.28]	0.88	[-0.15, 0.15]	0.67
L	0.26	[0.08, 0.43]	1	[-0.15, 0.15]	0.09
NL	0.09	[-0.06, 0.24]	0.86	[-0.15, 0.15]	0.82
P:I	-0.03	[-0.30, 0.24]	0.59	[-0.15, 0.15]	0.75
P:L	0.04	[-0.21, 0.31]	0.61	[-0.15, 0.15]	0.76
I:L	0.05	[-0.19, 0.29]	0.66	[-0.15, 0.15]	0.77
P:NL	0.01	[-0.21, 0.24]	0.53	[-0.15, 0.15]	0.85
I:NL	-0.19	[-0.38, 0.02]	0.96	[-0.15, 0.15]	0.36
L:NL	-0.08	[-0.32, 0.17]	0.75	[-0.15, 0.15]	0.71
P:I:L	-0.14	[-0.50, 0.21]	0.78	[-0.15, 0.15]	0.49
P:I:NL	0.31	[0.00, 0.61]	0.98	[-0.15, 0.15]	0.14
P:L:NL	-0.04	[-0.41, 0.32]	0.59	[-0.15, 0.15]	0.59
I:L:NL	0.04	[-0.29, 0.38]	0.6	[-0.15, 0.15]	0.63
P:I:L:NL	0.15	[-0.35, 0.64]	0.72	[-0.15, 0.15]	0.41

Table S3: Posterior medians, 95% HDIs, *pd*s, ROPEs, and % in ROPE for false alarms.



Table S4: Fitted posterior medians and 95% HDIs for false alarms.

Parameter	Median	HDI	pd	ROPE	% in ROPE
Intercept	-0.08	[-0.16, -0.01]	0.99	[-0.07, 0.07]	0.4
P	-0.02	[-0.13, 0.09]	0.65	[-0.07, 0.07]	0.81
I	0.07	[-0.04, 0.17]	0.89	[-0.07, 0.07]	0.57
L	0.16	[0.05, 0.26]	1	[-0.07, 0.07]	0.04
NL	0.05	[-0.04, 0.14]	0.86	[-0.07, 0.07]	0.71
O	0.27	[0.18, 0.36]	1	[-0.07, 0.07]	0
P:I	-0.02	[-0.17, 0.13]	0.58	[-0.07, 0.07]	0.7
P:L	0.03	[-0.13, 0.18]	0.64	[-0.07, 0.07]	0.66
I:L	0.03	[-0.11, 0.17]	0.66	[-0.07, 0.07]	0.69
P:NL	0.01	[-0.13, 0.15]	0.54	[-0.07, 0.07]	0.75
I:NL	-0.11	[-0.23, 0.02]	0.96	[-0.07, 0.07]	0.29
L:NL	-0.05	[-0.19, 0.09]	0.76	[-0.07, 0.07]	0.62
P:O	-0.03	[-0.17, 0.10]	0.66	[-0.07, 0.07]	0.7
I:O	-0.11	[-0.24, 0.01]	0.96	[-0.07, 0.07]	0.28
L:O	0.04	[-0.10, 0.19]	0.69	[-0.07, 0.07]	0.67
NL:O	0.06	[-0.09, 0.20]	0.78	[-0.07, 0.07]	0.59
P:I:L	-0.09	[-0.31, 0.11]	0.8	[-0.07, 0.07]	0.41
P:I:NL	0.18	[-0.00, 0.37]	0.97	[-0.07, 0.07]	0.11
P:L:NL	-0.03	[-0.24, 0.19]	0.62	[-0.07, 0.07]	0.51
I:L:NL	0.03	[-0.17, 0.22]	0.6	[-0.07, 0.07]	0.55
P:I:O	0.12	[-0.07, 0.31]	0.89	[-0.07, 0.07]	0.32
P:L:O	0.03	[-0.18, 0.25]	0.62	[-0.07, 0.07]	0.5
I:L:O	0.01	[-0.19, 0.21]	0.53	[-0.07, 0.07]	0.57
P:NL:O	-0.05	[-0.26, 0.16]	0.68	[-0.07, 0.07]	0.48
I:NL:O	0.15	[-0.05, 0.35]	0.92	[-0.07, 0.07]	0.23
L:NL:O	-0.04	[-0.28, 0.23]	0.6	[-0.07, 0.07]	0.44
P:I:L:NL	0.09	[-0.19, 0.40]	0.74	[-0.07, 0.07]	0.34
P:I:L:O	-0.04	[-0.32, 0.27]	0.6	[-0.07, 0.07]	0.39
P:I:NL: O	-0.18	[-0.46, 0.14]	0.88	[-0.07, 0.07]	0.21
P:L:NL:O	-0.08	[-0.45, 0.31]	0.67	[-0.07, 0.07]	0.3
I:L:NL:O	-0.04	[-0.38, 0.31]	0.58	[-0.07, 0.07]	0.33
P:I:L:NL:O	0.14	[-0.39, 0.65]	0.7	[-0.07, 0.07]	0.2

Table S5: Posterior medians, 95% HDIs, *pd*s, ROPEs, and % in ROPE for the SDT model.



Table S6: Fitted posterior medians and 95% HDIs for bias (*C*).



Table S7: Fitted posterior medians and 95% HDIs for sensitivity (*d'*).

Parameter	Median	HDI	pd	ROPE	% in ROPE
Intercept	1.68	[1.54, 1.82]	1	[-0.16, 0.16]	0
P	-0.09	[-0.30, 0.12]	0.77	[-0.16, 0.16]	0.75
I	-0.1	[-0.30, 0.10]	0.82	[-0.16, 0.16]	0.74
L	0.01	[-0.01, 0.04]	0.87	[-0.16, 0.16]	1
NL	0	[-0.03, 0.02]	0.66	[-0.16, 0.16]	1
O	0.01	[-0.01, 0.03]	0.86	[-0.16, 0.16]	1
P:I	0.01	[-0.28, 0.31]	0.52	[-0.16, 0.16]	0.74
P:L	-0.01	[-0.05, 0.02]	0.8	[-0.16, 0.16]	1
I:L	-0.01	[-0.05, 0.02]	0.83	[-0.16, 0.16]	1
P:NL	0.02	[-0.01, 0.05]	0.89	[-0.16, 0.16]	1
I:NL	0.01	[-0.02, 0.04]	0.72	[-0.16, 0.16]	1
L:NL	0.03	[-0.01, 0.07]	0.93	[-0.16, 0.16]	1
P:O	-0.02	[-0.05, 0.02]	0.84	[-0.16, 0.16]	1
I:O	-0.01	[-0.04, 0.02]	0.78	[-0.16, 0.16]	1
L:O	-0.01	[-0.05, 0.03]	0.7	[-0.16, 0.16]	1
NL:O	-0.02	[-0.06, 0.02]	0.9	[-0.16, 0.16]	1
P:I:L	0.03	[-0.02, 0.07]	0.86	[-0.16, 0.16]	1
P:I:NL	-0.03	[-0.08, 0.01]	0.91	[-0.16, 0.16]	1
P:L:NL	-0.04	[-0.10, 0.02]	0.89	[-0.16, 0.16]	1
I:L:NL	-0.03	[-0.08, 0.02]	0.89	[-0.16, 0.16]	1
P:I:O	0	[-0.04, 0.05]	0.55	[-0.16, 0.16]	1
P:L:O	0	[-0.05, 0.06]	0.53	[-0.16, 0.16]	1
I:L:O	0	[-0.05, 0.05]	0.52	[-0.16, 0.16]	1
P:NL:O	0	[-0.05, 0.06]	0.52	[-0.16, 0.16]	1
I:NL:O	0.01	[-0.04, 0.06]	0.71	[-0.16, 0.16]	1
L:NL:O	0	[-0.07, 0.07]	0.51	[-0.16, 0.16]	1
P:I:L:NL	0.02	[-0.06, 0.09]	0.69	[-0.16, 0.16]	1
P:I:L:O	-0.04	[-0.11, 0.04]	0.86	[-0.16, 0.16]	1
P:I:NL:O	0.01	[-0.06, 0.09]	0.63	[-0.16, 0.16]	1
P:L:NL:O	0.03	[-0.07, 0.12]	0.71	[-0.16, 0.16]	1
I:L:NL:O	0	[-0.09, 0.09]	0.55	[-0.16, 0.16]	1
P:I:L:NL:O	0.01	[-0.12, 0.14]	0.55	[-0.16, 0.16]	1

Table S8: Posterior medians, 95% HDIs, *pd*s, ROPEs, and % in ROPE for the μ parameter of the reaction time model.



Table S9: Fitted posterior medians and 95% HDIs for the μ parameter of the reaction time model.

Parameter	Median	HDI	pd	ROPE	% in ROPE
Intercept	-0.4	[-0.49, -0.30]	1	[-0.16, 0.16]	0
P	-0.11	[-0.27, 0.03]	0.93	[-0.16, 0.16]	0.72
I	-0.08	[-0.21, 0.05]	0.89	[-0.16, 0.16]	0.9
L	0	[-0.04, 0.04]	0.51	[-0.16, 0.16]	1
NL	-0.03	[-0.08, 0.01]	0.95	[-0.16, 0.16]	1
O	0.01	[-0.04, 0.05]	0.64	[-0.16, 0.16]	1
P:I	0.12	[-0.07, 0.32]	0.88	[-0.16, 0.16]	0.66
P:L	-0.04	[-0.10, 0.03]	0.85	[-0.16, 0.16]	1
I:L	0	[-0.06, 0.06]	0.52	[-0.16, 0.16]	1
P:NL	0.04	[-0.02, 0.11]	0.91	[-0.16, 0.16]	1
I:NL	0.06	[0.00, 0.11]	0.97	[-0.16, 0.16]	1
L:NL	0.07	[-0.00, 0.14]	0.97	[-0.16, 0.16]	1
P:O	-0.01	[-0.08, 0.05]	0.66	[-0.16, 0.16]	1
I:O	0	[-0.06, 0.05]	0.54	[-0.16, 0.16]	1
L:O	0.02	[-0.05, 0.09]	0.71	[-0.16, 0.16]	1
NL:O	-0.03	[-0.11, 0.04]	0.78	[-0.16, 0.16]	1
P:I:L	0.02	[-0.07, 0.11]	0.64	[-0.16, 0.16]	1
P:I:NL	-0.1	[-0.19, -0.02]	0.99	[-0.16, 0.16]	0.91
P:L:NL	-0.04	[-0.15, 0.07]	0.76	[-0.16, 0.16]	1
I:L:NL	-0.12	[-0.22, -0.02]	0.99	[-0.16, 0.16]	0.79
P:I:O	-0.04	[-0.14, 0.05]	0.82	[-0.16, 0.16]	1
P:L:O	-0.04	[-0.15, 0.07]	0.74	[-0.16, 0.16]	1
I:L:O	-0.08	[-0.18, 0.02]	0.95	[-0.16, 0.16]	0.95
P:NL:O	-0.03	[-0.14, 0.08]	0.71	[-0.16, 0.16]	1
I:NL:O	-0.05	[-0.16, 0.05]	0.84	[-0.16, 0.16]	1
L:NL:O	-0.03	[-0.16, 0.10]	0.67	[-0.16, 0.16]	1
P:I:L:NL	0.04	[-0.10, 0.19]	0.7	[-0.16, 0.16]	0.96
P:I:L:O	0.07	[-0.08, 0.22]	0.81	[-0.16, 0.16]	0.89
P:I:NL:O	0.17	[0.02, 0.32]	0.99	[-0.16, 0.16]	0.42
P:L:NL:O	0.11	[-0.08, 0.30]	0.88	[-0.16, 0.16]	0.69
I:L:NL:O	0.16	[-0.01, 0.33]	0.97	[-0.16, 0.16]	0.48
P:I:L:NL:O	-0.23	[-0.48, 0.03]	0.96	[-0.16, 0.16]	0.29

Table S10: Posterior medians, 95% HDIs, *pd*s, ROPEs, and % in ROPE for the τ parameter of the reaction time model.



Table S11: Fitted posterior medians and 95% HDIs for the τ parameter of the reaction time model.