

kali@kali: ~

File Actions Edit View Help

(kali@kali)-[~]

\$ ifconfig

```
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 192.168.50.100 netmask 255.255.255.0 broadcast 192.168.50.255
    inet6 fe80::a00:27ff:feeb:7ef5 prefixlen 64 scopeid 0x20<link>
    ether 08:00:27:cb:7e:f5 txqueuelen 1000 (Ethernet)
    RX packets 0 bytes 0 (0.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 17 bytes 2494 (2.4 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

```
lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 4 bytes 240 (240.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 4 bytes 240 (240.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

(kali@kali)-[~]

\$

KALI LINUX

"the quieter you become, the more you are able to hear"



Cestino

```
C:\Windows\system32\cmd.exe
Microsoft Windows [Versione 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. Tutti i diritti riservati.

C:\Users\Windows7>ipconfig

Configurazione IP di Windows

Scheda Ethernet Connessione alla rete locale (LAN):

    Suffisso DNS specifico per connessione:
    Indirizzo IPv6 locale rispetto al collegamento . : fe80::bc1c:5c06:a1c5:d76d%11
    Indirizzo IPv4. . . . . : 192.168.50.102
    Subnet mask . . . . . : 255.255.255.0
    Gateway predefinito . . . . . : 192.168.50.1

C:\Users\Windows7>S_
```



IT



22:27
20/11/2023

```
msfadmin@metasploitable:~$ ifconfig
```

```
eth0      Link encap:Ethernet  HWaddr 08:00:27:34:87:0b  
          inet addr:192.168.50.101  Bcast:192.168.50.255  Mask:255.255.255.0  
          inet6 addr: fe80::a00:27ff:fe34:870b/64 Scope:Link  
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1  
          RX packets:69 errors:0 dropped:0 overruns:0 frame:0  
          TX packets:80 errors:0 dropped:0 overruns:0 carrier:0  
          collisions:0 txqueuelen:1000  
          RX bytes:7621 (7.4 KB)  TX bytes:7597 (7.4 KB)  
          Base address:0xd020 Memory:f0200000-f0220000
```

```
lo        Link encap:Local Loopback  
          inet addr:127.0.0.1  Mask:255.0.0.0  
          inet6 addr: ::1/128 Scope:Host  
          UP LOOPBACK RUNNING  MTU:16436  Metric:1  
          RX packets:122 errors:0 dropped:0 overruns:0 frame:0  
          TX packets:122 errors:0 dropped:0 overruns:0 carrier:0  
          collisions:0 txqueuelen:0  
          RX bytes:27367 (26.7 KB)  TX bytes:27367 (26.7 KB)
```

```
msfadmin@metasploitable:~$ _
```