

Grade Book Detail

钟子鹏,

Quiz 3

Started: December 10, 2019, 11:02 am



Last change: December 10, 2019, 8:02 pm

Showing Scored Attempts | [Show Last Attempts](#) | [Show Review Attempts](#)

Hide Perfect Score Questions

Hide Not Answered Questions

Both Node-A and Node-B use the Go-Back-N protocol for continuous two-way data transmission, both parties use piggyback acknowledgement, and the frame length is 1000 bits. $S_{x,y}$ and $R_{x,y}$ respectively denote the data frames sent by Node-A and Node-B, where x is the sequence number for the outgoing frame, y is the acknowledgment number which is the number for the next incoming frame to receive. The field length of sequence numbers and acknowledgment



numbers of data frames is 3 bits. The data transmission rate of the channel is 10 Mbps and propagation time is 0.48 ms. The following figures show two scenarios in which the Node-A sends and receives data frames, at the initial time t_0 both sequence number and acknowledgment sequence number of Node-A is 0, and at t_1 Node-A has enough data to be transmitted.

- For Figure (a), from t_0 to t_1 , Node-A can confirm that how many frames Node-B has received correctly? 3
Which ones are the frames received correctly? (Denote them as $S_{x,y}$)

x

y

First Frame: S 0 , 0

Last Frame: S 2 , 0

2. For Figure (a), from t_1 , if no timeout occurred and no more data frame is received from Node-B,

how many data frames can Node-A send? 5

What are the first frame and the last frame (Denote them as S_x, y)?

First Frame: S 5 , 2

Last Frame: S 1 , 2

3. For Figure (b), from t_0 to t_1 , Node-A can confirm that

how many frames Node-B has received correctly? 2

What is the last frame? (Denote them as S_x, y)

Last Frame: S 1 , 0

4. For Figure (b), from t_1 , if no new timeout occurred and no more data frame is received from Node-B,

how many data frames does Node-A need to retransmit? 3

The retransmission frames will be (Denote them as S_x, y):

First Frame: S 2 , 3

Last Frame: S 4 , 3

5. What is the sending time of a frame? 0.1 ms

What is the maximum channel utilization that Node-A can achieve ? 60 %
(rounding integer)

(Tip: Please consider the transmission time of acknowledgment frame)

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

Show Answer

[Show Answer](#)[Show Answer](#)

Question 1: 100 (parts: 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5) out of 100 in 1 attempt(s)

Total: 100/100

[Return to GradeBook](#)