



INTEGRATED MANAGEMENT OF NEWBORN & CHILDHOOD ILLNESS (IMNCI)

E-Mail Address

Password

Remember Me

[Login](#)

[Forgot Your Password?](#)

IMNCI CONTENT MANAGEMENT SYSTEM

USER MANUAL

Table of Contents

Getting Started.....	1
What is Required.....	1
Accessing the CMS	1
Log In	1
Forgot Password.....	1
The System Skeleton	2
Dashboard.....	3
Assess, Classify & Identify Treatment.....	4
Assessments.....	4
Classifications & Treatment	7
Treat the Infant/Child	13
Section Titles	13
Ailments	15
Follow Up Care	20
Manage Follow Up	20
Manage Ailments	22
Counsel the Mother	23
Manage Titles.....	24
Manage Sub Content/Titles	26
HIV Care for Children	28
Gallery.....	29
Manage Items.....	29
Manage Ailment(s).....	30
Glossary	31
Manage Glossary Items.....	31
User Profiles.....	33
Reported Issues.....	33
Move to Archive	33
Mark as Solved	33
Log Out.....	34

Getting Started

What is Required

Note:



You will need the following to access the Mobile IMNCI Content Management System (CMS);


- i A computer / laptop
- ii Internet connection



Open a web browser such as Internet Explorer, Firefox, Google Chrome, Safari.



Type the following web address, <http://imci.nascop.org>, on the address bar to load the system.



Accessing the CMS

Log In

Login

E-Mail Address	<input type="text" value="██████████"/>
Password	<input type="password" value="....."/>
<input type="checkbox"/> Remember Me	
<input type="button" value="Login"/> Forgot Your Password?	

Type in the **email address** and **password** in the fields provided.

Click **Log In** to access the system.

Forgot Password

Click on **Forgot Password** on the log in page to reset the password.

Reset Password

E-Mail Address	<input type="text"/>
<input type="button" value="Send Password Reset Link"/>	

Type in the **email address** in the field provided.

Click **Send Password Reset Link**.

Note:



- i A link will be sent to the email address provided with instructions on how to reset the password.
- ii Check your email account to proceed with the reset.
- iii The reset password email would only be sent out to users that have been registered on the database.

Reset Password

E-Mail Address

We can't find a user with that e-mail address.

The System Skeleton

The layout of the **IMNCI Content Management System** is set into two; *Quick menu to the left of the web page & the content screen to the right.*



Quick Menu

The menu provides links that access the various sections of the system.

- ❖ Dashboard
- ❖ Assess, Classify & Identify Treatment
- ❖ Treat the Young Infant/Child
- ❖ Follow Up Care
- ❖ Counsel the Mother
- ❖ HIV Care for Children
- ❖ Gallery
- ❖ Glossary
- ❖ User Profiles
- ❖ Reported Issues
- ❖ Log Out

A screenshot of the IMNCI Content Management System interface. On the left, a vertical sidebar menu (the 'Quick Menu') is displayed, containing links for Dashboard, Assess, Classify and Identify Treatment, Treat the Infant/Child, Follow Up Care, Counsel the Mother, HIV Care For Children, Gallery, Glossary, User Profiles, Reported Issues, and Logout. The 'Assess, Classify and Identify Treatment' link is highlighted with a yellow box. An orange arrow points from this link to the main content area. The main content area on the right shows a table titled 'App Users' with columns: #, Brand, Device, Model, Android Version, and Date. The table lists 10 entries of users, each with their brand (e.g., Infinix, Huawei, Samsung), device model (e.g., X555, hwt1701, dreamlite), model (e.g., Infinix Zero 4, T1-701u, SM-G950F), Android version (e.g., 7.0, 4.4.2, 7.0), and date (e.g., 15.01.2018 at 11:17 am, 15.01.2018 at 09:33 am, 13.01.2018 at 07:37 am).

#	Brand	Device	Model	Android Version	Date
30	Infinix	X555	Infinix Zero 4	Android 7.0	15.01.2018 at 11:17 am
29	Huawei	hwt1701	T1-701u	Android 4.4.2	15.01.2018 at 09:33 am
28	samsung	dreamlite	SM-G950F	Android 7.0	13.01.2018 at 07:37 am
27	samsung	grandneove3g	GT-I9060I	Android 4.4.4	12.01.2018 at 09:34 pm
26	Infinix	INFINIX-X552	Infinix Zero 3	Android 6.0	11.01.2018 at 05:15 pm
25	htc	htc_a56dj_pro_dugl	HTC_D10I	Android 6.0	11.01.2018 at 04:49 pm
24	TECNO	TECNO-C8	TECNO-C8	Android 5.0.2	11.01.2018 at 04:11 pm

Content Screen


Information from the various sections will be displayed here for viewing or management e.g. add / edit / remove.

Dashboard

Click **Dashboard** link from the quick menu.

The content screen will display graphical summaries of information that has been collected from the **IMNCI version2 mobile app**.

Example: app download history, phone details (brands, OS Versions), user profile (Age bracket, Profession, County)



Assess, Classify & Identify Treatment

Click **Assess, Classify & Identify Treatment** link from the quick menu.

The content screen will display a table of the various assessment areas.

Section	Assessment Title	Content Available?	Actions
General Danger Signs	Check for Very Severe Disease	✓	Edit Assessment Manage Classifications
Check For	Check for Jaundice	✓	Edit Assessment Manage Classifications
Check For	Check for Eye Infection	✓	Edit Assessment Manage Classifications

Assessments

The information in this section can be managed as follows;

Get Assessments	Add Assessment	Edit Assessment	Manage Classifications
To view all the assessment areas such as Main Symptoms / General Danger Signs / Check for / Assess For	To include a new assessment area	To modify information within an assessment area	To Add, View/Edit, Remove classifications that are tied to an assessment area

Get Assessments

Step 1: Click **Cohort** to select the age bracket of the Infant/Child

Step 2: Click **Section** to select the respective assessment area

Step 3: Click **Get Assessments** button from the right side of the content screen

The screenshot shows a user interface for managing infant assessments. On the left is a sidebar with icons for 'Assess, Classify and Identify Treatment' and 'Treat the Infant/Child'. The main area has two dropdown menus: 'Cohort' set to 'Age upto 2 Months' and 'Section' set to 'All Sections'. A green button labeled 'Get Assessments' is highlighted with a red box and a cursor icon pointing at it. A blue button labeled 'Add Assessment' is also visible.

The **Assessments** will be displayed on the content screen as shown below based on the cohort & section selection criteria;

The screenshot shows the results of the assessment search. The sidebar and top navigation remain the same. The main area displays a table of assessments:

Section	Assessment Title	Content Available?	Actions
General Danger Signs	Check for Very Severe Disease	✓	Edit Assessment Manage Classifications
Check For	Check for Jaundice	✓	Edit Assessment Manage Classifications
Check For	Check for Eye Infection	✓	Edit Assessment Manage Classifications
Ask For	Does the young infant have signs of dehydration?	✓	Edit Assessment Manage Classifications
Check For	Check for HIV Exposure and Infection	✓	Edit Assessment Manage Classifications
Check For	Check for Feeding Problem, Low Weight or Low Birthweight	✓	Edit Assessment Manage Classifications
Check For	Check for Feeding Problem or Low Weight for Age in Non-Breastfed Infants	✓	Edit Assessment Manage Classifications
Check For	Check For Special Treatment Needs	✓	Edit Assessment Manage Classifications
Others	Keep The Young Infant Warm	✗	Edit Assessment Manage Classifications Remove
Check For	Check for the Immunization Status	✗	Edit Assessment Manage Classifications Remove
Check For	Check for Child's Developmental Milestones	✓	Edit Assessment Manage Classifications

[Add Assessments](#)

Step 1: Click **Cohort** to select the age bracket of the Infant/Child

The screenshot shows the 'Cohort' dropdown menu open, with 'Age upto 2 Months' selected. Other options include 'Age upto 2 Months' (selected) and '2 Months upto 5 Years'.

Step 2: Click **Section** to select the respective assessment area.

The screenshot shows the 'Section' dropdown menu open, with 'All Sections' selected. Other options include 'All Sections' (selected), 'General Danger Signs', 'Main Symptoms', 'Check For', 'Ask For', 'Assess For', and 'Others'.

Step 3: Click **Add Assessment** button from the right side of the content screen.

The screenshot shows a user interface for managing assessments. On the left, there's a sidebar with icons for 'Assess, Classify and Identify Treatment' and 'Treat the Infant/Child'. The main area has two dropdown menus: 'Cohort' set to 'Age upto 2 Months' and 'Section' set to 'All Sections'. At the top right are two buttons: 'Get Assessments' and 'Add Assessment'. A red box highlights the 'Add Assessment' button, which has a hand cursor icon over it.

Step 4: Fill in the assessment information in the fields provided & click **Save** for the information to be stored.

The screenshot shows the 'Add Assessment' form. It includes fields for 'Cohort' (set to '2 Months upto 5 Years'), 'Section' (set to 'Check For'), 'Assessment Title' (empty), and 'Content' (a rich text editor with a toolbar and a placeholder 'Type here...'). At the bottom right are 'Close' and 'Save changes' buttons, with 'Save changes' highlighted by a red box and a hand cursor icon.

Edit Assessment

Step 1: Display a list of the various assessment areas.

Select the **Cohort** and **Section** then click on **Get Assessments**.

The screenshot shows a user interface for managing assessments. On the left, there's a sidebar with icons for 'Dashboard', 'Assess, Classify and Identify Treatment', 'Treat the Infant/Child', 'Follow Up Care', 'Counsel the Mother', and 'HIV Care For Children'. The main area has two dropdown menus: 'Cohort' set to 'Age upto 2 Months' and 'Section' set to 'All Sections'. At the top right are two buttons: 'Get Assessments' and 'Add Assessment'. A red box highlights the 'Get Assessments' button, which has a hand cursor icon over it.

Step 2: Identify the assessment area to edit.

Click **Edit Assessment** button from the right side of the content screen.

The screenshot shows a user interface for managing assessments. On the left, there's a sidebar with icons for 'Dashboard', 'Assess, Classify and Identify Treatment', 'Treat the Infant/Child', 'Follow Up Care', 'Counsel the Mother', and 'HIV Care For Children'. The main area has two dropdown menus: 'Cohort' set to 'Age upto 2 Months' and 'Section' set to 'All Sections'. Below these are tables for 'Section' and 'Assessment Title', 'Content Available?', and 'Actions'. In the 'Actions' column, there are two buttons: 'Edit Assessment' and 'Manage Classifications'. A red box highlights the 'Edit Assessment' button for the first row, with a hand cursor icon over it. Another red box highlights the 'Edit Assessment' button for the second row.

Step 3: Modify the assessment information in the fields provided.

Click **Save Changes** for the information to be stored.

Edit Assessment
Editing the selected assessment

Cohort: 2 Months upto 5 Years

Section: General Danger Signs

Assessment Title: Check for Very Severe Disease

Content:

ASK
Has the infant had convulsions? Fits/twitching?

ASK and LOOK
Is the infant not able to feed or breastfeed?
Is there blood in the stool?

LOOK, LISTEN, FEEL
• Look for breathing: is the baby gasping or not breathing at all even when stimulated
• Count the breaths in one minute. Repeat the count if elevated. YOUNG INFANT MUST BE CALM
• Look for severe chest indrawing YOUNG INFANT MUST BE CALM

Close **Save changes**

Classifications & Treatment

Manage Classifications

Step 1: Display a list of the various assessment areas.

Select the **Cohort** and **Section** then click on **Get Assessments**.

Assess, Classify and Identify Treatment

Treat the Infant/Child

Cohort: Age upto 2 Months

Section: All Sections

Get Assessments **Add Assessment**

Step 2: Identify the assessment area to manage.

Click on the **Manage Assessment** button from the right side of the content screen.

Dashboard

Assess, Classify and Identify Treatment

Treat the Infant/Child

Follow Up Care

Counsel the Mother

HIV Care For Children

Cohort: Age upto 2 Months

Section: All Sections

Get Assessments **Add Assessment**

Section	Assessment Title	Content Available?	Actions
General Danger Signs	Check for Very Severe Disease	✓	Edit Assessment Manage Classifications
Check For	Check for Jaundice	✓	Edit Assessment Manage Classifications

Step 4: Manage the respective classifications.

Click on either the **Add Classification** or **View/Edit** or **Remove**.

Classifications for Assessment: Check for Very Severe Disease (Age upto 2 Months)

Assessments / Classifications

Classification

Classify ALL YOUNG INFANTS

Very Severe Disease
Classify ALL YOUNG INFANTS

View/Edit Remove

Local Bacterial Infection
Classify ALL YOUNG INFANTS

View/Edit Remove

Very severe Disease or Local Bacterial Infection Unlikely
Classify ALL YOUNG INFANTS

View/Edit Remove

Add Classification

Add Classification

Step 1: Display the classification form.

Click on **Add Classification**.

Classifications for Assessment: Check for Very Severe Disease (Age upto 2 Months)

Assessments / Classifications

Classification

Classify ALL YOUNG INFANTS

Very Severe Disease
Classify ALL YOUNG INFANTS

View/Edit Remove

Local Bacterial Infection
Classify ALL YOUNG INFANTS

View/Edit Remove

Very severe Disease or Local Bacterial Infection Unlikely
Classify ALL YOUNG INFANTS

View/Edit Remove

Add Classification

New Classification

Classification

Category

Parent

Signs

Type here...

Treatments

Type here...

Save Classification, Signs and Treatments

Step 2: Fill in the Classification details (Classification, Category, Parent, Signs, Treatment)

A blank form will load on the right side of the content screen.


Type in the information in the fields provided.

Note:



Category is the severity of the disease. Example; severe (pink), mild (yellow), normal (green)
Parent is the action to classify (the text captured inside the arrows that point at the classifications).

See example below;



Classify Nutritional Status **and**

Classify Anaemia

are **two** parents of the assessment

Check for Acute Malnutrition & Anaemia


The parent **MUST** be provided in order to link up the classifications appropriately.
 Ensure that the parent text matches with the IMNCI chart booklet.

Step 3: Initiate the storage process

Click **Save Classifications, Signs & Treatments**.

Step 4: Review the information before storage

Click **Ok** on the review notification screen that appears.



Step 5: Submit the Classification for storage

Read through the information entered before clicking **Submit** for it to be stored.

Classifications for Assessment: Check for Jaundice (Age upto 2 Months)

Assessments / Classifications

The screenshot shows two side-by-side forms. On the left is the 'Classification' form, which lists three categories under 'Classify Jaundice': 'Severe Jaundice' (selected), 'Jaundice', and 'No jaundice'. Each category has a 'View/Edit' and 'Remove' button. A blue circle with the number '5' is overlaid on the bottom right of this form. On the right is the 'New Classification' form, which is currently empty. It includes fields for 'Classification' (containing 'c'), 'Category' (containing 'Severe Classification'), 'Parent' (containing 'c'), 'Signs' (with a rich text editor toolbar), and 'Treatments' (with a rich text editor toolbar). A large green 'Submit' button is at the bottom. A blue circle with the number '2' is overlaid on the top right of this form.

View/Edit Classification

Step 1: Display the Classification form.

Click **View/Edit**

Classifications for Assessment: Check for Very Severe Disease (Age upto 2 Months)

Assessments / Classifications

The screenshot shows the 'View/Edit Classification' form, which is a detailed version of the classification form from the previous step. It includes fields for 'Classification' (containing 'Very Severe Disease'), 'Category' (containing 'Severe Classification'), 'Parent' (containing 'Classify ALL YOUNG INFANTS'), 'Signs' (with a rich text editor toolbar), and 'Treatments' (with a rich text editor toolbar). The 'Signs' and 'Treatments' sections contain specific instructions: 'Any of the following signs:' followed by a list of respiratory symptoms, and 'Immediately resuscitate using a bag and mask if the baby:' followed by a list of conditions. A blue circle with the number '1' is overlaid on the top left of the classification list, a red box highlights the 'View/Edit' button for the first item, and a blue circle with the number '3' is overlaid on the bottom right of the treatments section. A blue circle with the number '2' is overlaid on the top right of the classification list.

Step 2: Modify the information.

The classification details will be displayed on the form that loads to the right side of the content screen.

Fill in the information in the fields provided to modify.


Step 3: Initiate the storage process.

Click **Save Classifications, Signs & Treatments** for the information to be stored.

Step 4: Review the information before storage

The information would need to be reviewed before it is submitted for storage.

Click **Ok** on the screen that appears.



Step 5: Submit the Classification for storage

The classification form will appear again with the information that had been filled in.

Read through the information before clicking **Submit** for it to be stored.

Classifications for Assessment: Check for Very Severe Disease (Age upto 2 Months)

Assessments / Classifications

A screenshot of a classification form. On the left, there's a list of classifications: "Classify ALL YOUNG INFANTS" (with "Very Severe Disease" selected), "Local Bacterial Infection", and "Very severe Disease or Local Bacterial Infection Unlikely". On the right, a detailed view of "Very Severe Disease" is shown. It includes fields for "Classification" (set to "Very Severe Disease"), "Category" (set to "Severe Classification"), "Parent" (set to "Classify ALL YOUNG INFANTS"), and "Signs" (a toolbar with various icons). Below the signs section, there's a note about respiratory rate and saturation. The "Treatments" section includes a note about oxygen therapy and a reference to "Integrated Management of Newborn and Childhood Illnesses, Treat the Child". At the bottom right is a red-bordered "Submit" button. A blue circle with the number "5" is positioned to the left of the main form area.

Remove Classification



This process is irreversible.

If a classification has been removed erroneously, it may be added back.
Refer to **Add Classification** section.

Step 1: Identify the classification that needs to be removed

Click **Remove**.

Classifications for Assessment: Check for Very Severe Disease (Age upto 2 Months)

Assessments / Classifications

The screenshot shows a list of classifications under the heading 'Classification'. The first item is 'Very Severe Disease' with a 'Remove' button highlighted by a red box and circled with a blue number 1. Other items include 'Local Bacterial Infection', 'Very severe Disease or Local Bacterial Infection Unlikely', and another 'test' entry.

Step 2: Initiate the removal process

The respective classification details will be displayed on the form that will load on the right side of the content screen. Read through to ensure that it is to proceed with the removal process.

Click **Yes, Remove it!** to proceed.

Classifications for Assessment: Check for Very Severe Disease (Age upto 2 Months)

Assessments / Classifications

The screenshot shows the 'Remove Classification' dialog box. It includes fields for 'Classification' (set to 'test'), 'Category' (set to 'Severe Classification'), 'Parent' (set to 'Classify ALL YOUNG INFANTS'), 'Signs' (containing 'abc'), and 'Treatments' (containing 'xyz'). At the bottom is a large red button labeled 'Yes, Remove it!'

Treat the Infant/Child

Section Titles

Click on the **Treat the Infant/Child** link from the quick menu.

The content screen will display a table listing the various section titles for the age cohort 0-2months & 2months-5years.

#	Title	Cohort	Actions
1	Teach the Mother to Give Oral Drugs at Home	Age upto 2 Months	<button>Manage Ailments / Treatments</button> <button>Edit</button>
2	Teach the Mother to Treat Local Infections at Home	Age upto 2 Months	<button>Manage Ailments / Treatments</button> <button>Edit</button>
3	Give these Treatments in Health Facility Only	Age upto 2 Months	<button>Manage Ailments / Treatments</button> <button>Edit</button>

Add Section Title

[Step 1: Display the title form.](#)

Click **Add Title**

1

2

3

[Step 2: Fill in the title details \(Title, Cohort, Guide\)](#)

A blank form will load on the right side of the content screen. Fill in the details in the fields provided.

See example in the image;

Title
Teach the Mother to Give Oral Drugs at Home

Cohort
Age upto 2 Months

Guide

Follow the instructions below for every oral drug to be given at home.
Also follow the instructions listed with each drug's dosage table.

- Determine the appropriate drugs and dosage for the child's age or weight.
- Tell the mother the reason for giving the drug to the child.
- Demonstrate how to measure a dose.
- Watch the mother practice measuring a dose by herself.
- Ask the mother to give the first dose to her child.
- Explain carefully how to give the drug, then label and package the drug.


The **Guide** provides instructions for the HCW regarding the section title

Step 3: Initiate the storage process

Click **Submit Title** to initiate the saving process.

Step 4: Review the information before storage

Click **Ok** on the review notification screen that appears.



Step 5: Submit the title information for storage

Read through the information entered before clicking **Submit**.

Edit Section Title

[Step 1: Display the title form.](#)

Click on **Edit**

The screenshot shows a comparison between a list view and a detailed edit view. On the left, a table lists three entries: 'Teach the Mother to Give Oral Drugs at Home', 'Teach the Mother to Treat Local Infections at Home', and 'Give these Treatments in Health Facility Only'. The first entry has a red arrow pointing to its 'Edit' button. On the right, a modal window titled 'Editing Title' contains fields for 'Title' (set to 'Teach the Mother to Give Oral Drugs at Home'), 'Cohort' (set to 'Age upto 2 Months'), and a rich text editor. A blue circle labeled '1' is placed over the 'Cohort' dropdown. A blue circle labeled '2' is placed over the 'Submit Title' button at the bottom of the modal.

[Step 2: Fill in the title details \(Title, Cohort & Guide\)](#)

Fill in the details in the fields provided. Click **Submit Title** to proceed.

Ailments

[Manage Ailments](#)

Click **Manage Ailments/Treatments** to load the list of ailments & the relating treatment options.

Treat the Child/Infant

The screenshot shows a table listing three items under the 'Ailments' section. The first item, 'Teach the Mother to Give Oral Drugs at Home', has a red arrow pointing to its 'Edit' button. All other columns in the table have green buttons labeled 'Manage Ailments / Treatments'.

#	Title	Cohort	Actions
1	Teach the Mother to Give Oral Drugs at Home	Age upto 2 Months	Manage Ailments / Treatments Edit
2	Teach the Mother to Treat Local Infections at Home	Age upto 2 Months	Manage Ailments / Treatments Edit
3	Give these Treatments in Health Facility Only	Age upto 2 Months	Manage Ailments / Treatments Edit

Add Ailment

Step 1: Display the ailment form.

Treat the Infant/Child: Ailments: Teach the Mother to Give Oral Drugs at Home (Age upto 2 Months)

Treat Titles / Ailments

The screenshot shows a list of three entries under the heading 'Ailment'. Each entry has a 'Manage Treatments' button, which is highlighted with a blue circle labeled '1'. To the right, there is a detailed view of the first entry, 'Give an Appropriate Antibiotic for local bacterial infection'. This view includes fields for 'Ailment Title' and 'Content', with a rich text editor, and a note '**Leave blank if there is none'. A large blue circle labeled '2' is positioned over the 'Submit Ailment' button at the bottom.

Step 2: Fill in the ailment details (Title & Content)

Provide the ailment details in the fields provided. Click **Submit Ailment** to update the information.

Edit Ailment

Step 1: Display the edit ailment form.

Click **Edit**.

Treat the Infant/Child: Ailments: Teach the Mother to Give Oral Drugs at Home (Age upto 2 Months)

Treat Titles / Ailments

The screenshot shows a list of three entries under the heading 'Ailment'. The second entry, 'Give Zinc Sulphate for a young infant with diarrhoea', is selected and has a 'Manage Treatments' button highlighted with a blue circle labeled '1'. To the right, there is a detailed view of the selected entry, 'Give an Appropriate Antibiotic for local bacterial infection'. This view includes fields for 'Ailment Title' and 'Content', with a rich text editor, and a note '**Leave blank if there is none'. A large blue circle labeled '2' is positioned over the 'Submit Ailment' button at the bottom. A table titled 'Oral Antibiotics Aged <7 days' is shown on the right side of the detailed view.

Weight (kg)	Amoxicillin	Ampicillin	Flucloxacillin
2.0	2.0	2.0	2.0
2.5	3.0	3.0	3.0
3.0	3.0	3.0	3.0
4.0	4.0	4.0	4.0

Step 2: Modify the ailment information in the fields provided.

Click **Submit Ailment** for the information to be stored.

Remove Ailment



This process is irreversible.

If an ailment has been removed erroneously, it may be added back.

Refer to **Add Ailment** section.

Step 1: Identify the ailment that needs to be removed

Click **Remove**.

Treat the Infant/Child: Ailments: Teach the Mother to Give Oral Drugs at Home (Age upto 2 Months)

Treat Titles / Ailments

Show 10 entries Search:

#	Ailment	Actions
1	Give an Appropriate Antibiotic for local bacterial infection	<button>Manage Treatments</button> <button>Edit</button> Remove <button>Manage Treatments</button> <button>Edit</button> Remove <button>Manage Treatments</button> <button>Edit</button> Remove
2	Give Zinc Sulphate for a young infant with diarrhoea	<button>Manage Treatments</button> <button>Edit</button> Remove
3	Give Benzathine Penicillin for a child whose mother has syphilis	<button>Manage Treatments</button> <button>Edit</button> Remove

Showing 1 to 3 of 3 entries Previous 1 Next

Remove Ailment
Ailment Title: Give an Appropriate Antibiotic for local bacterial infection
Content:

Oral Antibiotics Aged <7 days 25mg/kg 125mg/5mls 12 hourly			
Weight (kg)	Amoxicillin	Ampicillin	Flucloxacillin
2.0	2.0	2.0	2.0
2.5	3.0	3.0	3.0
3.0	3.0	3.0	3.0
4.0	4.0	4.0	4.0

**Leave blank if there is none

Remove Ailment

Step 2: Initiate the removal process

The respective ailment details will be displayed on the form that will load on the right side of the content screen.

Click **Remove Ailment** to proceed.

Manage Treatment(s)

Step 1: Display the list of ailments

Click **Manage Ailments/Treatments**.

Treat the Child/Infant

Age upto 2 Months 2 Months upto 5 Years Add Title
Show 10 entries Search:

#	Title	Cohort	Actions
1	Teach the Mother to Give Oral Drugs at Home	2 Months upto 5 Years	Manage Ailments / Treatments <button>Edit</button>
2	Teach the Mother/CareGiver to Treat Local Infections at Home	2 Months upto 5 Years	Manage Ailments / Treatments <button>Edit</button>
3	Give these Treatments in Health Facility Only	2 Months upto 5 Years	Manage Ailments / Treatments <button>Edit</button>





Treat the Infant/Child: Ailments: Give these Treatments in Health Facility Only (2 Months upto 5 Years)

Treat Titles / Ailments

#	Ailment	Actions
1	Treat Very Severe Disease or Severe Pneumonia	Manage Treatments Edit Remove
2	Treat for Convulsing Now	Manage Treatments Edit Remove
3	Treat Severe Malaria	Manage Treatments

Add Ailment

Step 2: Display the list of treatment to be edited

Click **Manage Treatments**.

Add Treatment

Step 1: Display the treatment form.

Follow the steps in **Manage Treatments** to display the list of treatments.

Click **Add Treatment**.

Treat the Infant/Child: Ailment Treatments: Rehydration Therapy & Feeding for Diarrhoea (2 Months upto 5 Years)

Treat Titles / Ailments / Treatments

1 Add Treatment

Treatment	Action
For diarrhoea in children with acute Malnutrition	Edit Remove
Give Multivitamin/Mineral supplement for persistent diarrhoea	Edit Remove
Plan A: Treat diarrhoea with no dehydration	Edit Remove
Plan B: Treat Diarrhoea at Facility with ORS (Some Dehydration)	Edit Remove
Plan C: Treat Severe Dehydration Quickly	Edit Remove
Treat Shock	Edit Remove

2 Add Treatments for this Ailment

Treatment

Content

Type here...

**Leave blank if there is none

Save Treatment

Step 2: Fill in the treatment details.

Provide the treatment details in the fields provided i.e. the Title & Content.

Click **Save Treatment** to store the information.

Edit Treatment

Step 1: Display the list of treatments to edit

Click **Edit**.

Treat the Infant/Child: Ailment Treatments: Rehydration Therapy & Feeding for Diarrhoea (2 Months upto 5 Years)

Treat Titles / Ailments / Treatments

The screenshot shows the 'Edit Treatment' interface. On the left, there is a list of treatments with a 'Treatment' header, a search bar, and a 'Show 10 entries' dropdown. A blue circle with the number '1' highlights the 'Action' column containing 'Edit' and 'Remove' buttons. On the right, the 'Editing Treatment' section has a 'Treatment' field containing 'For diarrhoea in children with acute Malnutrition'. Below it is a 'Content' section with a rich text editor toolbar. A blue circle with the number '2' highlights the 'ReSoMal' section, which contains two lists of instructions for 'Conscious -Not in shock' and 'Unconscious /IN SHOCK'. At the bottom, there is a note '**Leave blank if there is none' and a 'Save Treatment' button.

Step 2: Modify the treatment information in the fields provided.

Click **Save Ailment** for the information to be stored.

Remove Treatment



This process is irreversible.
If a treatment has been removed erroneously, it may be added back.
Refer to **Add Treatment** section.

Step 1: Identify the treatment to be removed

Treat the Infant/Child: Ailment Treatments: Rehydration Therapy & Feeding for Diarrhoea (2 Months upto 5 Years)

Treat Titles / Ailments / Treatments

The screenshot shows two panels. On the left, a list of treatments for diarrhoea in children with acute malnutrition is displayed. The first item, 'For diarrhoea in children with acute Malnutrition', has a blue circle with the number '1' over the 'Remove' button. On the right, a 'Remove Treatment' form is open for the same treatment. It contains a rich text editor, a note about rehydration, and a flowchart for ReSoMal treatment. A blue circle with the number '2' is over the 'Remove Treatment' button at the bottom of the form.

Step 2: Initiate the removal process

The respective treatment details will be displayed on the form that will load on the right side of the content screen. Read through to ensure that it is to proceed with the removal process.

Click **Remove Treatment** to proceed.

Follow Up Care

Manage Follow Up

Click on the **Follow Up Care** link from the quick menu.

The content screen will display the follow up advice & treatment for the various ailments for the age cohort 0-2months & 2months-5years.

The screenshot shows the 'Follow Up Care' page. The left sidebar has a yellow highlight around the 'Follow Up Care' link. The main area has sections for 'Cohort' (Age upto 2 Months), 'Ailment' (Jaundice), 'Advice' (with a rich text editor), and 'Treatment' (with a rich text editor). Below these are sections for 'After 1 day' (Look for jaundice, Are palms and soles yellow?) and 'Treatment' notes (if palms and soles are yellow or age 14 days or more, refer to hospital; if palms and soles are not yellow and age is less than 14 days, advise on home care and when to return immediately). At the bottom is a 'Save Advice & Treatment' button.

The steps below may be taken to manage the information in this section;

Step 1: Select the cohort & ailment.

Click **Cohort** to select the age category of the child.

Cohort

Age upto 2 Months

Ailment

Jaundice

Treatment

Click **Ailment** to select the ailment area to manage.

Cohort

Age upto 2 Months

Advice

After 1 day:
Look for jaundice.

Are palms and soles yellow?

Ailment

Jaundice

Local Bacterial Infection
Eye Infection
Diarrhoea (Some Dehydration)
Feeding Problem
Low Weight or Low Birth Weight
Thrush or Mouth Ulcers

Step 2: Modify the information. (Advice & Treatment)

Edit the information in the fields provided.

Dashboard

Assess, Classify and Identify Treatment

Treat the Infant/Child

Follow Up Care

Counsel the Mother

HIV Care For Children

Gallery

Glossary

User Profiles

Reported Issues

Logout

Cohort

Age upto 2 Months

Ailment

Jaundice

Advice

After 1 day:
Look for jaundice.

Are palms and soles yellow?

Treatment

Save Advice & Treatment

2

3

Step 3: Initiate the storage process

Read through the information entered before clicking **Save Advice & Treatment** for it to be stored.

Step 4: Review the information before storage

Click **Ok** on the review notification screen that appears.

Manage Ailments

Step 1: Display the ailments

Click **Manage Ailments**.

Follow Up Care



Manage Ailments

Cohort: Age upto 2 Months | Ailment: Jaundice

Advice and Treatment sections with rich text editors.

After 1 day:

Look for jaundice.

Are palms and soles yellow?

• If palms and soles are yellow or age 14 days or more, refer to hospital.
• If palms and soles are not yellow and age is less than 14 days, advise on home care and when to return immediately.

Save Advice & Treatment

Add Ailment

Step 1: Display the ailment form.

Ailments

Follow Up Care / Ailments

1

#	Ailment	Cohort	Follow Up	Actions
1	Persistent Diarrhoea	2 Months upto 5 Years	Available	Edit
2	Pneumonia	2 Months upto 5 Years	Available	Edit
3	Wheezing	2 Months upto 5 Years	Available	Edit
4	Dysentery	2 Months upto 5 Years	Available	Edit
5	Uncomplicated Malaria	2 Months upto 5 Years	Available	Edit

Add Ailment



Ailments

Follow Up Care / Ailments

2

#	Ailment	Cohort	Follow Up	Actions
1	Persistent Diarrhoea	2 Months upto 5 Years	Available	Edit
2	Pneumonia	2 Months upto 5 Years	Available	Edit
3	Wheezing	2 Months upto 5 Years	Available	Edit
4	Dysentery	2 Months upto 5 Years	Available	Edit
5	Uncomplicated Malaria	2 Months upto 5 Years	Available	Edit
6	Fever - No Malaria	2 Months upto 5 Years	Available	Edit
7	Eye or Mouth Complications of Measles	2 Months upto 5 Years	Available	Edit
8	Jaundice	Age upto 2 Months	Available	Edit
9	Local Bacterial Infection	Age upto 2 Months	Available	Edit

Add Ailment

Cohort: All Cohorts... | Ailment: Ailment | Description: Description

Save Ailment

Step 2: Fill in the ailment details (Cohort, Ailment, Description)

A blank form will load on the right side of the content screen. Type in the information in the fields provided.

Click **Save Ailment** to store the information.

Edit Ailment

Step 1: Identify the ailment to be edited

Click **Edit**.

Ailments

Follow Up Care / Ailments

The screenshot shows two panels. The left panel is a list of ailments with columns for #, Ailment, Cohort, Follow Up, and Actions. An entry for 'Persistent Diarrhoea' is selected and highlighted with a blue circle containing the number '1'. The right panel is an 'Edit Ailment' form with fields for Cohort (set to '2 Months upto 5 Years'), Ailment ('Persistent Diarrhoea'), and Description. A blue circle containing the number '2' is positioned over the 'Save Ailment' button at the bottom of the form.

#	Ailment	Cohort	Follow Up	Actions
1	Persistent Diarrhoea	2 Months upto 5 Years	Available	Edit
2	Pneumonia	2 Months upto 5 Years	Available	Edit
3	Wheezing	2 Months upto 5 Years	Available	Edit
4	Dysentery	2 Months upto 5 Years	Available	Edit
5	Uncomplicated Malaria	2 Months upto 5 Years	Available	Edit
6	Fever - No Malaria	2 Months upto 5 Years	Available	Edit
7	Eye or Mouth Complications of Measles	2 Months upto 5 Years	Available	Edit
8	Jaundice	Age upto 2 Months	Available	Edit
9	Local Bacterial Infection	Age upto 2 Months	Available	Edit

Step 2: Modify the ailment information in the fields provided.

Click **Save Ailment** for the information to be updated.

Counsel the Mother

Click on the **Counsel the Mother** link from the quick menu to load the list of the counsel provided to the mother.

The screenshot shows a sidebar with a yellow box around the 'Counsel the Mother' link. The main area displays a list of counseling titles with edit and remove buttons. The first title, 'Advise Mother To Give Home Care For The Young Infant', has its 'Manage Sub Content' button highlighted with a blue circle containing the number '1'.

Title	Actions
Advise Mother To Give Home Care For The Young Infant	Edit Remove Manage Sub Content Remove
Counsel the HIV Positive Mother on Feeding Recommendations	Edit Remove
Feeding Problems	Edit Remove
Guidance on Infant Feeding in HIV Context	Edit Remove
On Her Own Health	Edit Remove
Teach Correct Positioning and Attachment for Breastfeeding	Edit

Manage Titles

Add Title

Step 1: Display the title form.

Click on Add Title.

Counsel the Mother

The screenshot displays two windows side-by-side. The left window, labeled '1', shows a list of existing titles under 'Age upto 2 Months'. The right window, labeled '2', shows a blank 'Add Title' form with fields for 'Cohort', 'Title', 'Subtitles', and 'Content', along with a toolbar and a 'Save Title' button.

Step 2: Fill in the details (Cohort, Title, *Sub titles Content)

Type in the information in the fields provided on the blank form that will load on the right side of the content screen.

Note:



* Sub titles

The screenshot shows the 'Add Title' form with the 'Subtitles' field highlighted by a blue box. The 'Subtitles' field contains the question 'Does this title have subtitle(s)?' with a checkbox. A blue arrow points from the note 'The check box should only be checked only if the title has several sub-titles to it. Example:' to this field.

The check box should only be checked only if the title has several sub-titles to it. Example:

Title: Counsel on breastfeeding

Sub Title 1: New born

Sub Title 2: 1 Week to xx

Click **Save Title** to store the information.

Edit Title

Step 1: Display the Counsel form.

Click on **Edit**.

Counsel the Mother

The screenshot shows a list of counseling topics under the 'Counsel the Mother' section. The first topic, 'Advertise Mother To Give Home Care For The Young Infant', has its 'Edit' button highlighted with a blue circle labeled '1'. To the right, a detailed edit screen is displayed for this specific title. It includes fields for 'Cohort' (Age upto 2 Months), 'Title' (Advertise Mother To Give Home Care For The Young Infant), and 'Subtitles'. The 'Content' area contains a rich text editor with various formatting options and a note about food & fluids. A blue circle labeled '2' highlights the 'Save Title' button at the bottom of the edit screen.

Step 2: Modify the information.

The details will be displayed on the form that loads to the right side of the content screen.

Fill in the information in the fields provided to modify.

Click **Save Title** to store the information.

Remove Title



This process is irreversible.
If a title has been removed erroneously, it may be added back.
Refer to **Add Title** section.

Step 1: Identify the title to be removed

Counsel the Mother

The screenshot shows a list of titles under the 'Counsel the Mother' section. The first title, 'Advise Mother To Give Home Care For The Young Infant', has a blue circle with the number '1' over it. In its actions column, there is a red button labeled 'Manage Sub Content' which has a red circle with the number '2' over it.

Title	Actions
Advise Mother To Give Home Care For The Young Infant	Edit Remove Manage Sub Content
Counsel the HIV Positive Mother on Feeding Recommendations	Edit Remove
Feeding Problems	Edit Remove
Guidance on Infant Feeding in HIV Context	Edit Remove
On Her Own Health	Edit Remove
Teach Correct Positioning and Attachment for Breastfeeding	Edit Remove
Teach The Mother How To Keep The Young Infant With Low Weight Or Low Body Temperature Warm At Home	Edit Remove
Teach The Mother To Treat Breast or Nipple Problems	Edit Remove

On the right side, a detailed view of the 'Advise Mother To Give Home Care For The Young Infant' title is shown. It includes a 'Title' field with the value 'Advise Mother To Give Home Care For The Young Infant', a 'Cohort' dropdown set to 'Age upto 2 Months', and a 'Content' rich text editor. The content area contains a section titled 'FOOD & FLUIDS' with instructions about breastfeeding frequency and chlorhexidine application. A red button at the bottom right of this panel says 'Yes, Remove this Title'.

Step 2: Initiate the removal process

The respective title details will be displayed on the form that will load on the right side of the content screen. Read through to ensure that it is to proceed with the removal process.

Click **Yes, Remove this Title** to proceed.

Manage Sub Content/Titles

Step 1: Identify the title to be managed

Click **Manage Sub Content** to load the respective sub titles that are linked to the title being highlighted.

Counsel the Mother

The screenshot shows a list of titles under the 'Counsel the Mother' section. The second title, 'Counsel the HIV Positive Mother on Feeding Recommendations', has a blue circle with the number '1' over it. In its actions column, there is a red button labeled 'Manage Sub Content' which has a red circle with the number '2' over it.

Title	Actions
Advise Mother To Give Home Care For The Young Infant	Edit Remove
Counsel the HIV Positive Mother on Feeding Recommendations	Edit Remove Manage Sub Content
Feeding Problems	Edit Remove

Add Sub Title

Step 1: Display the sub-title form.

Click on **Add Sub-Title**.

Subtitle	Actions
Newborn, Birth up to 1 Week	Edit Remove
1 Week up to 6 Months	Edit Remove

Add Sub Content

Sub Content Title

Content

Type here...

Step 2: Fill in the details Sub Content title, Content)

Type in the information in the fields provided on the blank form that will load on the right side of the content screen.

Click **Save Sub Content** to store the information.

Edit Sub Title

Step 1: Identify the sub-title to be edited

Click **Edit**.

Counsel the Mother Sub Content: Counsel the HIV Positive Mother on Feeding Recommendations (Age upto 2 Months)

[Counsel the Mother Titles](#) / [Sub Content](#)

Subtitle	Actions
Newborn, Birth up to 1 Week	Edit Remove
1 Week up to 6 Months	Edit Remove

Edit Sub Content

Sub Content Title

Newborn, Birth up to 1 Week

Content



Save Sub Content

Step 2: Modify the information.

The details will be displayed on the form that loads to the right side of the content screen.

Fill in the information in the fields provided to modify.

Click **Save Sub Content** to update the information.

Remove Sub Title



This process is irreversible.

If a sub-title has been removed erroneously, it may be added back.

Refer to **Add Sub Title** section.

Step 1: Identify the sub-title to be removed

Click **Remove**.

Counsel the Mother Sub Content: counsel the HIV Positive Mother on Feeding Recommendations (Age upto 2 Months)

Counsel the Mother Titles / Sub Content

The screenshot shows two panels. The left panel displays a table of subtitles under the heading 'Counsel the Mother Titles / Sub Content'. One subtitle, 'Newborn, Birth up to 1 Week', is highlighted with a blue circle labeled '1'. The right panel shows the 'Delete Sub Content' form for this subtitle, which includes a preview image of a woman and a red button at the bottom labeled 'Yes, Remove this Sub Content'.

Step 2: Initiate the removal process

The respective sub title details will be displayed on the form that will load on the right side of the content screen. Read through to ensure that it is to proceed with the removal process.

Click **Yes, Remove this Sub Content** to proceed.

HIV Care for Children

Click on the **HIV Care for Children** link from the quick menu.

The screenshot shows the 'HIV Care for Children' dashboard. On the left, a sidebar lists quick links including 'Dashboard', 'Assess, Classify and Identify Treatment', 'Treat the Infant/Child', 'Follow Up Care', 'Counsel the Mother', 'HIV Care For Children' (which is highlighted with a yellow box), 'Gallery', 'Glossary', 'User Profiles', 'Reported Issues', and 'Logout'. The main content area displays several treatment guidelines as cards:

- 'What to Start' (ART Treatment for Children with TB)
- 'Dosage for Cotrimoxazole Prophylaxis'
- 'Paediatric ARVs Dosages - Fixed Dose Combinations'
- 'Paediatric ARVs Dosages - LOPINAVIR/RTONAVIR'
- 'Simplified Weight Band Dosing Schedule for LPV/r'

Each card includes a preview image and edit/remove buttons.

Gallery

Click on the **Gallery** link from the quick menu.

The content screen will display a table of all gallery items; *Job Aids, Illustrations, Videos, Guidelines & Tools*.

Note:



The items in the gallery are linked to the respective ailments (disease areas) e.g. Malaria, HIV, Pneumonia
Any item cutting across the ailments will appear under the **All** ailment option.

For example; Growth Monitoring Charts.

Manage Items

Each gallery item can be managed as follows;

Download File

To store a copy of the file on the computer.

View Details

To have a look at the details provided.


Edit Upload

To modify the details provided.

Delete Upload

To remove the gallery item (this includes removing the file attached).

Actions



Add Item

[Step 1: Display the gallery form.](#)

Click **Add Gallery Item**.

Gallery

Pick an Ailment

All

Job Aid 6 **Illustrations 0** **Video 0** **Guidelines 0** **Tools 1**

Title	File Type	Ailment	File Size (Bytes)	Last Modified	Actions
Algorithm for Pulmonary TB Diagnosis in Children	PDF	Tuberculosis	391909	04 Jan 2018 09:38:32	Action ▾
Growth Monitoring Chart for Boys & Girls	PDF	General	660674	04 Jan 2018 09:40:25	Action ▾

Add Gallery Item

Step 2: Fill in the details (Media type, Ailment, Title, Description, File)

Type in the information in the fields provided on the screen that loads.

Click **Save** to store the information.

Add Gallery Item

Media Type

Job Aid

Ailment

Malaria

Title

Description

Upload File

Select file

Close Save

Manage Ailment(s)

Click **Manage Ailments** to load a screen that would allow ailments to be either added or removed.



Note: These ailments populate the list of ailments (see red asterisk *) that would be linked to the gallery files being uploaded.

Gallery

Pick an Ailment

All

Job Aid 6 **Illustrations 0** **Video 0** **Guidelines 0** **Tools 1**

Add Gallery Item

Add Ailment

Step 1: Provide ailment name.

Type the ailment name on text field provided.

Step 2: Store the information

Click **Add Ailment** to store the ailment name.

Remove Ailment

Click **Remove** to proceed.

Gallery Ailments

Gallery / Gallery Ailments

Ailment	Add Ailment
Ailment	
Malaria	Remove
Tuberculosis	Remove
Diarrhoea	Remove
General	Remove
HIV	Remove

Glossary

Click **Glossary** link from the quick menu.

The content screen will display a table of all acronyms that have been used in the IMNCI guidelines.

#	Acronym	Description	Action
1	AVPU	Alert, Voice, Pain and Unresponsive.	Edit Delete
2	WFHL	Weight-for-Height or Weight-for-Length determined by using the WHO growth standards charts.	Edit Delete
3	KMC	Kangaroo Mother Care is defined as early, prolonged continuous skin-to-skin contact between a mother or her surrogate and her preterm baby or low birth weight infant. The difference between KMC and skin-to-skin care (which is recommended for all newborns at birth) is in the duration of contact. Skin-to-skin care is usually done immediately after birth for a short time for every newborn to ensure that all babies stay warm in the first hours of life and helps in early initiation of breastfeeding while KMC is prolonged skin to skin contact for a minimum of 20 hours per day	Edit Delete
4	RUTF	Ready-to-use Therapeutic Food for conducting the appetite test and feeding children with severe acute malnutrition.	Edit Delete
5	MUAC	Mid-Upper-Arm-circumference measured using MUAC tape in all children 6 months or older.	Edit Delete
6	IMCI	The Integrated Management of Childhood Illness case management approach offers simple and effective methods to	Edit

Manage Glossary Items

New Glossary Item

Step 1: Display the glossary form.

Click **New Glossary Item**.

Step 2: Fill in the details (Acronym & Description)

Type in the details in the fields provided.

Click **Save Glossary Item** to store the information.

Edit Glossary Item

Step 1: Identify the acronym to be edited

Click **Edit**.

#	Acronym	Description	Action
1	AVPU	Alert, Voice, Pain and Unresponsive.	Edit Delete
2	WFHL	Weight-for-Height or Weight-for-Length determined by using the WHO growth standards charts.	Edit Delete
3	KMC	Kangaroo Mother Care is defined as early, prolonged continuous skin-to-skin contact between a mother or her surrogate and her preterm baby or low birth weight infant. The difference between KMC and skin-to-skin care (which is recommended for all newborns at birth) is in the duration of contact. Skin-to-skin care is usually done immediately after birth for a short time for every	Edit Delete

Editing Glossary

Acronym
AVPU

Description
Alert, Voice, Pain and Unresponsive.

Save Glossary Item

Step 2: Modify the information.

Fill in the information in the fields provided to modify.

Click **Save Glossary Item** to update the information.

Delete Glossary Item



This process is irreversible.

*If a glossary item has been removed erroneously, it may be added back.
Refer to **New Glossary Item** section.*


Step 1: Identify the acronym to be removed

Click **Delete**.

#	Acronym	Description	Action
1	AVPU	Alert, Voice, Pain and Unresponsive.	Edit Delete
2	WFHL	Weight-for-Height or Weight-for-Length determined by using the WHO growth standards charts.	Edit Delete
3	KMC	Kangaroo Mother Care is defined as early, prolonged continuous skin-to-skin contact between a mother or her surrogate and her preterm baby or low birth weight infant. The difference between KMC and skin-to-skin care (which is recommended for all newborns at birth) is in the duration of contact. Skin-to-skin care is usually done immediately after birth for a short time for every	Edit Delete

Step 2: Initiate the removal process

Click **Yes, Remove It!** on the prompt screen that appears to proceed.



User Profiles

Click **User Profiles** link from the quick menu.

The content screen will display user information that is captured through the mobile application.

A screenshot of a web-based application interface. On the left is a dark sidebar with white text and icons for various features: Dashboard, Assess, Classify and Identify Treatment, Treat the Infant/Child, Follow Up Care, Counsel the Mother, HIV Care for Children, Gallery, Glossary, User Profiles (which is highlighted with a yellow box), Reported Issues, and Logout. The main area has a light gray background. At the top, there's a header with a search bar and a 'Show' dropdown set to 10 entries. Below this is a table with columns: Email, Phone, Gender, Age Group, County, Profession, Cadre, Sector, and Created. The table contains 8 rows of data. At the bottom right of the main area, there are 'Previous' and 'Next' buttons.

Email	Phone	Gender	Age Group	County	Profession	Cadre	Sector	Created
[Redacted]	[Redacted]	Male	Adult (25-64 Years)	Garissa	Interested Party	Nutritionist	Public	09/Jan/2018 22:18
[Redacted]	[Redacted]	Male	Senior (65 Years and Over)	Nairobi	Care Provider(Health Care Worker)	Nutritionist	Public	09/Jan/2018 20:31
[Redacted]	[Redacted]	Male	Youth (15-24 Years)	Eigeo Marakwet	Interested Party	Other	Public	16/Jan/2018 16:06
[Redacted]	[Redacted]	Female	Youth (15-24 Years)	Homa Bay	Student		Private	11/Jan/2018 15:56
[Redacted]	[Redacted]	Male	Adult (25-64 Years)	Machakos	Interested Party	Doctor	Public	18/Jan/2018 15:48
[Redacted]	[Redacted]	Female	Youth (15-24 Years)	Baringo	Interested Party	Nutritionist	Private	10/Jan/2018 11:20
								Previous 1 Next

Reported Issues

Click **Reported Issues** link from the quick menu.

The content screen will display all issues experienced by users while they use the mobile application.

The issues are categorized into three;

- (i) Pending – issues that have been raised and await resolution.
- (ii) Solved –issues that have been addressed to completion.
- (iii) Archived –issues that have been shelved for further research and investigation.

A screenshot of a web-based application interface. The sidebar is identical to the one in the User Profiles section. The main area shows a table with tabs at the top: Pending (3), Solved (1), and Archived (1). The Pending tab is selected. The table has columns: Name, Email, Issue, Comment, Date, and Action. There are three rows in the table, each with a 'Move to Archive' and a 'Mark as Solved' button. At the bottom, it says 'Showing 1 to 3 of 3 entries' and has 'Previous | 1 | Next' buttons.

Name	Email	Issue	Comment	Date	Action
Chrispine Otaalo	john.otaalo@strathmore.edu	Performance	This is a description	19.01.2018	<button>Move to Archive</button> <button>Mark as Solved</button>
Chrispine Otaalo	john.otaalo@strathmore.edu	Performance	This is a description	19.01.2018	<button>Move to Archive</button> <button>Mark as Solved</button>
Makena	sam.mwamburi@gmail.com	Content	Issue kubwa sana	11.01.2018	<button>Move to Archive</button> <button>Mark as Solved</button>

Move to Archive

Click **Move to Archive**.

The pending issue will move to the **Archived** tab.

Mark as Solved

Click **Mark as Solved**.

The pending issue will move to the **Solved** tab.

Log Out

Step 1: Click on the **Log Out** link from the quick menu to exit the web application.

The image consists of two side-by-side screenshots. The left screenshot shows a dark sidebar with various menu items: Dashboard, Assess, Classify and Identify Treatment, Treat the Infant/Child, Follow Up Care, Counsel the Mother, HIV Care For Children, Gallery, Glossary, User Profiles, Reported Issues, and Logout. The 'Logout' link is highlighted with a yellow box and circled with a blue number 1. The right screenshot shows a login page for 'INTEGRATED MANAGEMENT OF NEWBORN & CHILDHOOD ILLNESS (IMNCI)'. It features a logo with the Kenyan coat of arms and text 'MINISTRY OF HEALTH Newborn, Child and Adolescent Health Unit (NCAHU)'. Below the logo are illustrations of a baby, a crawling child, a health worker, and a young girl. The page has fields for 'E-Mail Address' and 'Password', a 'Remember Me' checkbox, and 'Login' and 'Forgot Your Password?' buttons. A blue circle containing the number 2 is positioned above the login form.

Step 2: The system will redirect to the Log In screen.



INTEGRATED MANAGEMENT OF NEWBORN & CHILDHOOD ILLNESS (IMNCI)

E-Mail Address

Password

Remember Me

[Login](#)

[Forgot Your Password?](#)

[Logout](#)

[Create New Account](#)

I'm a new user

[Forgot Password?](#)