

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ CSS

```

        <option value="1003" >
            Food
        </option>
        <option value="1004" >
            Music
        </option>
        <option value="1" >
            123
        </option>
    </select>

    <!-- Question Status -->
    <label for="status">Status:</label>
    <select id="status" name="status" required>
        <option value="open" >Open</option>
    </select>
  
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 13, column 9; to line 13, column 101](#)

```

>↵      <link rel='shortcut icon' type='image/x-icon'
..... href="http://localhost:8000/images/logo.png" />↵↵
  
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 18, column 9; to line 18, column 39](#)

```

>↵      <script type="text/javascript">↵
.....
  
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 22, column 9; to line 22, column 81](#)

```

>↵      <script type="text/javascript" src=http://localhost:8000/js/app.js
..... defer>↵
  
```

4. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 45, column 5; to line 45, column 107](#)

```
OST"><input type="hidden" name="_token"
value="fXRuuNVJIHpLk09Ke1E1HLRm5QkGSEMFhN2y22dF" autocomplete="off">
```

5. **Error** Duplicate ID `content`.

[From line 51, column 5; to line 51, column 51](#)

```
abel><textarea id="content" name="content" required>123</t
```

6. **Warning** The first occurrence of ID `content` was here.

[From line 40, column 13; to line 40, column 34](#)

```
<section id="content">
```

7. **Error** The first child `option` element of a `select` element with a `required` attribute, and without a `multiple` attribute, and without a `size` attribute whose value is greater than `1`, must have either an empty `value` attribute, or must have no text content. Consider either adding a placeholder option label, or adding a `size` attribute with a value equal to the number of `option` elements.

[From line 55, column 29; to line 55, column 50](#)

```
<option value="1001" >
```

8. **Error** The first child `option` element of a `select` element with a `required` attribute, and without a `multiple` attribute, and without a `size` attribute whose value is greater than `1`, must have either an empty `value` attribute, or must have no text content. Consider either adding a placeholder option label, or adding a `size` attribute with a value equal to the number of `option` elements.

[From line 75, column 13; to line 75, column 34](#)

```
<option value="open" >Open</
```

Document checking completed.

Source

```
1. <
2. <!DOCTYPE html>
3. <html lang="en">
4.   <head>
5.     <meta charset="utf-8">
6.     <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```

7.         <meta name="viewport" content="width=device-width, initial-scale=1">↵
8. ↵
9.         <!-- CSRF Token -->↵
10.        <meta name="csrf-token"
content="fXRuuNVJIHpLk09Ke1ElHLRm5QkGSEMFhN2y22dF">↵
11. ↵
12.        <title>BrainShare</title>↵
13.        <link rel='shortcut icon' type='image/x-icon'
href="http://localhost:8000/images/logo.png" />↵
14. ↵
15.        <!-- Styles -->↵
16.        <link href="http://localhost:8000/css/milligram.min.css"
rel="stylesheet">↵
17.        <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
18.        <script type="text/javascript">↵
19.            // Fix for Firefox autofocus CSS bug↵
20.            // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951↵
21.        </script>↵
22.        <script type="text/javascript" src=http://localhost:8000/js/app.js
defer>↵
23.        </script>↵
24.    </head>↵
25.    <body>↵
26.        <main>↵
27.            <header>↵
28.                <nav>↵
29.                    <a href="http://localhost:8000/home"></a>↵
30.                    <h1><a href="http://localhost:8000/home">BrainShare</a></h1>↵
31.                    <ul>↵
32.                        <li><a href="http://localhost:8000/about">About us</a>↵
33.                        <li><a href="http://localhost:8000/faq">FAQ</a></li>↵
34.                        <li><a
href="http://localhost:8000/contact">Contacts</a></li>↵
35.                        <li><a
href="http://localhost:8000/user/1000">John Doe</a></li>↵
36.                        <li><a class="button"
href="http://localhost:8000/logout"> Logout </a></li> ↵
37.                    </ul>↵
38.                </nav>↵
39.            </header>↵
40.            <section id="content">↵
41.                ↵
42.            <h1>Edit Question</h1>↵
43.            ↵
44.            <form action="http://localhost:8000/question/1000/edit" method="POST">↵
45.                <input type="hidden" name="_token"
value="fXRuuNVJIHpLk09Ke1ElHLRm5QkGSEMFhN2y22dF" autocomplete="off">    <input
type="hidden" name="_method" value="PUT"> ↵
46.                <input type="hidden" name="id" value="1000">↵
47.                <label for="title">Title:</label>↵
48.                <input type="text" id="title" name="title" value="123" required>↵
49.            ↵
50.                <label for="content">Content:</label>↵
51.                <textarea id="content" name="content" required>123</textarea>↵
52.            ↵
53.                <label for="tag_id">Tag:</label>↵
54.                <select id="tag_id" name="tag_id" required>↵
55.                    <option value="1001">↵
56.                        Programming↵
57.                    </option>↵
58.                    <option value="1002">↵
59.                        Travel↵
60.                    </option>↵
61.                    <option value="1003">↵
62.                        Food↵
63.                    </option>↵
64.                    <option value="1004">↵
65.                        Music↵

```

```
66.         </option><br>
67.             <option value="1" ><br>
68.                 123<br>
69.         </option><br>
70.     </select><br>
71. <br>
72.     <!-- Question Status --><br>
73.     <label for="status">Status:</label><br>
74.     <select id="status" name="status" required><br>
75.         <option value="open" >Open</option><br>
76.         <option value="closed" >Closed</option><br>
77.     </select><br>
78. <br>
79.     <button type="submit">Update Question</button><br>
80. </form><br>
81. <br>
82.     </section><br>
83. </main><br>
84. </body><br>
85. </html>
```

Used the HTML parser.

Total execution time 16 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.12.19