

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☐ CSS

```
designed to manage a community of users engaging in collaborative questions and
answers.</p>
</div>

<div class="question">
  <h2>Who can participate?</h2>
  <p class="answer">Any registered user can participate by submitting questions,
answers, or comments.</p>
</div>

<div class="question">
  <h2>How does the voting system work?</h2>
  <p class="answer">The community can vote on questions. The voting system helps
highlight valuable contributions.</p>
</div>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 13, column 9; to line 13, column 101](#)

```
>↵      <link rel='shortcut icon' type='image/x-icon'
href="http://localhost:8000/images/logo.png" />↵↵
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 18, column 9; to line 18, column 39](#)

```
>↵      <script type="text/javascript">↵
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 22, column 9; to line 22, column 81](#)

```
>↵      <script type="text/javascript" src=http://localhost:8000/js/app.js
defer>↵
```

Document checking completed.

Source

```

1.  ↵
2.  <!DOCTYPE html>↵
3.  <html lang="en">↵
4.      <head>↵
5.          <meta charset="utf-8">↵
6.          <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.          <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.  ↵
9.          <!-- CSRF Token -->↵
10.         <meta name="csrf-token"
content="ZrnhN3VzkakemBfdghjC6XL0sky4RSVPoBuPWBA0">↵
11.  ↵
12.         <title>BrainShare</title>↵
13.         <link rel='shortcut icon' type='image/x-icon'
href="http://localhost:8000/images/logo.png" />↵
14.  ↵
15.         <!-- Styles -->↵
16.         <link href="http://localhost:8000/css/milligram.min.css"
rel="stylesheet">↵
17.         <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
18.         <script type="text/javascript">↵
19.             // Fix for Firefox autofocus CSS bug↵
20.             // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951↵
21.         </script>↵
22.         <script type="text/javascript" src=http://localhost:8000/js/app.js
defer>↵
23.         </script>↵
24.     </head>↵
25.     <body>↵
26.         <main>↵
27.             <header>↵
28.                 <nav>↵
29.                     <a href="http://localhost:8000/home"></a>↵
30.                     <h1><a href="http://localhost:8000/home">BrainShare</a></h1>↵
31.                     <ul>↵
32.                         <li><a href="http://localhost:8000/about">About us</a>
</li>↵
33.                         <li><a href="http://localhost:8000/faq">FAQ</a></li>↵
34.                         <li><a
href="http://localhost:8000/contact">Contacts</a></li>↵
35.                     </ul>↵
36.                 </nav>↵
37.             </header>↵
38.             <section id="content">↵
39.                 ↵
40.             <script>↵
41.                 document.addEventListener('DOMContentLoaded', function () {↵
42.                     var questions = document.querySelectorAll('.question');↵
43.                     ↵
44.                     questions.forEach(function (question) {↵
45.                         question.addEventListener('click', function () {↵
46.                             var answer = this.querySelector('.answer');↵
47.                             if (answer.style.display === 'block') {↵
48.                                 answer.style.display = 'none';↵
49.                             } else {↵
50.                                 answer.style.display = 'block';↵
51.                             }↵
52.                         });↵
53.                     });↵
54.                 });↵
55.             </script>↵
56.             ↵
57.             <h1 id = "faq-h1">Frequently Asked Questions</h1>↵
58.             ↵

```

```
59. <div class="question">↵
60.     <h2>What is BrainShare?</h2>↵
61.     <p class="answer">BrainShare is an information system with a web interface
    designed to manage a community of users engaging in collaborative questions and
    answers.</p>↵
62. </div>↵
63. ↵
64. <div class="question">↵
65.     <h2>Who can participate?</h2>↵
66.     <p class="answer">Any registered user can participate by submitting
    questions, answers, or comments.</p>↵
67. </div>↵
68. ↵
69. <div class="question">↵
70.     <h2>How does the voting system work?</h2>↵
71.     <p class="answer">The community can vote on questions. The voting system
    helps highlight valuable contributions.</p>↵
72. </div>↵
73. ↵
74. <div class="question">↵
75.     <h2>Can I leave comments on questions or answers?</h2>↵
76.     <p class="answer">Yes, it is possible to associate brief comments with both
    questions and answers to provide additional context or clarification.</p>↵
77. </div>↵
78. ↵
79.         </section>↵
80.     </main>↵
81. </body>↵
82. </html>
```

Used the HTML parser.

Total execution time 14 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.28