

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ☐ CSS

```
<tbody>
  <tr>
    <th>
      <a class='button' href="http://localhost:8000/user/1000">John
Doe</a>
    </th>
    <th>admin@gmail.com</th>
  </tr>
  <tr>
    <th>
      <a class='button' href="http://localhost:8000/user/2000">Sarah
Doe</a>
    </th>
    <th>admin2@gmail.com</th>
  </tr>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 13, column 9; to line 13, column 101](#)

```
>↵      <link rel='shortcut icon' type='image/x-icon'
href="http://localhost:8000/images/logo.png" />↵↵
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 18, column 9; to line 18, column 39](#)

```
>↵      <script type="text/javascript">↵
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 22, column 9; to line 22, column 81](#)

```
>↵      <script type="text/javascript" src=http://localhost:8000/js/app.js
defer>↵
```

Document checking completed.

Source

```

1.  ↵
2.  <!DOCTYPE html>↵
3.  <html lang="en">↵
4.      <head>↵
5.          <meta charset="utf-8">↵
6.          <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.          <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.  ↵
9.          <!-- CSRF Token -->↵
10.         <meta name="csrf-token"
content="aGEn1gcd0bcSSJuDMQRZGnt0RybQPMaqciBuj9Ss">↵
11.  ↵
12.         <title>BrainShare</title>↵
13.         <link rel='shortcut icon' type='image/x-icon'
href="http://localhost:8000/images/logo.png" />↵
14.  ↵
15.         <!-- Styles -->↵
16.         <link href="http://localhost:8000/css/milligram.min.css"
rel="stylesheet">↵
17.         <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
18.         <script type="text/javascript">↵
19.             // Fix for Firefox autofocus CSS bug↵
20.             // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951↵
21.         </script>↵
22.         <script type="text/javascript" src=http://localhost:8000/js/app.js
defer>↵
23.         </script>↵
24.     </head>↵
25.     <body>↵
26.         <main>↵
27.             <header>↵
28.                 <nav>↵
29.                     <a href="http://localhost:8000/home"></a>↵
30.                     <h1><a href="http://localhost:8000/home">BrainShare</a></h1>↵
31.                     <ul>↵
32.                         <li><a href="http://localhost:8000/about">About us</a>
</li>↵
33.                         <li><a href="http://localhost:8000/faq">FAQ</a></li>↵
34.                         <li><a
href="http://localhost:8000/contact">Contacts</a></li>↵
35.                         <li><a
href="http://localhost:8000/administration">Administration</a></li>↵
36.                         <li><a
href="http://localhost:8000/user/3000">Admin</a></li>↵
37.                         <li><a class="button"
href="http://localhost:8000/logout"> Logout </a></li> ↵
38.                     </ul>↵
39.                 </nav>↵
40.             </header>↵
41.             <section id="content">↵
42.                 ↵
43.                 <h2>Search for a user</h2>↵
44.                 ↵
45.                 <form method="GET" action="http://localhost:8000/administration/search-
user/search">↵
46.                     <label for="search">Search Users:</label>↵
47.                     <input type="text" id="search" name="search" placeholder="Search the
username">↵
48.                     <button type="submit">Search</button>↵
49.                 </form>↵
50.                 ↵
51.                 <table class="search-results">↵
52.                     <thead>↵
53.                         <tr>↵

```

```
54.         <th>Username</th><br>
55.         <th>Email</th><br>
56.     </tr><br>
57. </thead><br>
58. <tbody><br>
59.         <tr><br>
60.             <th><br>
61.                 <a class='button'
href="http://localhost:8000/user/1000">John Doe</a><br>
62.             </th><br>
63.             <th>admin@gmail.com</th><br>
64.         </tr><br>
65.         <tr><br>
66.             <th><br>
67.                 <a class='button'
href="http://localhost:8000/user/2000">Sarah Doe</a><br>
68.             </th><br>
69.             <th>admin2@gmail.com</th><br>
70.         </tr><br>
71.         <tr><br>
72.             <th><br>
73.                 <a class='button'
href="http://localhost:8000/user/3000">Admin</a><br>
74.             </th><br>
75.             <th>real_admin@gmail.com</th><br>
76.         </tr><br>
77.     </tbody><br>
78. </table><br>
79. <br>
80.     </section><br>
81. </main><br>
82. </body><br>
83. </html>
```

Used the HTML parser.

Total execution time 8 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.28