

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token"
content="ZrnhN3VzkakemBfdghjC6XL0sky4RSVPoBuPWBA0">

    <title>BrainShare</title>
    <link rel='shortcut icon' type='image/x-icon'
href="http://localhost:8000/images/logo.png" />
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 13, column 9; to line 13, column 101](#)

```
>↵      <link rel='shortcut icon' type='image/x-icon'
.....
href="http://localhost:8000/images/logo.png" />↵↵
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 18, column 9; to line 18, column 39](#)

```
>↵      <script type="text/javascript">↵
.....
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 22, column 9; to line 22, column 81](#)

```
>↵      <script type="text/javascript" src=http://localhost:8000/js/app.js
defer>↵
.....
```

4. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 41, column 5; to line 41, column 107](#)

```
gin">↵    <input type="hidden" name="_token"
value="ZrnhN3VzkakemBfdghjC6XL0sky4RSVPoBuPWBA0" autocomplete="off">↵↵
```

5. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 38, column 13; to line 38, column 34](#)

```
<section id="content">↵
.....
```

Document checking completed.

Source

```
1. ↵
2. <!DOCTYPE html>↵
3. <html lang="en">↵
4.     <head>↵
5.         <meta charset="utf-8">↵
6.         <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.         <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.     ↵
9.         <!-- CSRF Token -->↵
10.        <meta name="csrf-token"
content="ZrnhN3VzkakemBfdghjC6XL0sky4RSVPoBuPWBA0">↵
11.    ↵
12.        <title>BrainShare</title>↵
13.        <link rel='shortcut icon' type='image/x-icon'
href="http://localhost:8000/images/logo.png" />↵
14.    ↵
15.        <!-- Styles -->↵
16.        <link href="http://localhost:8000/css/milligram.min.css"
rel="stylesheet">↵
17.        <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
18.        <script type="text/javascript">↵
19.            // Fix for Firefox autofocus CSS bug↵
20.            // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951↵
21.        </script>↵
22.        <script type="text/javascript" src=http://localhost:8000/js/app.js
defer>↵
23.        </script>↵
24.    </head>↵
25.    <body>↵
26.        <main>↵
27.            <header>↵
28.                <nav>↵
29.                    <a href="http://localhost:8000/home"></a>↵
30.                    <h1><a href="http://localhost:8000/home">BrainShare</a></h1>↵
31.                    <ul>↵
32.                        <li><a href="http://localhost:8000/about">About us</a>
</li>↵
33.                        <li><a href="http://localhost:8000/faq">FAQ</a></li>↵
34.                        <li><a
href="http://localhost:8000/contact">Contacts</a></li>↵
```

```
35.                                     </ul><br>
36.                                     </nav><br>
37.                                     </header><br>
38.                                     <section id="content"><br>
39.                                     <br>
40. <form method="POST" action="http://localhost:8000/login"><br>
41.   <input type="hidden" name=" token"
value="ZrnhN3VzkakemBfdghjC6XL0sky4RSVPoBuPWBA0" autocomplete="off"><br>
42.   <br>
43.     <label for="email">E-mail</label><br>
44.     <input id="email" type="email" name="email" value="" required autofocus><br>
45.     <br>
46.     <label for="password" >Password</label><br>
47.     <input id="password" type="password" name="password" required><br>
48.     <br>
49.     <label><br>
50.       <input type="checkbox" name="remember" > Remember Me<br>
51.     </label><br>
52.     <a class="btn btn-link" href="http://localhost:8000/password/reset">Forgot
Your Password?</a><br>
53.     <br>
54.     <button type="submit"><br>
55.       Login<br>
56.     </button><br>
57.     <a class="button button-outline"
href="http://localhost:8000/register">Register</a><br>
58.   </form><br>
59.   </section><br>
60. </main><br>
61. </body><br>
62. </html>
```

Used the HTML parser.

Total execution time 13 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.12.19