

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token"
content="aGE1gcd0bcSSJuDMQRZGNT0RybQPMaqciBuj9Ss">

    <title>BrainShare</title>
    <link rel='shortcut icon' type='image/x-icon'
href="http://localhost:8000/images/logo.png" />
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 13, column 9; to line 13, column 101](#)

```
>↵      <link rel='shortcut icon' type='image/x-icon'
.....   href="http://localhost:8000/images/logo.png" />↵↵
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 18, column 9; to line 18, column 39](#)

```
>↵      <script type="text/javascript">↵
.....
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 22, column 9; to line 22, column 81](#)

```
>↵      <script type="text/javascript" src=http://localhost:8000/js/app.js
.....   defer>↵
```

4. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 45, column 9; to line 45, column 111](#)

```
><      <input type="hidden" name="_token"
value="aGEn1gcd0bcSSJuDMQRZGnt0RybQPMaqciBuj9Ss" autocomplete="off">
```

5. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 51, column 9; to line 51, column 111](#)

```
><      <input type="hidden" name="_token"
value="aGEn1gcd0bcSSJuDMQRZGnt0RybQPMaqciBuj9Ss" autocomplete="off">
```

6. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 57, column 9; to line 57, column 111](#)

```
><      <input type="hidden" name="_token"
value="aGEn1gcd0bcSSJuDMQRZGnt0RybQPMaqciBuj9Ss" autocomplete="off">
```

7. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

[From line 46, column 13; to line 46, column 30](#)

```
<label for="name">John D
```

8. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

[From line 52, column 13; to line 52, column 30](#)

```
<label for="name">Sarah
```

9. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

[From line 58, column 13; to line 58, column 30](#)

```
<label for="name">Admin<
```

Document checking completed.

Source

1. `<`
2. `<!DOCTYPE html><`
3. `<html lang="en"><`
4. `<head><`
5. `<meta charset="utf-8"><`

```

6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.      <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.  ↵
9.      <!-- CSRF Token -->↵
10.     <meta name="csrf-token"
content="aGEn1gcd0bcssJuDMQRZGNT0RybQPMaqciBuj9Ss">↵
11.  ↵
12.     <title>BrainShare</title>↵
13.     <link rel='shortcut icon' type='image/x-icon'
href="http://localhost:8000/images/logo.png" />↵
14.  ↵
15.     <!-- Styles -->↵
16.     <link href="http://localhost:8000/css/milligram.min.css"
rel="stylesheet">↵
17.     <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
18.     <script type="text/javascript">↵
19.         // Fix for Firefox autofocus CSS bug↵
20.         // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951↵
21.     </script>↵
22.     <script type="text/javascript" src=http://localhost:8000/js/app.js
defer>↵
23.     </script>↵
24. </head>↵
25. <body>↵
26.     <main>↵
27.         <header>↵
28.             <nav>↵
29.                 <a href="http://localhost:8000/home"></a>↵
30.                 <h1><a href="http://localhost:8000/home">BrainShare</a></h1>↵
31.                 <ul>↵
32.                     <li><a href="http://localhost:8000/about">About us</a>
</li>↵
33.                     <li><a href="http://localhost:8000/faq">FAQ</a></li>↵
34.                     <li><a
href="http://localhost:8000/contact">Contacts</a></li>↵
35.                     <li><a
href="http://localhost:8000/administration">Administration</a></li>↵
36.                     <li><a
href="http://localhost:8000/user/3000">Admin</a></li>↵
37.                     <li><a class="button"
href="http://localhost:8000/logout"> Logout </a></li> ↵
38.                     </ul>↵
39.                 </nav>↵
40.             </header>↵
41.             <section id="content">↵
42.                 ↵
43.                 <h1>Delete User</h1>↵
44.                 <form action="http://localhost:8000/administration/delete-user?id=1000"
method="POST">↵
45.                     <input type="hidden" name=" token"
value="aGEn1gcd0bcssJuDMQRZGNT0RybQPMaqciBuj9Ss" autocomplete="off">
<input type="hidden" name="_method" value="DELETE"> <div class="form-
group">↵
46.                         <label for="name">John Doe</label>↵
47.                     </div>↵
48.                     <button type="submit" class="btn btn-primary">Delete User</button>↵
49.                 </form>↵
50.                 <form action="http://localhost:8000/administration/delete-user?id=2000"
method="POST">↵
51.                     <input type="hidden" name=" token"
value="aGEn1gcd0bcssJuDMQRZGNT0RybQPMaqciBuj9Ss" autocomplete="off">
<input type="hidden" name="_method" value="DELETE"> <div class="form-
group">↵
52.                         <label for="name">Sarah Doe</label>↵
53.                     </div>↵
54.                     <button type="submit" class="btn btn-primary">Delete User</button>↵
55.                 </form>↵
56.                 <form action="http://localhost:8000/administration/delete-user?id=3000"
method="POST">↵

```

```
57.      <input type="hidden" name="_token"
value="aGEn1gcd0bcssJuDMQRZGNt0RybQPMaqciBuj9Ss" autocomplete="off">
<input type="hidden" name="_method" value="DELETE">      <div class="form-
group">↵
58.          <label for="name">Admin</label>↵
59.      </div>↵
60.      <button type="submit" class="btn btn-primary">Delete User</button>↵
61.  </form>↵
62.  </section>↵
63.  </main>↵
64.  </body>↵
65. </html>
```

Used the HTML parser.

Total execution time 8 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.28